Caltrans

CALIFORNIA DEPARTMENT OF TRANSPORTATION

AUTHORIZED MATERIAL LIST FOR SIGNING AND DELINEATION MATERIALS

1. PAVEMENT MARKERS

Retroreflective with Abrasion Resistant Surface (ARS) (length x width)

Reauthorization: 06/30/2025

- 1. Apex, Models 921AR (4" x 4"), 828AR (3.1x4.5) and 899AR (3.1"x4.5")
- 2. Ennis-Flint, Models 911 (4" x 4") and C80FH (3.1" x 4.5")
- 3. Ray-O-Lite, Models "AA" ARC II (4" x 4") and ARC Round Shoulder (4" x 4") 4. 3M Series 290 (3.5" x 4")
- 4. 3M Series 290 PSA
- 5. Glowlite, Inc Model 988AR (4" x 4")

Retroreflective with Abrasion Resistant Surface (ARS) for recessed applications only)

Reauthorization: 06/30/2025

- 1. Ray O Lite, Model 2002 (2" x 4.6")
- 2. Ray O Lite, Model 2004 (2" x 4")*
- 3. Ennis-Flint, Models C40 and 201 with C40

2. TEMPORARY PAVEMENT MARKERS

Temporary Markers for Long Term Day/Night Use (180 days or less)

Reauthorization: 07/31/2025

- 1. Vega Molded Products "Temporary Road Marker" (3" x 4")
- 2. Pexco LLC, Halftrack model 25, 26 and 35

Temporary Markers for Short Term Day/Night Use (14 days or less) (For seal coat or chip seal applications, clear protective covers are required) Reauthorization: 07/31/2025

- 1. Apex Universal, Model 932, 932HH
- 2. Pexco LLC, Models T.O.M., T.R.P.M., and "HH" (High Heat)
- 3. Hi Way Safety, Inc., Model 1280/1281
- 4. Glowlite, Inc., Model 932
- 5. Pexco LLC, Davidson Models SUPER TOM and SUPER TRPM

3. STRIPING AND PAVEMENT MARKING MATERIAL

^{*}For use only in 4.5 inch wide (older) recessed slots

Traffic Striping and Pavement Marking Tape

Reauthorization: 08/31/2025

- 1. Advanced Traffic Marking, Series 300 and 400
- 2. Brite Line, Series 1000
- 3. Brite Line, "DeltaLine XRP"
- 4. Swarco Industries, "Director 60"
- 3M, "Stamark" 380 IES and 270 ES
- 6. Advanced Traffic Marking, MaxVision Series 300 White & Yellow

Temporary (Removable) Striping and Pavement Marking Tape (180 days or less)

Reauthorization: 08/31/2025

- 1. Advanced Traffic Marking, Series 200
- 2. Brite Line, "Series 100", "Deltaline TWR"
- 3. Garlock Rubber Technologies, Series 2000
- 4. Tape 4, Aztec, Grade 102
- 5. Swarco Industries, "Director 2", "Director 2-Wet Reflective"
- 6. Trelleborg Industries, R140 Series
- 7. 3M Series 710
- 8. Advanced Traffic Marking Black "Hide A Line"
- 9. (Black Tape: for use only on Hot mix asphalt surfaces)
- 10. Brite Line "BTR" Black Removable Tape
- 11. (Black Tape: for use only on Hot mix asphalt surfaces)
- 12. Trelleborg Industries, RB 140
- 13. (Black Tape: for use only on Hot mix asphalt surfaces)

Preformed Thermoplastic (Heated in place)

Reauthorization: 08/31/2025

- 1. Ennis-Flint, "Hot Tape"
- 2. Ennis-Flint, "Premark"
- Ennis-Flint, "Flametape"
- 4. Alta Traffic Solutions, "Alta All-Season", Series 100 (White Only)
- 5. Swarco, Preformed Thermoplastic
- 6. Ozark Materials, Preformed Thermoplastic
- 7. Potters Industries, "VisiTape"
- 8. Geveko Markinas, "Optamark"
- 9. Crown USA Inc., "Tuff-Mark"
- 10. Ennis-Flint, "PreMark XF White"*
- 11. Ennis-Flint, "PreMark XF Yellow"*
- 12. Preform, LLC "PREFORM PSFW- White" and "PREFORM PSFY- Yellow"

13.3M Preformed Thermoplastic, "PREFORM PSFW- White" and "PREFORM PSFY- Yellow"

*For Contractor's use only

4. CLASS 1 DELINEATORS

One Piece Driveable Flexible Type, 66 inch

Reauthorization: 09/30/2025

- 1. Pexco LLC, "Flexi Guide Models 400 and 566"
- 2. Carsonite, Curve-Flex CFRM-400
- 3. Carsonite, Roadmarker CRM 375
- 4. FlexStake, Model 654 TM
- 5. GreenLine Model CGD1 66
- 6. Ridan Composites LLC, Del-Mark Post

Special Use Type, 66 inch

Reauthorization: 09/30/2025

- 1. Pexco LLC, Model FG 560 (with U Channel base), FG 300 UR (with 2- inch square anchor)
- 2. Carsonite, "Survivor" (with 18-inch U Channel base)
- 3. Carsonite, Roadmarker CRM 375 (with 18-inch U Channel base)
- 4. FlexStake, Model 604
- 5. GreenLine Model CGD (with 18-inch U Channel base)
- 6. Impact Recovery Model D36, with #105 Driveable Base
- 7. Valtir Safe-Hit with 8-inch pavement anchor (SH248 GP1)
- 8. Valtir Safe-Hit with 15-inch soil anchor (SH248 GP2) and with 18-inch soil anchor (SH248 GP3)
- 9. Valtir Safe-Hit RT 360 Post with Soil Mount Anchor (GPS)
- 10. Valtir Safe-Hit SQR-LOC, SH248SQR-12
- 11. Shur-Tite Products, Shur-Flex Drivable
- 12. Three D Traffic Works, Earthflex TD5500
- 13. PEXCO,LLC/ Davidson Traffic Control Products, FTGM Series (FTGM48W-White, FTGM48Y-Yellow and FTGM48O-Orange)

Surface Mount Type, 48 inch

Reauthorization: 09/30/2025

- 1. Bent Manufacturing Company, Masterflex Model MFEX 180-48
- 2. Carsonite, "Channelizer"
- 3. FlexStake, Models 704, 754 TM, and 154 Flat Top
- 4. Impact Recovery Model D48, with #101 Fixed (Surface Mount) Base
- 5. Three D Traffic Works "Boomerang" TD 5200

- 6. Flexible Marker Support, Flexistiff Model C-9484
- 7. Valtir Safe-Hit, SH 248 SMR
- 8. Pexco LLC, Model FTSM 48
- 9. Hi-way Safety, Inc., Model CFUR48
- 10. Shur-Tite Products, Shur-Flex
- 11. Pexco LLC, Flexi-Guide Models FG348PE, FG348UR and FG348EFX

5. CHANNELIZERS

Surface Mount Type, 36 inch

Reauthorization: 10/31/2025

- Bent Manufacturing Company, Masterflex Models MF 360 36 (Round) MF 180 36 (Flat) and MFEX 180—36
- 2. Pexco LLC, Flexi Guide Models FG336PE, FG336UR and FG336EFX
- 3. Carsonite, "Super Duck" (Round SDR 336)
- 4. Carsonite, Model SDCF03601MB "Channelizer"
- 5. FlexStake, Models 703, 753 TM, and 153 Flat Top
- 6. GreenLine, Model SMD 36
- 7. Hi way Safety, Inc. "Channel Guide Channelizer" Model CGC36, CFUR36
- 8. Impact Recovery Model D36, with #101 Fixed (Surface Mount) Base
- Impact Recovery Systems, OmegaPost High Speed Flexible Channelizer with BS-SMQT Base.
- 10. Valtir Safe-Hit, Guidepost, Model SH236SMA and Dura-Post, Model SHL36SMA
- 11. Three D Traffic Works "Boomerang" 5200 Series
- 12. Flexible Marker Support, Flexistiff Model C-9484-36
- 13. Shur-Tite Products, Shur-Flex
- 14. Pexco LLC, Model FTSM36
- 15. Shur-Tite Products, U-Flex 36"

High-Speed Flexible Surface Mount Type, 36 inch

Reauthorization: 10/31/2025

- 1. Pexco LLC, City Post EAC, City Post SM, and City Post GD
- 36" or 42" Omega Post by Impact Recovery systems with matching cap and reflective sheeting bands (per project requirements)

Lane Separation System

Reauthorization: 10/31/25

- 1. Pexco LLC, "Flexi Guide (FG) 300 Curb System"
- Qwick Kurb, "Klemmfix Guide System"
- 3. Dura-Curb System
- 4. Tuff Curb

- 5. FG 300 Turnpike Curb
- 6. Shur-Tite Products, SHUR-Curb, Model No. SF0200
- 7. Tuff Curb XIP

6. OBJECT MARKERS

Type "K", 18 inch

Reauthorization: 12/31/2025

- 1. Pexco LLC, Model FG318PE
- 2. Carsonite, Model SMD 615
- 3. FlexStake, Model 701 KM
- 4. Valtir Safe-Hit, Model SH718SMA
- 5. Impact Recovery Systems, Model 282-K
- 6. Hi-way Safety, Inc, Model CFURK
- 7. Shur-Tite Products, Shur-Flex Driveable

Type "Q" Object Markers, 24 inch

Reauthorization: 12/31/2025

- 1. Bent Manufacturing "Masterflex" Model MF 360 24
- 2. Pexco LLC, Model FG324PE
- 3. Carsonite, "Channelizer"
- 4. FlexStake, Model 701KM
- Valtir Safe-Hit, Models SH824SMA_WA and SH824GP3_WA
- 6. Three D Traffic Works ID No. 531702W and TD 5200
- 7. Three D Traffic Works ID No. 520896W
- 8. Valtir Safe-Hit, Dura-Post SHLQ-24"
- 9. Flexible Marker Support, IMC 9484-24
- 10. Impact Recovery Systems, Model 282 –Q
- 11. Hi-way Safety, Inc, Model CFURQ

7. MARKERS FOR CONCRETE BARRIER AND GUARD RAIL

Impactable Type

Reauthorization: 01/31/2025

- 1. ARTUK, "FB"
- 2. Pexco LLC, Models PCBM 12, PCBM T12, PCBM 912, Hi Viz Flex Tab, PCBM L-16, PCBM 36, PCBM 15 and PCBM 915
- 3. Duraflex Corp., "Flexx 2020" and "Electriflexx"
- 4. Hi Way Safety, Inc., Model GMKRM100
- 5. Plastic Safety Systems "BAM" Models OM BARR and OM BWAR
- 6. Three D Traffic Works "Roadguide" Model TD 9300

7. Retroflex, RF3N1

Non Impactable Type

Reauthorization: 01/31/2025

- 1. ARTUK, JD Series
- 2. Plastic Safety Systems "BAM" Models OM BITARW and OM BITARA
- 3. Vega Molded Products, Models GBM and JD
- 4. Plastic Vacuum Forming, "Cap It C400"
- 5. Irwin Hodson Co., Barrier Traffic Reflector and A Shape HTR

8. DELINEATORS FOR CONCRETE BARRIER AND GUARD RAIL

METAL BEAM GUARD RAIL POST MARKERS (For use to the left of traffic)

Reauthorization: 02/28/2025

- 1. Pexco LLC, "Mini" (3" x 10"), I-Flex
- 2. Creative Building Products, "Dura Bull, Model 11201"
- 3. Duraflex Corp., "Railrider"
- 4. Plastic Vacuum Forming, "Cap It C300"
- 5. Irwin Hodson Co., Barrier Traffic Reflector

CONCRETE BARRIER DELINEATORS, 16 inch (For use to the right of traffic)

Reauthorization: 02/28/2025

- 1. Pexco LLC, Model PCBM T 16
- 2. Valtir Safe-Hit, Model SH216RBM
- 3. Three D Traffic Works "Roadguide" Model 9400

GUARD RAILING DELINEATOR (Place top of reflective element at 48 inches above plane of roadway) Wood Post Type, 27 inch

Reauthorization: 02/28/2025

- 1. Pexco LLC, FG 427 and FG 527
- 2. Carsonite, Model 427
- 3. FlexStake, Model 102 GR
- 4. GreenLine GRD 27
- Valtir Safe-Hit, Model SH227GRD
- 6. Three D Traffic Works "Guardflex" TD9100
- 7. Pexco LLC, NDM27
- 8. Shur-Tite Products, Shur-Tite Flat Mount
- 9. Glasforms, Hiway-Flex, GR-27-00
- 10. Impact Recovery Systems, 200-GRP

Barrier for Guardrail Visibility Enhancement

Reauthorization: 02/28/2025

- 1. UltraGuard Safety System, Potters Industries, Inc.
- 2. Worldwide Safety and Irwin Hodson, Monarch Butterfly Reflective Device (MBG only)
- 3. 3M, Linear Delineation System, Series 340
- 4. Pexco LLC, Butterfly-Style Glue-on (MGB only)

Steel Post Type

Reauthorization: 02/28/2025

1. N/A

9. RETROREFLECTIVE SHEETING – CHANNELIZERS

Channelizers, Barrier Markers, Delineators, Cone Sleeves, and drums

Reauthorization: 03/31/2026

- 1. Avery Dennison T 6500 Series, (For rigid substrate devices only)
- 2. Avery Dennison WR 7100, WR 7100M Series and WR 6100 Series
- 3. Nippon Carbide Industries, Flexible Ultralite Grade (ULG) II
- 4. Orafol, AC 1000 Acrylic
- 5. Orafol, AP 1000 Metalized Polyester
- 6. Orafol, Conformalight, AR 1000 Abrasion Resistant Coating
- 7. 3M, High Intensity, Series 3310, Series 3910 and 3914
- 8. Avery Dennison WC-4100 Series
- 9. Oralite Super Bright Reboundable Sheeting 5934 Series (5934-010 White, 5934-035 Orange, 5934-V35 White/Orange Barricade and 5934-V30 White/Red Barricade)
- 10. Oralite Marathon Reboundable Sheeting 5935 Series (5935-010 White and 5935-038 Fluorescent Orange)

10. RETROREFLECTIVE SHEETING – SIGNS

Type VIII (Typically Unmetallized Microprismatic Element)

Reauthorization: 03/31/2026

- 1. Avery Dennison, T 7500 Series
- 2. Avery Dennison, T 7511 Fluorescent Yellow
- 3. Avery Dennison, T 7513 Fluorescent Yellow Green
- 4. Avery Dennison, W 7514 Fluorescent Orange
- 5. Nippon Carbide Industries, Nikkalite Crystal Grade Series 92800
- 6. Nippon Carbide Industries, Nikkalite Crystal Grade Model 92847 Fluorescent Orange

- 7. Nippon Carbide Industries, Nikkalite Crystal Grade Model 92844 Fluorescent Yellow/Green
- 8. 3M Series 3940
- 9. 3M Series 3924S Fluorescent Orange
- 10.3M Series 3921 Fluorescent Yellow
- 11.3M Series 3923 Fluorescent Yellow Green

Type IX (Typically Unmetallized Microprismatic Element)

Reauthorization: 03/31/2026

- 1. 3M VIP Series 3981 Diamond Grade Fluorescent Yellow
- 2. 3M VIP Series 3983 Diamond Grade Fluorescent Yellow/Green
- 3. 3M VIP Series 3990 Diamond Grade
- 4. Avery Dennison T 9500 Series
- 5. Avery Dennison, T9513, Fluorescent Yellow Green
- 6. Avery Dennison, W9514, Fluorescent Orange
- 7. Avery Dennison, T-9511 Fluorescent Yellow
- 8. Orafol, Oralite 5930, Fluorescent Orange
- 9. Orafol, Oralite 7900 Series

Type XI (Typically Unmetallized Microprismatic Element)

Reauthorization: 03/31/2026

- 1. 3M Diamond Grade, DG3, Series 4000
- 2. 3M Diamond Grade, DG3, Series 4081, Fluorescent Yellow
- 3. 3M Diamond Grade, DG3, Series 4083, Fluorescent Yellow/Green
- 4. 3M Diamond Grade, DG3, Series 4084, Fluorescent Orange
- 5. Avery Dennison, OmniCube, T-11500 Series
- 6. Avery Dennison, OmniCube, T-11511, Fluorescent Yellow
- 7. Avery Dennison, OmniCube, T-11513, Fluorescent Yellow Green
- 8. Avery Dennison, OmniCube, W-11514 Fluorescent Orange
- 9. Orafol, Oralite 9900 Series, Brilliant Grade Premium

11. ALTERNATIVE SIGN SUBSTRATES

Fiberglass Reinforced Plastic (FRP) and Expanded Foam PVC

Reauthorization: 04/30/2026

- 1. Fiber Brite (FRP)
- 2. Sequentia, "Polyplate" (FRP)
- Inteplast Group "InteCel" (0.5 inch for Post Mounted CZ Signs, 48 inch or less) (PVC)
- 4. EcoStrate Sign, Model Traffic 025

Aluminum Composite, Temporary Construction Signs and Permanent Signs up to 4 foot, 7 Inches

Reauthorization: 04/30/2026

- 1. Alcan Composites "Dibond Material, 80 mils"
- 2. Mitsubishi Chemical America, Alpolic 350
- 3. Bone Safety Signs, Bone Light ACM (temporary construction signs only)
- 4. Kommerling, USA, KomAlu 3 mm

12. PORTABLE TRANSVERSE RUMBLE STRIPS

Portable Transverse Rumble Strips

Reauthorization: 12/05/2026

- 1. Plastic Safety Systems, Inc, Models RoadQuake 2, RoadQuake 2F
- 2. TrafFix Devices, Inc, Model Alert High Speed Rumble Strips
- 3. Eco-Flex, Inc, Model Portable Rumble Strips