


Dist COUNTY

ROUTE

POST MILES SHEET TOTAL TOTAL PROJECT No. SHEETS



RECESSED MARKER NOTES:

1.See typical traffic line details for marker patterns to be used with recessed pavement markers. Detail 14A requires a Type 2 recess.

2. The retroreflective pavement markers shown for recessed installations are not to be used for non-recessed installations.

3. The top of pavement markers installed in recesses shall be 0 to \(^4_6\)" below the pavement surface.

See Notes 1 and 2. RETROREFLECTIVE PAVEMENT MARKER

FOR RECESSED INSTALLATION

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION

PAVEMENT MARKERS AND TRAFFIC LINES TYPICAL DETAILS

NO SCALE

RSP A20D DATED APRIL 20, 2018 SUPERSEDES RSP A20D DATED JULY 21, 2017 AND STANDARD PLAN A20D DATED OCTOBER 30, 2015 - PAGE 15 OF THE STANDARD PLANS BOOK DATED 2015.

REVISED STANDARD PLAN RSP A20D

DETAIL 40A

6'-0" 6" WHITE LINE

> CENTER LINE EXTENSIONS THROUGH INTERSECTIONS

DETAIL 41

DETAIL 40

1'-0" 6'-0" *** ******* 6" YELLOW LINE

DETAIL 41A

DETAIL 41A DELETED

DETAIL 40A DELETED

2015 REVISED

STANDARD

PLAN

RSP

A 20D