Item 20-15 Proposal to include new parking sign in the CA MUTCD

Recommendation: Adopt the sign in the CA MUTCD.

Requesting Agencies/Sponsor: Caltrans/Monica Kress-Wooster, CTCDC member

Proposal: The CA MUTCD does not have a sign to address back-in angle parking. Adding this proposed sign to CA MUTCD will support the diagonal parking stall markings. Backin angle parking enhances the safety of the bicyclists sharing the road with vehicles parked in the direction of travel. Back-in angle parking also enhances the safety of the driver and passengers to enter or exit from vehicle.

Proposed Policy Changes

Note: Red text is proposed text.

Black strikethrough text is the text that is not applicable in California

Blue text is the existing California revision

Section 2B.46 Parking, Standing, and Stopping Signs

Special Signs

Option:

13 The OK TO PARK ON BRIDGE (R22(CA)) sign may be used to inform motorists that parking is permitted on a bridge. Refer to CVC 22500(k).

Guidance:

14 The PARK PARALLEL (R24(CA)) sign should only be used where diagonal parking is prevalent, in violation of CVC 22502.

14a If supported by local ordinance, the "BACK-IN ANGLE PARKING ONLY (R24F(CA)) sign should be used.

Figure 2B-24 (CA). Parking and Standing Signs and Plaques (R7 Series) (Sheet 1 of 3)















R22 (CA)

R24 (CA)

R24A (CA)

R24B (CA)

R24C (CA)

R24D (CA) R24E (CA)









R24F (CA)

R25 (CA)

R25A (CA)

R25B (CA)

Table 2B-1(CA). California Regulatory Sign and Plaque Sizes (Sheet 1 of 7)

Sign or Plaque	Sign Designation	Section	Conventional		Expressway	Freeway	Minimum	Oversized
			Road					
			Single Lane	Multi- Lane	Lxpressway	Treeway	William	Oversized
Speed Zone Ahead	R2-4(CA)	2B.13	24 x 30	24 x 30	36 x 45	48 x 60	24 x 30	
End Speed Limit	R3(CA)	2B.13	24 x 30	24 x 30	36 x 45	48 x 60	24 x 30	
TRUCKS, 3 ALXELS OR MORE 55 MAXIMUM	R6-3(CA)	2B.13	48 x 60	48 x 60	48 x 60	48 x 60		
TRUCKS 3 AXLES OR MORE RIGHT 2 LANES ONLY	R6-3A(CA)	2B.13	54 x 66	54 x 66	54 x 66	54 x 66		
ALL VEHICLES WHEN TOWING 55 MAXIMUM	R6-4(CA)	2B.13	48 x 60	48 x 60	48 x 60	48 x 60		
ALL VEHICLES WHEN TOWING RIGHT 2 LANES ONLY	R6-4A(CA)	2B.31	54 x 66	54 x 66	54 x 66	54 x 66		
No Right Turn on Red	R13A(CA)	2B.54	18 x 30	24 x 36	30x 48	30x 48	18 x 30	
No Left Turn on Red	R13B(CA)	2B.54	18 x 30	24 x 36	30x 48	30x 48	18 x 30	
RIGHT (LEFT) LANE MUST EXIT	R18A(CA)	2B.20			66 x48	66 x48		
RIGHT (LEFT) LANE FREEWAY ONLY	R18B(CA)	2B.20	36 x 36	36 x 36				
No Trucks Variable Message	R20-1(CA)	2B.39			102 x 48	102 x 48		
NEXT RIGHT plaque	R20-1A(CA)	2B.39			102 x 18	102 x 18		
Weight Limit	R20A(CA)	2B.59	30 x 30	30 x 30	36 x 40			
Truck Exclusion plaque	R20D-1(CA)	2B.59	24 x 6	30 x 9	36 x 12		24 x 6	
Truck Exclusion plaque	R20D-2(CA)	2B.59	24 x 6	30 x 9	36 x 12		24 x 6	
Truck Exclusion plaque	R20D-3(CA)	2B.59	24 x 6	30 x 9	36 x 12		24 x 6	
Truck Exclusion plaque	R20D-4(CA)	2B.59	24 x 6	30 x 9	36 x 12		24 x 6	
Truck Length Limit	R20H(CA)	2B.39	36 x 36	36 x 36	42 x 42		36 x 36	
Bridge Speed and Weight Limit	R21(CA)	2B.39	36 X 30	36 X 30				
OK TO PARK ON BRIDGE	R22(CA)	2B.46	12 X 18	12 X 18				
NO FISHING (JUMPING) FROM BRIDGE	R23(CA)	2B.101	26 X 18	26 X 18				
PARK PARALLEL	R24(CA)	2B.46	12 X 18	12 X 18				
SCHOOL BUS ONLY w/Double Arrow	R24A(CA)	2B.46	12 X 18	12 X 18				
TAXI CAB ONLY w/Double Arrow	R24B(CA)	2B.46	12 X 18	12 X 18				
TOUR BUS ONLY w/ Double Arrow	R24C(CA)	2B.46	12 X 18	12 X 18				
MAIL DEPOSIT ONLY w/ Double Arrow	R24D(CA)	2B.46	12 X 18	12 X 18				
BLOCK WHEELS TO CURB	R24E(CA)	2B.46	12 X 18	12 X 18				
BACK-IN ANGLE PARKING ONLY	R24F(CA)	2B.46	12 X 18	12 X 18				
PARK OFF PAVEMENT	R25(CA)	2B.46	24 x 15	24 x 15				
LOADING ONLY 7AM TO 6PM EXCEPT SUNDAY 30 MINUTE LIMIT w/ Double Arrow	R25A(CA)	2B.46	12 X 18	12 X 18				
Passenger Loading ONLY 5 MINUTE LIMIT w/ Double Arrow	R25B(CA)	2B.46	18 x 18	18 x 18				

Proposed new signs

BACK-IN ANGLE PARKING ONLY