STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# DBE - COMMITMENT

DES-OE-0102.10D (REV 12/2014)

08-26-16A11:46 RCVD

CONTRACT NO: 11-237964

BID AMOUNT: $ 8,506,474.00

Third Bidder

BID OPENING DATE: August 23, 2016

BIDDER'S NAME: DBX, INC.

DBE GOAL FROM CONTRACT %: 11%

| DBE PRIME CONTRACTOR CERTIFICATION[1]: | TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE) | TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE) |
|---|---|---|
| | 13 | $2,253,929.65 |

| BID ITEM NO. | ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED[2] | WORK CATEGORY CODES[3] | NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors) | AMOUNT ($) |
|---|---|---|---|---|
| 21,27,28,29,30,31,32, 33,34,35,36,37,38 | remove irrigation, ck/test irrigation, operate ex. irrigation, control/neutral conductors, pop up sprinkler assbly, supply line schedule 40 pipe, temp irrigation supply line, corrugated high density polyethylene pipe | C1901, C1910, C1920, C1930, C2065, C5100, C5110, C7200, C7215, C7301 | Diversified Landscape Co. 21730 Bundy Canyon Road Wildomar, CA 92595 951-245-1686 DBE #8022 | 49,470.40 |
| 1(p),6,8,22,23,52,53, 54,55,56,57,60(p) | lead compliance plan, temp. striping & markers, remove striping & thermo-plastic, paint stripe, thermoplastic traffic stripe, pavement markers | C1201, C5601, C5620, C8201, C8405, C8406, C8501, C9906 | Payco Specialties, Inc. 120 North Second Ave. Chula Vista, CA 91910 619-422-9204 DBE #102 | 35,738.00 |
| | | | | |

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

[1]Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

[2]If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

[3]Use Work Category Codes from the California Unified Certification Program database.

**Total Claimed Participation**

$ continued on next page

%

**The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).**

James C. Perry

Signature of Bidder

8/24/16 — Date

951-296-9909 — (Area Code) Tel. No.

James C. Perry — Person to Contact (Please Type or Print)

**ADA Notice** For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# DBE - COMMITMENT

DES-OE-0102.10D (REV 12/2014)

CONTRACT NO: 11-237964

BID AMOUNT: $ 8,506,474.00

BID OPENING DATE: August 23, 2016

BIDDER'S NAME: DBX, INC.

DBE GOAL FROM CONTRACT %: 11%

| DBE PRIME CONTRACTOR CERTIFICATION[1]: | TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE) | TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE) |
|---|---|---|
| | 13 | $2,253,929.65 |

| BID ITEM NO. | ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED[2] | WORK CATEGORY CODES[3] | NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors) | AMOUNT ($) |
|---|---|---|---|---|
| 5(p) | Traffic Control | C1200, C1201 | Quality Traffic Control<br>13940 Rose Avenue<br>Fontana, CA 92337<br>909-276-5582<br>DBE #42283 | $399,000.00 |
| 60(p) | Trenching & Backhoe | C0651, C9907, C9908 | Amerc, Inc.<br>23437 Abury Avenue<br>Murrieta, CA 92562<br>951-677-1078<br>DBE #12026 | $452,000.00 |
| | | | | |
| | | | | |
| | | | **Total Claimed Participation** | $ 936,208.40 |
| | | | | 11 % |

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

[1]Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

[2]If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

[3]Use Work Category Codes from the California Unified Certification Program database.

**The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).**

James C. Perry
Signature of Bidder

8/24/16
Date

951-296-9909
(Area Code) Tel. No.

James C. Perry
Person to Contact (Please Type or Print)

**ADA Notice** For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**DBE CONFIRMATION**

DES-OE-0102.13 (NEW 05/2015)

Contract no.: 11-237964

Name of DBE business: DIVERSIFIED LANDSCAPE CO.

Name of DBE representative: JUAN MARTINEZ

DBE certification number: 8022

Name of bidder: DBX, Inc.

Name of prime contractor if different from the bidder:

Name of representative of bidder or prime contractor: James C. Perry

Date: 8/23/16

| Bid item number | Item of work and description of services to be subcontracted or materials to be provided [1] | Amount ($) |
|---|---|---|
| 21 | REMOVE EXIST IRRIG FACILITY | $6,890- |
| 27 | CHECK + TEST EXIST IRRIG FACILITIES | $4,490- |
| 28 | OPERATE EXISTING IRRIG FACILITIES | $7931- |
| 29-37 | IRRIGATION | $20,337.30 |
| 38 | 8" CHDPP CONDUIT | $7823.10 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Total | $49,470.40 |

[1] If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Signature of DBE's authorized representative:

Printed name of DBE's authorized representative: JUAN MARTINEZ

Title of DBE's authorized representative: ESTIMATOR

Date: 8-23-16

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

# Diversified Landscape Co.

21730 Bundy Canyon Road
Wildomar, CA 92595

Phone: 951-245-1686
Fax: 800-783-4197

***DBE 8022 SBE 12567 Union Contractor Lic. 576183 DIR 1000009249***

| | | | |
|---|---|---|---|
| **To:** | DBX, INC. | **Contact:** | |
| **Address:** | 42024 Avenida Alvarado, Suite A | **Phone:** | (951) 296-9909 |
| | Temecula, CA 92590 | **Fax:** | (951) 296-9978 |
| **Project Name:** | 11-237964 | **Bid Number:** | 3048 |
| **Project Location:** | Route 8, La Mesa | **Bid Date:** | 8/23/2016 |
| **Addendum #:** | 4 | | |

| Line # | Item Description | Estimated Quantity | Unit | Unit Price | Total Price |
|---|---|---|---|---|---|
| **DBE** | | | | | |
| 21 | Remove Existing Irrigation Facility | 1.00 | LS | $8,890.00 | $8,890.00 |
| 27 | Check And Test Existing Irrigation Facilities | 1.00 | LS | $4,490.00 | $4,490.00 |
| 28 | Operate Existing Irrigation Facilities | 1.00 | LS | $7,930.00 | $7,930.00 |
| 29 | Control and Neutral Conductors | 1.00 | LS | $6,650.00 | $6,650.00 |
| 30 | Pop-up Sprinkler Assembly (Gear Driven) | 4.00 | EACH | $93.20 | $372.80 |
| 31 | 3" Gate Valve | 1.00 | EACH | $1,040.00 | $1,040.00 |
| 32(F) | 1" Plastic Pipe (Schedule 40) (Supply Line) | 48.00 | LF | $10.10 | $484.80 |
| 33(F) | 1 1/4" Plastic Pipe (Schedule 40) (Supply Line) | 50.00 | LF | $10.10 | $505.00 |
| 34(F) | 1 1/2" Plastic Pipe (Schedule 40) (Supply Line) | 30.00 | LF | $12.60 | $378.00 |
| 35(F) | 2" Plastic Pipe (Schedule 40) (Supply Line) | 48.00 | LF | $10.90 | $523.20 |
| 36(F) | 3" Plastic Pipe (Class 315) (Supply Line) | 505.00 | LF | $15.50 | $7,827.50 |
| 37 | 3" Temporary Irrigation Supply Line | 120.00 | LF | $21.30 | $2,556.00 |
| 38 | 8" Corrugated High Density Polyethylene Pipe Conduit | 89.00 | LF | $87.90 | $7,823.10 |
| | | | **Total Price for above DBE Items:** | | **$49,470.40** |
| **NON DBE** | | | | | |
| 26 | Wood Mulch | 10.00 | CY | $97.30 | $973.00 |
| | | | **Total Price for above NON DBE Items:** | | **$973.00** |

**Total Bid Price: $50,443.40**

**Notes:**

- The above prices do not include Performance and Payment Bond. Add 2% if bond is required. Due in 30 days.
- Night work is excluded.
- Import or export of soil is excluded.
- Water meters, point of connection, cost of water and hot taps are excluded.
- Electrical is excluded except for final hookup to controller.
- All clear & grub is excluded.
- Cut, cap, patch and removal of concrete or asphalt is excluded.
- Check & test to be first order of work after construction signs go up.
- Traffic control is excluded.
- Retention to be held at the same rate as Owner to Contractor.
- Pipe and wire to be installed prior to paving or hardscape.
- Installation of sleeves to be scheduled prior to compaction of subgrade or installation of any facilities above sleeve.
- 17 working day(s) required and includes 1 move-in(s). Additional move-ins=$500 each.
- All of the notes above to be made part of contract.
- Proposal good for 60 days.
- Any changes, additions, deletions to this proposal must be approved by Diversified prior to bid time.
- **We are a Disadvantaged Business Enterprise (#8022) for NAICS Codes 237110, 237310, 237990.**

**Payment Terms:**

Payment to be made within 7 days of progress payment to contractor.

| ACCEPTED: | CONFIRMED: |
| --- | --- |
| The above prices, specifications and conditions are satisfactory and are hereby accepted. | **Diversified Landscape Co.** |
| **Buyer:** _____ | |
| **Signature:** _____ | **Authorized Signature:** _____ |
| **Date of Acceptance:** _____ | **Estimator:** Juan Martinez<br>951-245-1686 juanm@diversifiedlandscape.com |

Back To Query Form

## Search Returned 1 Records

Tue Aug 23 12:08:30 PDT 2016

### Query Criteria

Firm ID: 8022
Firm Type: DBE

| | |
|---|---|
| **Firm ID** | 8022 |
| **Firm/DBA Name** | DIVERSIFIED LANDSCAPE CO. |
| **Address Line1** | 21730 BUNDY CANYON ROAD |
| **Address Line2** | |
| **City** | WILDOMAR |
| **State** | CA |
| **Zip Code1** | 92595 |
| **Zip Code2** | |
| **Mailing Address Line1** | 21730 BUNDY CANYON ROAD |
| **Mailing Address Line2** | |
| **Mailing City** | WILDOMAR |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92595 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | dbe@diversifiedlandscape.com |
| **Contact Name** | VICKI MORALEZ |
| **Area Code** | ( 951 ) |
| **Phone Number** | 245-1686 |
| **Alt Area Code** | ( 951 ) |
| **Alt Phone Number** | 245-1686 |
| **Fax Area Code** | ( 951 ) |
| **Fax Phone Number** | 245-1847 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 36; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 237110; 237310; 237990; |
| **ACDBE NAICS** | |
| **Work Codes** | C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C2065 IRRIGATION SYSTEM; C5100 CONCRETE STRUCTURE; C5110 CONCRETE SURFACE FINISH; C7200 ROCK SLOPE PROTECTION; C7215 CONCRETED-ROCK SLOPE PROTECTION; C7301 CONCRETE CURB & SIDEWALK - MISC; |
| **Licenses** | A General Engineering Contractor; C27 Landscaping Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

Back To Query Form

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**DBE CONFIRMATION**

DBE-OE-0102.13 (NEW 05/2015)

Contract no.: 11-237984

Name of DBE business: Payco Specialties Inc

Name of DBE representative: DAVID DESHAZO, ESTIMATOR

DBE certification number: 102

Name of bidder: DBX, Inc.

Name of prime contractor if different from the bidder:

Name of representative of bidder or prime contractor: James C. Perry

Date: 8/23/16

| Bid item number | Item of work and description of services to be subcontracted or materials to be provided [1] | Amount ($) |
|---|---|---|
| 1-100 | See proposal | 35,738.00 |
| | Lead Plan | |
| | Temp Traffic Stripe Paint | |
| | Temp PVMT marker | |
| | Remove PAINT STRIPE | |
| | Remove THERMO TRAFFIC STRIPE | |
| | PAINT TRAFFIC STRIPE | |
| | ALL THERMO TRAFFIC STRIPE | |
| | etc. | |
| | | |
| | Total | |

[1] If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a subcontract agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Signature of DBE's authorized representative:

Printed name of DBE's authorized representative: Tem Koenig

Title of DBE's authorized representative: Office Manager

Date: 8/24/16

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

8-23

# Payco Specialties, Inc. A WOMAN OWNED BUSINESS

Highway - Airport - Parking Lot - Signage - Striping - Marking & Removals

**SBE #18502 -DBE / WBE #102 - LABORERS LOCAL UNION #1184 - LICENSE #298637 C-32**
**CA DIR REGISTRATION #1000003515**

## BID PROPOSAL

| Project Description: | 11-237964 15/8 SEPERATION (11% DBE | Bid Date: 8-23-16 |
|---|---|---|
| Contract Time Limit: W.D. | Liquidated Damages: per C.D. | Addendums Noted: 2 |

| Item No. | Item Description | Estimated Quantity | Unit of Measure | Unit Price | Item Total |
|---|---|---|---|---|---|
| 1 | LEAD COMPLIANCE PLAN | 1.00 | LS | | $ 1,200.00 |
| 6 | TEMPORARY TRAFFIC STRIPE PAINT | 8,000.00 | LF | $ 0.40 | $ 3,200.00 |
| 8 | TEMPORARY PAVEMENT MARKER | 610.00 | EA | $ 6.00 | $ 3,660.00 |
| 22 | REMOVE PAINTED TRAFFIC STRIPE | 4,000.00 | LF | $ 0.56 | $ 2,240.00 |
| 23 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | 640.00 | LF | $ 1.50 | $ 960.00 |
| 52 | PAINT TRAFFIC STRIPE (1 COAT ) | 4,800.00 | LF | $ 0.21 | $ 1,008.00 |
| 53 | 4"THERMOPLASTIC TRAFFIC STRIPE ENHANCED | 3,800.00 | LF | $ 0.90 | $ 3,420.00 |
| | WET NIGHT VISIBILITY | | | | $ - |
| 54 | 4" THERMOPLASTIC TRAFFIC STRIPE ENHANCED | 4,800.00 | LF | $ 0.50 | $ 2,400.00 |
| | WET NIGHT VISIBILITY ( 36-12) | | | | $ - |
| 55 | 8" THERMOPLASTIC TRAFFIC STRIPE ENHANCED | 1,600.00 | LF | $ 1.80 | $ 2,880.00 |
| | WET NIGHT VISIBILITY BROKEN (12-3 ) | | | | $ - |
| 56 | PAVEMENT MARKER ( NON - REFLECTIVE ) | 400.00 | EA | $ 2.60 | $ 1,040.00 |
| 57 | PAVEMENT MARKER ( RETROREFLECTIVE ) | 250.00 | EA | $ 3.72 | $ 930.00 |
| * 60 | THERMO STRIPE 4 " WHITE ENHANCED | 20,000.00 | LF | $ 0.64 | $ 12,800.00 |
| | STRIPE AFTER TRENCHING FOR FIBEROPTICS | | | | $ - |
| | | | | | $ - |
| | | | | | $ - |
| | | | | | $ - |
| | | | | | $ - |
| | | | | | $ - |

**STIPULATIONS:** RECIPIENT IS RESPONSIBLE FOR ALL STIPULATIONS NOTED HEREON AND BELOW

* ANY badging, security checks, railroad classes, project required safety training will be billed at T&M to contractor
* A signed Purchase Order or Subcontract is required prior to any work associated with this Proposal.
* This Proposal is based on an 8 hour shift per workday, any overtime (premium time) will be paid by the Prime Contractor.
* This Proposal is valid for 30 days after the bid date.
* If accepted, this Proposal will be incorporated as an Exhibit to the Contract or Purchase Order.
* A minimum of 15 working days schedule notice is required AFTER ALL PAPERWORK IS COMPLETED.
* Bond cost to be paid by Prime Contractor.
* Cancelation charge for any shift of work called off within 12 hours of showup time is $2,500.
* Industry standard insurance available up to $5,000,000.00 LIMIT. Railroad insurance EXCLUDED
* A Mobilization / Move-In is any work accomplished through consecutive shifts. Unavailable work and all extra-work will be charged additional mobilizations upon completion.
* Payments are net 30 days. Retention is to be paid 30 days from Payco's completion of work.

**EXCLUSIONS:**
PLANS ,PERMITS,LDS,SWEEPING ,TRAFFIC CONTROL,PCMS BOARDS,DOOR HANGERS,HAUL OFF, ENGINEERING,REMOVAL,

**INCLUSIONS:**
ALL MATERIALS FOR PAYCO WORK

# of Working Days to Complete our Work: 3 # of Move-In's Allotted: 2 Add'l Move-In's: $ 1,500.00

**BID AMOUNT:** $ 35,738.00 **ESTIMATOR:** DAVID DESHAZO

120 North Second Avenue, Chula Vista, CA 91910-1127
Phone (619) 422-9204 / Fax (619) 427-1620

Back To Query Form

## Search Returned 1 Records

Tue Aug 23 12:08:08 PDT 2016

### Query Criteria

Firm/DBA Name: PAYCO
Firm Type: DBE

| | |
|---|---|
| **Firm ID** | 102 |
| **Firm/DBA Name** | PAYCO SPECIALTIES, INCORPORATED |
| **Address Line1** | 120 NORTH SECOND AVE. |
| **Address Line2** | |
| **City** | CHULA VISTA |
| **State** | CA |
| **Zip Code1** | 91910 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | rebecca@payco.biz |
| **Contact Name** | REBECCA LLEWELLYN |
| **Area Code** | ( 619 ) |
| **Phone Number** | 422-9204 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 427-1620 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 02; 13; 19; 30; 33; 37; |
| **Districts** | 07; 08; 10; 11; 12; |
| **DBE NAICS** | 237310; 238990; |
| **ACDBE NAICS** | |
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8201 OBJECT MARKER; C8405 THERMOPLASTIC TRAFFIC STRIPING & MARKING; C8406 PAINTED TRAFFIC STRIPING & MARKING; C8501 PAVEMENT MARKING; C9906 SANDBLASTING; |
| **Licenses** | B General Building Contractor; C32 Parking and Highway Improvement Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

Back To Query Form

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

**DBE CONFIRMATION**

DES-05-0102.13 (NEW 05/2015)

Contract no.: 11-237964

Name of DBE business: Quality Traffic Control

Name of DBE representative: Jose Segur

DBE certification number: 42283

Name of bidder: DBX, Inc.

Name of prime contractor if different from the bidder:

Name of representative of bidder or prime contractor: James C. Perry

Date: 8/23/16

| Bid item number | Item of work and description of services to be subcontracted or materials to be provided [1] | Amount [2] |
|---|---|---|
| 5(p) | Traffic Control System | $399,000.00 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Total | $399,000.00 |

[1] If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Signature of DBE's authorized representative:

Jose L Segur

Printed name of DBE's authorized representative:

President

Title of DBE's authorized representative:

8-23-16

Date:

**ADA Notice** For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

# Quality Traffic Control

13940 Rose Avenue, Fontana CA 92337
Phone (909) 276-5582 Fax (888)839-9857
www.QualityTrafficControl24-7.com


DBE Certified (#42283), Contractor License #992622 (C-31), Union Signatory, DIR#1000014062

**To: Estimator**
**Job#: 11-237964**
**Bid Date: 8/16/16**

## ***Traffic Control Services*** day or night lane closures

| | |
|---|---|
| 1 lane, 1 direction, 1 truck, 2 people 8 hours | 1,350.00 |
| 2 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,500.00 |
| 3 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,650.00 |
| 4 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,790.00 |
| Complete freeway, 1 truck, 2 people 8 hours | 1,790.00 |
| Ramp closure 1 to 4 ramps, 1 truck 2 people 8 hours | 1,390.00 |
| 1 attenuator truck (when needed) with driver 8 hours | 995.00 |
| Flagging Operation with Rumble Strips, 2 people 8 hours | 1,710.00 |
| Pilot car operation, 3 people 8 hours | 1,810.00 |
| Additional person (traffic tech, driver) | 700.00 |

- No charge for ramp closures adjacent to closed lane No charge for relocating closure during same shift
- Each additional closure performed by same crew performed will be charged at 350.00
- Subtract 400.00 for closures needing only one person
- Electronic message boards (when needed) will be charged at 125.00 a day in addition to lane closure price if maintained by traffic control crew.
- Anytime after 8 hours will be charged to contractor as overtime at the rate of 110.00 per person per hour.
- First 8 hours on Saturday or Sunday add 300.00 per person for overtime rate difference. Quality traffic control will need 24 hour notice when scheduling a closure to insure proper equipment and personnel. Cancellation made less than 4 hours will be charged at 40 % of closure ordered.
- All rental equipment and traffic control crews are subject to availability
- Time starts when first piece of equipment is placed and ends when last piece of equipment is picked up. Please allow average of 60 minutes for each closure to place and remove equipment.

## ***Bare Equipment Rental Only***

| | |
|---|---|
| Portable CMS | $125 daily, $380 weekly, **$900 monthly** |
| Flashing Arrow Signs | $50 daily, 160 weekly, 450 monthly |
| Portable Light Towers | $80 daily, 240 weekly, 575 monthly |
| Attenuator Truck w/out driver | $300 daily, 1050 weekly, 2790 monthly |
| Cone Truck w/buckets and arrow board | $300 daily, $1050 weekly, $2800 monthly |

$75charge each direction per unit (delivery/pickup). All Rental vehicles are charged $0.45 per mile, portal to portal

**Quality Traffic Control**

## ATTACHMENT A

1. Quality Traffic Control is signatory to the Construction Laborers of Southern California.
2. Quality Traffic Control requires a 12 WORKING DAY WRITTEN NOTICE IN ADVANCE prior to commencement of work. In addition, an Executed subcontract or purchase order must be on file with this office prior to the start of work.
3. Quality Traffic Control does not provide traffic plans, obtain required permits, or provide light source for pilot car/flagging operations.
4. Additional 3 ½ percent increase to prices every year on June 30th.
5. Notification must be given to Quality Traffic Control prior to any work performed as EXTRA-WORK or Force Account. If notification is not received, Quality Traffic Control will bill at usual rates and full payment will be the responsibility of the contractor.
6. This quote shall remain valid for a period of 45 days from actual bid opening unless otherwise agreed upon in writing.
7. Portable changeable message signs, light towers, flashing arrow signs, and impact attenuator vehicles are strictly rental. These items will not be incorporated into any subcontract. Contractor must issue a PO that accepts QTC standard rental agreement prior to delivery of equipment.
8. Contractor agrees to provide personnel for up to 5 to 10 minutes per Quality Traffic Control employee for relief break periods as needed due to weather and heat conditions to meet CAL OSHA heat illness prevention requirements.
9. Quality Traffic Control will not provide performance or payment bonds to the contractor.
10. Retention will not be held on traffic control work.
11. Quality Traffic Control maintains Commercial General Liability Insurance with limits of $1,000,000 each occurrence $2,000,000 aggregate. Any additional liability limits or additional endorsement, including Waiver of Subrogation (add $50.00 per policy period) requested by Prime Contractor and not provided by Quality Traffic Control will be charged to and will be the responsibility of the Prime Contractor. Railroad insurance requirements excluded from this quote.
12. **Should this quote be accepted by the contractor, Attachment A in its entirety shall become part of any and all subcontract agreements and/or purchase orders to this project. This quote shall be deemed accepted if a contractor lists Quality Traffic Control in its bid or if this quote is used by a subcontractor in its bid to a prime contractor.**

Submitted by: Jose L Segura II Date: 07/27/2016

Jose L Segura-Estimator

Company: Accepted by:

Back To Query Form

## Search Returned 1 Records

Tue Aug 23 12:09:13 PDT 2016

### Query Criteria

Firm ID: 42283
Firm Type: DBE

| | |
|---|---|
| **Firm ID** | 42283 |
| **Firm/DBA Name** | QUALITY TRAFFIC CONTROL |
| **Address Line1** | 13940 ROSE AVENUE |
| **Address Line2** | |
| **City** | FONTANA |
| **State** | CA |
| **Zip Code1** | 92337 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | Qualitytrafficcontrol@gmail.com |
| **Contact Name** | JOSE SEGURA |
| **Area Code** | ( 909 ) |
| **Phone Number** | 276-5582 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 888 ) |
| **Fax Phone Number** | 839-9857 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 30; 33; 36; 37; |
| **Districts** | 08; 11; 12; |
| **DBE NAICS** | 561990; |
| **ACDBE NAICS** | |
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

Back To Query Form

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

# DBE CONFIRMATION

DES-OE-0102.13 (NEW 05/2015)

Contract no.:
11-237964

Name of DBE business:
Amerc, Inc.

Name of DBE representative:
Sue Murphy Pres.

DBE certification number:
12026

Name of bidder:
DBX, Inc.

Name of prime contractor if different from the bidder:

Name of representative of bidder or prime contractor:
James C. Perry

Date:
8/22/2016

| Bid item number | Item of work and description of services to be subcontracted or materials to be provided [1] | Amount ($) |
|---|---|---|
| 60(p) | Trenching & Backhoe | $452,000.00 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Total | $452,000.00 |

[1] If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Signature of DBE's authorized representative:
Sue Murphy

Printed name of DBE's authorized representative:
Sue Murphy

Title of DBE's authorized representative:
President

Date:
8/22/2016

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

# AMERC INC.

23437 ABURY AVENUE, MURRIETA, CA 92562
951-677-1078*FAX (951)698-1101*EMAIL amercinc@hotmail.com
License No. 630041**UDBE Certificate No. 12026

## PROPOSAL

**COMPANY:** DBX INC. DATE: 8/22/2016

**ATTENTION:** CHARLES PERRY **PROJECT:** 11-237964

---

AMERC INC. proposes to furnish 655 Vermeer Trencher with a load out conveyor for trenching on the I-8 Freeway. Duration of job is 97 days. Cost of Trencher and conveyor shall be $424,860. A lowbed will be on site 8 hrs. per day. We will furnish 2 backhoes with attachments for 100 days at $24,000.00 Mobilization will be $3140.00 for trencher and 2 backhoes.

**GRAND TOTAL** **$452,000.00**

NOTES:
USA to be provided by contractor prior to excavation.
Water shall be available on-site at no charge to AMERC INC.

EXCLUSIONS:
This price does not include overtime or night rates.

Thank you for considering AMERC INC. for this project. We look forward to providing you with quality service.

This proposal is good for 30 days.

Respectfully,

RIAN MURPHY
VICE PRESIDENT

Back To Query Form

## Search Returned 1 Records

Tue Aug 23 12:09:47 PDT 2016

### Query Criteria

Firm/DBA Name: AMERC
Firm Type: DBE

| | |
|---|---|
| **Firm ID** | 12026 |
| **Firm/DBA Name** | AMERC INC. |
| **Address Line1** | 23437 ABURY AVENUE |
| **Address Line2** | |
| **City** | MURRIETA |
| **State** | CA |
| **Zip Code1** | 92562 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | amercinc@hotmail.com |
| **Contact Name** | ASSUNTAETHEL (SUE) MURPHY |
| **Area Code** | ( 951 ) |
| **Phone Number** | 677-1078 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 951 ) |
| **Fax Phone Number** | 698-1101 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 238110; 532412; |
| **ACDBE NAICS** | |
| **Work Codes** | C0651 CONCRETE & CEMENT SUPPLIER; C9907 CONSTRUCTION EQUIPMENT RENTAL; C9908 HEAVY EQUIPMENT RENTAL (OWNED EQUP ONLY); |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

Back To Query Form

D
B Inc.
X

42024 AVENIDA ALVARADO, SUITE A
TEMECULA, CALIFORNIA 92590

(951) 296-9909
FAX (951) 296-9978

Contractors License No. 240547 A & C-10
DIR No. 1000004242

August 24, 2016

Dept. of Transportation
1727 30th Street
Sacramento, CA 95816

Re: 11-237964

The following is a breakdown of the DBE Commitment submitted for Quality Traffic Control for the above reference contract:

| | | | | |
|---|---|---|---|---|
| Item 5. | Traffic Control System | 1 lane, 1 direction, 1 truck 2 people 8 hours @ **$1,350.00** per 8 hour shift | $1,350.00 x 162 days | $218,700.00 |
| | | 1 attenuator truck with driver 8 hours @ **$995.00** per 8 hour shift | $995.00 x 162 days | $161,190.00 |
| | | Ramp closure 1 to 4 ramps, 1 truck 2 people 8 hours @ **$1,390.00** per 8 hour shift | $1,390.00 x 14 ramp closures | $19,460.00 |
| | | | | |
| | | | **TOTAL:** | **$399,350.00** |

Item 5. Traffic Control System was quoted at various rates and our total estimate as shown above for the traffic control item totaled $399,350.00 which we rounded to $399,000.00 on our bid.

If you have any questions, please contact me at (951) 296-9909.

Thank you,

James C. Perry

James C. Perry
President

JP:pm

# Quality Traffic Control

13940 Rose Avenue, Fontana CA 92337
Phone (909) 276-5582 Fax (888)839-9857
www.QualityTrafficControl24-7.com

DBE Certified (#42283), Contractor License #992622 (C-31), Union Signatory, DIR#1000014062

**To: Estimator**
**Job#: 11-237964**
**Bid Date: 8/16/16**

## ***Traffic Control Services*** day or night lane closures

| | | |
|---|---|---|
| 1 lane, 1 direction, 1 truck, 2 people 8 hours | 1,350.00 | x162 218700 |
| 2 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,500.00 | |
| 3 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,650.00 | |
| 4 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,790.00 | |
| Complete freeway, 1 truck, 2 people 8 hours | 1,790.00 | |
| Ramp closure 1 to 4 ramps, 1 truck 2 people 8 hours | 1,390.00 | x14 19460 |
| 1 attenuator truck (when needed) with driver 8 hours | 995.00 | x162 161190 |
| Flagging Operation with Rumble Strips, 2 people 8 hours | 1,710.00 | 399350 |
| Pilot car operation, 3 people 8 hours | 1,810.00 | |
| Additional person (traffic tech, driver) | 700.00 | |

- No charge for ramp closures adjacent to closed lane No charge for relocating closure during same shift
- Each additional closure performed by same crew performed will be charged at 350.00
- Subtract 400.00 for closures needing only one person
- Electronic message boards (when needed) will be charged at 125.00 a day in addition to lane closure price if maintained by traffic control crew.
- Anytime after 8 hours will be charged to contractor as overtime at the rate of 110.00 per person per hour.
- First 8 hours on Saturday or Sunday add 300.00 per person for overtime rate difference. Quality traffic control will need 24 hour notice when scheduling a closure to insure proper equipment and personnel. Cancellation made less than 4 hours will be charged at 40 % of closure ordered.
- All rental equipment and traffic control crews are subject to availability
- Time starts when first piece of equipment is placed and ends when last piece of equipment is picked up. Please allow average of 60 minutes for each closure to place and remove equipment.

## ***Bare Equipment Rental Only***

| | |
|---|---|
| Portable CMS | $125 daily, $380 weekly, **$900 monthly** |
| Flashing Arrow Signs | $50 daily, 160 weekly, 450 monthly |
| Portable Light Towers | $80 daily, 240 weekly, 575 monthly |
| Attenuator Truck w/out driver | $300 daily, 1050 weekly, 2790 monthly |
| Cone Truck w/buckets and arrow board | $300 daily, $1050 weekly, $2800 monthly |

$75 charge each direction per unit (delivery/pickup). All Rental vehicles are charged $0.45 per mile, portal to portal

**Quality Traffic Control**

## ATTACHMENT A

1. Quality Traffic Control is signatory to the Construction Laborers of Southern California.
2. Quality Traffic Control requires a 12 WORKING DAY WRITTEN NOTICE IN ADVANCE prior to commencement of work. In addition, an Executed subcontract or purchase order must be on file with this office prior to the start of work.
3. Quality Traffic Control does not provide traffic plans, obtain required permits, or provide light source for pilot car/flagging operations.
4. Additional 3 ½ percent increase to prices every year on June 30th.
5. Notification must be given to Quality Traffic Control prior to any work performed as EXTRA-WORK or Force Account. If notification is not received, Quality Traffic Control will bill at usual rates and full payment will be the responsibility of the contractor.
6. This quote shall remain valid for a period of 45 days from actual bid opening unless otherwise agreed upon in writing.
7. Portable changeable message signs, light towers, flashing arrow signs, and impact attenuator vehicles are strictly rental. These items will not be incorporated into any subcontract. Contractor must issue a PO that accepts QTC standard rental agreement prior to delivery of equipment.
8. Contractor agrees to provide personnel for up to 5 to 10 minutes per Quality Traffic Control employee for relief break periods as needed due to weather and heat conditions to meet CAL OSHA heat illness prevention requirements.
9. Quality Traffic Control will not provide performance or payment bonds to the contractor.
10. Retention will not be held on traffic control work.
11. Quality Traffic Control maintains Commercial General Liability Insurance with limits of $1,000,000 each occurrence $2,000,000 aggregate. Any additional liability limits or additional endorsement, including Waiver of Subrogation (add $50.00 per policy period) requested by Prime Contractor and not provided by Quality Traffic Control will be charged to and will be the responsibility of the Prime Contractor. Railroad insurance requirements excluded from this quote.
12. **Should this quote be accepted by the contractor, Attachment A in its entirety shall become part of any and all subcontract agreements and/or purchase orders to this project. This quote shall be deemed accepted if a contractor lists Quality Traffic Control in its bid or if this quote is used by a subcontractor in its bid to a prime contractor.**

Submitted by: Jose L Segura II Date: 07/27/2016

Jose L Segura-Estimator

Company: Accepted by:

11

STATE OF CALIFORNIA

DEPARTMENT OF TRANSPORTATION

# FORMS FOR

# BID

**FOR CONSTRUCTION ON STATE HIGHWAY IN SAN DIEGO COUNTY IN SAN DIEGO, LA MESA, AND NEAR EL CAJON FROM 0.2 MILE WEST OF ROUTE 15/8 SEPARATION TO FLETCHER PARKWAY OVERCROSSING AND FROM LOS COCHES ROAD UNDERCROSSING TO 0.2 MILE WEST OF LAKE JENNINGS PARK ROAD UNDERCROSSING**

**In District 11 On Route 8**

**Under**

| | |
|---|---|
| ***Notice to Bidders and Special Provisions*** **dated July 11, 2016** | ***Standard Specifications*** **dated 2010** |
| **Project plans approved May 31, 2016** | ***Standard Plans*** **dated 2010** |

**Applicable to**

**Electronic *Bid* book dated July 11, 2016**

**Identified by**

**Contract No. 11-237964**

**11-SD-8-5.4/10.6, R20.0/R21.6**

**Project ID 1114000046**

**Federal-Aid Project**
**ACNHPI-008-1(321)E**

Bids open Tuesday, August 16, 2016

Dated July 11, 2016
AADD

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
(951) 296-9909

**GOOD FAITH EFFORT DOCUMENTATION**

Dept. of Transportation
1727 30th Street
Sacramento, CA 95816

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHA, and Signs on State Highway in San Diego County in San Diego, La Mesa, And Near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and From Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

Bid Date: August 23, 2016

**Contract No. 11-237964**
**11-SD-8-5.4/10.6, R20.0/R21.6**

CONTENTS

NO.1 DBE Commitment Form And Supporting Certification and Bids

NO.2 Good Faith Effort Documentation Form Pages 3-5

NO.3 Good Faith Effort Documentation Item #1 Items of work made available

NO.4 Good Faith Effort Documentation Item #2 Solicited Sub Fax, Email, Phone Call Documentation

NO.5 Good Faith Effort Documentation Item #3 Selected/Rejected Firms and Supporting Documentation

NO.6 Good Faith Effort Documentation Item #4 Bidder's Outreach Efforts and Supporting Documentation

NO.7 Good Faith Effort Documentation Item #5 Efforts to Provide Information Proofs of Publications

NO.8 Good Faith Effort Documentation Item #6 Efforts to Provide Assistance Proofs of Publications

NO.9 Good Faith Effort Documentation Item #7 Efforts to Provide Assistance Proofs of Publications

NO.10 Good Faith Effort Documentation Item #8 Agency Assistance Listings

IFS0545

AVERY® READY INDEX® DIVIDERS

# TAB 1

## DBE COMMITMENT FORM

## AND

## SUPPORTING DOCUMENTATION

Contract No. 11-237964

# TAB 2

## GOOD FAITH EFFORT DOCUMENTATION

## FORM

## PAGES 3 - 5

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**DBE GOOD FAITH EFFORTS DOCUMENTATION**

DES-OE-0102.11A (REV 12/2014)

Bidder's Name: DBX, Inc.

Contract No.: 11-237964



1. List items of work the Bidder made available to DBE firms. Identify items of work the Bidder might otherwise perform with its own forces, items that have been broken down into economically feasible units to facilitate DBE participation, and items for which the Bidder has established flexible time frames for performance and delivery schedules in a manner that encourages and facilitates DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

| Item of Work Offered, Services Offered, or Materials Supplied | Bidder Normally Performs Item Yes/No | Item Broken Down to Facilitate Participation Yes/No | Established Flexible Timeframes for Performance and Delivery Schedules Yes/No | Amount ($) | Percentage of Total Bid |
|---|---|---|---|---|---|
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |
| | ☐ YES ☐ NO | ☐ YES ☐ NO | ☐ YES ☐ NO | | |

SEE ATTACHMENT

TAB #3

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**DBE GOOD FAITH EFFORTS DOCUMENTATION**

DES-OE-0102.11A (REV 12/2014)

Bidder's Name: DBX, Inc.

Contract No.: 11-237964



2. List the names of certified DBEs and all the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial and follow-up solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, e-mail messages, telephone records, fax confirmations, etc.

| Name of DBE Solicited | Date of Initial Solicitation | Items of Work Offered | Follow Up Methods and Dates |
|---|---|---|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

SEE ATTACHMENT

TAB #4

3. For each item of work made available, indicate whether the Bidder provided plans and specifications specific to the items of work being offered, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE. Provide copies of each DBE and Non-DBE quote submitted to the Bidder whenever a Non-DBE firm was selected over a DBE for work on the Contract.

| Items of Work | Provided Plans/ Specifications for Work Offered Yes/No | Name of Selected Firm | DBE or Non-DBE | Name of Rejected Firm | Quote ($) | Price Difference ($) |
|---|---|---|---|---|---|---|
| | ☐ YES ☐ NO | | | | | |
| | ☐ YES ☐ NO | | | | | |
| | ☐ YES ☐ NO | | | | | |
| | ☐ YES ☐ NO | | | | | |
| | ☐ YES ☐ NO | | | | | |
| | ☐ YES ☐ NO | | | | | |
| | ☐ YES ☐ NO | | | | | |
| | ☐ YES ☐ NO | | | | | |
| | ☐ YES ☐ NO | | | | | |

SEE ATTACHMENT

TAB #5

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above. Provide evidence as to why additional agreements could not be reached for DBEs to perform work.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

**DBE GOOD FAITH EFFORTS DOCUMENTATION**

DES-OE-0102.11A (REV 12/2014)

Bidder's Name: DBX, Inc.

Contract No.: 11-237964



4. Describe the Bidder's outreach efforts to identify and solicit the interest of all certified DBEs that have the capability to perform the work of the Contract. Provide copies of supporting documents.

| Description of Outreach | Dates | Location (if applicable) | Results |
|---|---|---|---|
| SEE ATTACHMENT TAB #6 | | | |

5. Describe the Bidder's efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the Contract to assist them in responding to a solicitation. Identify the DBEs assisted, the type of information provided, and the date of the contracts. Provide copies of supporting documents.

SEE ATTACHMENT - TAB #7

6. Describe the Bidder's efforts made to assist interested DBEs in obtaining bonding, lines of credit, or insurance. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents.

SEE ATTACHMENT - TAB #8

7. Describe the Bidder's efforts made to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE purchases or leases from the prime contractor or its affiliate. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

SEE ATTACHMENT - TAB #9

8. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting, and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

SEE ATTACHMENT - TAB #10

9. Include additional data to support a demonstration of good faith efforts.

**NOTE**: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

**ADA Notice** For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

# TAB 3

## GOOD FAITH EFFORT DOCUMENTATION

## ITEM #1

## ITEMS OF WORK MADE AVAILABLE

Contract No. 11-237964

## TAB 3

1. List items of work the Bidder made available to DBE firms. Identify items of work the Bidder might otherwise perform with its own forces, items that have been broken down into economically feasible units to facilitate participation, and items for which the Bidder has established flexible time frames for performance and delivery schedules in a manner that encourages and facilitates DBE participation. For each item listed, show the dollar value and percentage of the total contract. The bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

| Item of Work Offered, Services Offered or Materials Supplied | Bidder Normally Performs Item Yes/No | Item Broken Down to Facilitate Participation Yes/No | Established Flexible Timeframs for Performance and Delivery Schedules Yes/No | Amount ($) | Percentage of Total Bid |
|---|---|---|---|---|---|
| 1. Lead Compliance Plan | N | Y | Y | $5,000.00 | 0.059% |
| 4. Construction Area Signs | N | Y | Y | $45,000.00 | 0.529% |
| 5. Traffic Control System | N | Y | Y | $550,000.00 | 6.466% |
| 6. Temporary Traffic Stripe (Paint) | Y | Y | Y | $3,600.00 | 0.042% |
| 7. Traffic Plastic Drum | N | Y | Y | $1,200.00 | 0.014% |
| 8. Temporary Pavement Marker | N | Y | Y | $4,270.00 | 0.050% |
| 9. Portable Changeable Message Sign | N | Y | Y | $35,000.00 | 0.411% |
| 10. Temporary Railing (Type K) | N | Y | Y | $79,920.00 | 0.940% |
| 11. Temporary Alternative Crash Cushion System | N | Y | Y | $6,000.00 | 0.071% |
| 12. Temporary Crash Cushion Module | N | Y | Y | $5,320.00 | 0.063% |
| 13. Job Site Management | N | Y | Y | $19,000.00 | 0.223% |
| 14. Prepare Water Pollution Control Program | N | Y | Y | $1,600.00 | 0.019% |
| 15. Temporary Drainage Inlet Protection | N | Y | Y | $7,800.00 | 0.092% |
| 16. Temporary Fiber Roll | N | Y | Y | $7,340.00 | 0.086% |
| 17. Temporary Construction Entrance | N | Y | Y | $20,000.00 | 0.235% |
| 18. Temporary Concrete Washout | N | Y | Y | $2,500.00 | 0.029% |
| 19. Treated Wood Waste | N | Y | Y | $2,060.00 | 0.024% |
| 20. Remove Guardrail | N | Y | Y | $4,290.00 | 0.050% |
| 21. Remove Irrigation Facility | N | Y | Y | $8,890.00 | 0.105% |
| 22. Remove Painted Traffic Stripe | N | Y | Y | $2,400.00 | 0.028% |
| 23. Remove Thermoplastic Traffic Stripe | N | Y | Y | $1,024.00 | 0.012% |
| 24. Cold Plane Asphalt Concrete Pavement | N | Y | Y | $177,000.00 | 2.081% |
| 25. Roadway Excavation (Type Z-2) Aerially Deposited Lead | N | Y | Y | $39,200.00 | 0.461% |
| 26. Wood Mulch | N | Y | Y | $1,500.00 | 0.018% |
| 27. Check & Test Existing Irrigation Facilities | N | Y | Y | $4,490.00 | 0.053% |
| 28. Operate Existing Irrigation Facilities | N | Y | Y | $7,930.00 | 0.093% |
| 29. Control & Neutral Conductors | N | Y | Y | $6,650.00 | 0.078% |
| 30. Pop-Up Sprinkler Assembly (Gear Driven) | N | Y | Y | $380.00 | 0.004% |
| 31. 3" Gate Valve | N | Y | Y | $1,040.00 | 0.012% |
| 32. 1" Plastic Pipe (Sch. 40 Supply Line) | N | Y | Y | $528.00 | 0.006% |
| 33. 1 1/4" Plastic Pipe (Sch. 40 Supply Line) | N | Y | Y | $550.00 | 0.006% |
| 34. 1 1/2" Plastic Pipe (Sch. 40 Supply Line) | N | Y | Y | $390.00 | 0.005% |
| 35. 2" Plastic Pipe (Sch. 40 Supply Line) | N | Y | Y | $528.00 | 0.006% |
| 36. 3" Plastic Pipe (Class 315 Supply Line) | N | Y | Y | $8,080.00 | 0.095% |
| 37. 3" Temporary Irrigation Supply Line | N | Y | Y | $3,000.00 | 0.035% |

| | | | | | |
|---|---|---|---|---|---|
| 38. 8" Corrugated High Density Polyethylene Pipe Conduit | N | Y | Y | $7,832.00 | 0.092% |
| 39. Class 2 Aggregate Base | N | Y | Y | $15,219.00 | 0.179% |
| 40. Asphaltic Emulsion (Fog Seal Coat) | N | Y | Y | $30,000.00 | 0.353% |
| 41. Hot Mix Asphalt (Type A) | N | Y | Y | $16,275.00 | 0.191% |
| 42. Rubberized Hot Mix Asphalt (Gap Graded) | N | Y | Y | $577,980.00 | 6.795% |
| 43. Place Hot Mix Asphalt Dike (Type E) | N | Y | Y | $11,200.00 | 0.132% |
| 44. Tack Coat | N | Y | Y | $26,580.00 | 0.312% |
| 45. 60" CIDH Concrete Pile Sign Foundation | N | Y | Y | $83,600.00 | 0.983% |
| 46. Furnish Sign Structure | N | Y | Y | $94,653.00 | 1.113% |
| 47. Install Sign Structure | N | Y | Y | $9,465.30 | 0.111% |
| 48. Install Changeable Message Sign | N | Y | Y | $6,000.00 | 0.071% |
| 49. Single Thrie Beam Barrier | N | Y | Y | $13,760.00 | 0.162% |
| 50. End Anchor Assembly (Type SFT) | N | Y | Y | $6,000.00 | 0.071% |
| 51. Concrete Barrier Type 60 Modified | N | Y | Y | $71,250.00 | 0.838% |
| 52. Paint Traffic Stripe 1 Coat | N | Y | Y | $1,200.00 | 0.014% |
| 53. 4" Thermoplastic Traffic Stripe | N | Y | Y | $3,610.00 | 0.042% |
| 54. 4" Thermoplastic Traffic Stripe | N | Y | Y | $2,880.00 | 0.034% |
| 55. 8" Thermopastic Traffic Stripe | N | Y | Y | $3,200.00 | 0.038% |
| 56. Pavement Marker Non-Reflective | N | Y | Y | $1,040.00 | 0.012% |
| 57. Pavement Marker Retroreflective | N | Y | Y | $930.00 | 0.011% |
| 60-63(p). Directional Boring | N | Y | Y | $50,000.00 | 0.588% |
| | | | | | |
| Total Available DBE Participation | | | | $2,096,154.30 | 24.64% |

# TAB 4

## GOOD FAITH EFFORT DOCUMENTATION

## ITEM #2

## SOLICITED SUB FAX, EMAIL, PHONE CALL

## DOCUMENTATION

Contract No. 11-237964

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: «Company_Name»
«Email_Address»
«Fax_Number»

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

☐ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

## BID ITEM LIST

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH METHOD) | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD) | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 30 |
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3) | LF | 1,600 |
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

# GOOD FAITH EFFORTS DOCUMENTATION

2. List the names of certified DBEs and all the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial and follow-up solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, e-mail messages, telephone records, fax confirmations, etc.

| Name of DBE's Solicited | Email Address | Phone Number | Fax Number | Date Email Sent | Date Fax Sent | Items of Work | Bidding Y or N | Response by Email/Fax | Date of Phone Call | Time of Call | Contact Person | Comments |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A B S L Construction | daryl@abslconstruction.com | 510-727-0900 | 510-727-0910 | 7/12/16 | 7/27/16 | 24 | | | 8/8/16<br>8/12/16 | 11:13 am<br>8:22 am | | Left message for Daryl<br>Left message for Daryl |
| A Plus Signs | pacheco@1430espn.com | 559-275-0700 | 559-275-7482 | 7/12/16 | 7/27/16 | 46, 47 | N | | 8/8/16 | 11:31 am | Kaley | Not bidding |
| Aardvark Biological Services LLC | stvnenator@gmail.com | 650-224-9375 | | 7/12/16 | | 13, 14 | N | Email 7/12/16 | | | | Not bidding |
| AC-DC Electric | | 562-926-5737 | 562-926-4311 | | 7/27/16 | 5, 7, 9, 11, 12 | N | | 8/8/16 | 11:33 am | Olga | Not bidding |
| Ace Fence Company | KIM@acefencecompany.com | 626-333-0727 | 626-333-7843 | 7/12/16 | 7/27/16 | 19, 20, 49-51 | Y | Fax 8/8/16 | 8/3/16 | 8:00 am | | Not sure if bidding – call back next week<br>YES Bidding (Responded by fax 8/8/16) |
| ACM Lighting | acmlighting@sbcglobal.net | 951-272-4881 | 951-272-4838 | 7/12/16 | 7/27/16 | 48 | N | | 8/8/16 | 11:34 am | Lillian | Not bidding |
| ACME Safety & Supply Corp. | candace@acmesafetysupply.com | 619-474-4978 | 619-542-0763 | 7/12/16 | NG | 4, 5, 7, 9, 11, 12 | Y | Fax 8/9/16 | 8/8/16 | 11:35 am | Tonya | Her bidder is out today. Please send email to Admin2@acmesafetysupply.com (sent on 8/8/16 @ 11:40 am)<br>Responded by fax – Yes bidding |
| Adanta, Inc. | kimberlypatz@adanta-inc.com | 707-709-8894 | 707-736-8368 | 7/12/16 | 7/27/16 | 1, 13, 14, 25 | Y | | 8/8/16 | 11:42 am | Cheryl | She will send us a quote |
| ADH Technical Services, Inc. | adh@adhenvironmental.com | 831-477-2003 | 831-477-0895 | 7/12/16 | 7/27/16 | 13, 14 | N | | 8/8/16 | 11:44 am | Angalee | Not bidding |
| AGRI Service Recycling, Inc. | mary@agriserviceinc.com | 760-295-6255 | 760-295-6262 | 7/12/16 | 7/27/16 | 21, 26-38 | N | | 8/8/16 | 11:45 am | Hilda | Not bidding |
| Albert Wilson & Associates | chidi@albertwilsontra.com | 909-483-4876 | 909-989-1576 | 7/12/16 | 7/27/16 | 4, 5, 7, 9, 11, 12 | N | | 8/8/16<br>8/12/16 | 11:47 am<br>8:23 am | Chidi | Left Message<br>Not Bidding |
| Alert-O-Lite | debbieh@alertolite.com | 559-453-2474 | 559-453-3250 | 7/12/16 | 7/27/16 | 4, 10, 46, 47 | N | | 8/8/16<br>8/12/16 | 11:49 am<br>8:24 am | Mark | Left Message<br>Not bidding |
| Alfred Civil Engineering , Inc | touray@alfredce.com | 916-235-3967 | | 7/12/16 | - | 13, 14 | Y | | 8/8/16 | 12:19 pm | Alfred | He will send us a quote |
| America Pacific Construction | apconstruction09@gmail.com | 559-577-9999 | 714-384-3988 | 7/12/16 | 7/27/16 | 40-42 | N | | 8/8/16 | 12:22 pm | Ashish | Not bidding |
| American Utility Products | Sanjay.pandya@gmail.com | 626-335-2753 | 626-335-9797 | 7/12/16 | 7/27/16 | 46, 47 | | | 8/8/16<br>8/12/16 | 12:23 pm<br>8:25 am | | Left Message<br>Left Message |
| Anthony's Grading & Paving | paving_agp@yahoo.com | 619-334-6167 | 619-749-3973 | 7/12/16 | 7/27/16 | 39, 40-42 | N | | 8/8/16 | 12:27 pm | Cheryl | Not bidding because it's Caltrans & they are swamped anyway |
| Apadana Engineering, Inc. | apadana1@sbcglobal.net | 415-300-6600 | 415-467-7721 | 7/12/16 | 7/27/16 | 24 | | | 8/8/16<br>8/12/16 | 12:58 pm<br>8:27 am | | Left Message<br>Left Message |
| Ashoona Landscape | Darrell@AShoonaLandscape.com | 714-290-3339 | 714-852-3725 | 7/12/16 | 7/27/16 | 21, 26-28 | N | | 8/8/16 | 12:59 pm | Darrell | Not bidding |
| Banaga Construction Inc. | frank@kiteclimbers.com | 619-922-8570 | | 7/12/16 | - | 24 | | | 8/8/16<br>8/12/16 | 1:01 pm<br>8:28 am | | Left Message<br>Left Message |

# GOOD FAITH EFFORTS DOCUMENTATION

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bellcurve and Synchnetworks | syncnetworks@gmail.com | 310-678-5018 | 424-331-5242 | 7/12/16 | 7/27/16 | 48 | | | 8/8/16<br>8/12/16 | 1:06 pm<br>8:24 am | | Left Message<br>Left Message |
| Blanco Construction | blancoconst@aol.com | 951-250-6692 | 951-602-2050 | 7/12/16 | 7/27/16 | 24 | | | 8/8/16<br>8/12/16 | 1:08 pm<br>8:30 am | | Left Message<br>Left Message |
| Buena Vista Landscape, Inc. | b.v.landscape@pacbell.net | 714-771-2563 | 714-771-2569 | 7/12/16 | NG | 21, 26-38 | | | 8/8/16<br>8/12/16 | 1:09 pm<br>8:32 am | | Left Message<br>Left Message |
| Cal-Con Pumping, LLC | jb.calcon@mac.com | 415-401-9838 | 415-401-7664 | 7/12/16 | 7/27/16 | 40-42 | | | 8/8/16 | 1:11 pm | Nate | Send email again & he'll take a look at it. (email sent 8/8/16 @ 1:15 pm) |
| California Grinding Specialties, Inc. | paustin@austin-enterprise.com | 661-589-1001 | 661-589-9509 | 7/12/16 | 7/27/16 | 4, 53-57 | N | | 8/8/16 | 1:16 pm | Debbie | Not bidding |
| California Professional Engineering | DO NOT SOLICIT | | | | - | | | | | | | COMPETITOR |
| Caskey Biological Consulting, LLC | ltennis@caskeybiological.com | 831-241-3712 | | 7/12/16 | - | 13, 14 | | | 8/8/16<br>8/12/16 | 1:17 pm<br>8:33 am | | Left Message<br>Left Message |
| Castro Electric | castroelectric@cox.net | 619-561-6122 | 619-561-6124 | 7/12/16 | 7/27/16 | 5, 7, 9, 11, 12 | | | 8/8/16<br>8/12/16 | 1:26 pm<br>8:34 am | | Left Message<br>Left Message |
| CATS Excavating | catsexcavatinginc@yahoo.com | 619-264-4125 | 619-264-7566 | 7/12/16 | 7/27/16 | 40-42 | N | | 8/8/16 | 1:28 pm | Nita | Not bidding |
| Cecilia's Safety Service, Inc. | cecilias@pacbell.net | 858-793-4465 | 858-793-4495 | 7/12/16 | 7/27/16 | 5, 7, 9, 11, 12 | Y | | 8/3/16 | 7:49 am | Cecilia | Yes bidding |
| Cindy Bales Engineering | airbears@balesengineering.com | 909-585-1557 | 909-752-7090 | 7/12/16 | 7/27/16 | 5, 7, 9, 11, 12 | | | 8/8/16<br>8/12/16 | 1:30 pm<br>8:36 am | | Left Message<br>Left Message |
| Cindy Trump Inc. dba Lindy's Cold Planing | wegrindasphalt@aol.com | 562-697-2286 | 562-697-2039 | 7/12/16 | 7/27/16 | 24, 40-42 | Y | | 8/8/16 | 1:31 pm | Brie | Yes bidding |
| CMC Traffic Control Specialist | DO NOT SOLICIT | | | | - | | | | | | | DISTRICT 4 ONLY |
| Cooks and Son Inc. | cooks_son@mail.com | 805-934-2705 | 805-937-5473 | 7/12/16 | 7/27/16 | 39, 43, 44 | | | 8/8/16<br>8/12/16 | 1:33 pm<br>8:37 am | | Left Message<br>Left Message |
| Deco Pave | Ferry@DecoPaveCorp.com | 626-337-9580 | 626-480-1557 | 7/12/16 | 7/27/16 | 40-42 | | | 8/8/16<br>8/12/16 | 1:34 pm<br>8:38 am | | Left Message<br>Left Message |
| Deltech Engineering | abili@deltechengineeringinc.com | 714-495-9755 | 714-384-4594 | 7/12/16 | NG | 40-42 | Y | | 8/8/16 | 2:19 pm | Abili | Bidding Roadway Exc. (Aerially Deposited Lead) |
| Designitgreen | marty@designitGREEN.com | 805-364-2377 | | 7/12/16 | - | 13, 14 | | | 8/8/16<br>8/12/16 | 2:22 pm<br>8:39 am | | Left Message<br>Left Message |
| Dimure Corp. | dm3mlm@gmail.com | 619-647-3996 | 619-467-7768 | 7/12/16 | NG | 4, 21, 26-38 | | | 8/8/16<br>8/12/16 | 2:24 pm<br>8:41 am | | Left Message<br>Left Message |
| Diversified Landscape Co. | dbe@diversifiedlandscape.com | 951-245-1686 | 951-245-1847 | 7/12/16 | 7/27/16 | | Y | | 8/4/16 | 8:30 am | Daniel | Yes Bidding |
| D-Line Constructors, Inc. | tony@dlineconstructors.com | 510-251-6400 | 510-251-6401 | 7/12/16 | 7/27/16 | 24 | N | | 8/8/16 | 2:25 pm | Kim Roberts | Not Bidding |
| Don H Mahaffey Drilling Co. | amahaffey@mahaffeycompanies.com | 310-668-2030 | 310-668-2040 | 7/12/16 | 7/27/16 | 45 | Y | | 8/8/16 | 2:27 pm | Don | Yes Bidding |
| Dreambuilder Construction Corp. | DO NOT SOLICIT | | | | - | | | | | | | COMPETITOR |
| E E Electric, Inc. | eeelectric@earthlink.net | 909-829-7818 | 909-829-0118 | NG | 7/15/16<br>7/27/16 | 5, 7, 9, 11, 12 | N | | 8/8/16 | 2:29 pm | Geraldine | Not bidding |

# GOOD FAITH EFFORTS DOCUMENTATION

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eagle Engineering & Construction, Inc. | brooks.curtis@att.net | 650-367-8000 | 650-367-8282 | 7/12/16 | 7/27/16 | 4, 43, 44 | | | 8/8/16 | 2:30 pm | | Number not accepting calls at this time |
| E-Nor Innovations | ronnie@enortraffic.com | 310-513-6209 | 310-513-6299 | 7/12/16 | NG | 4, 5, 7, 9, 11, 12 | Y | | 8/8/16 | 2:32 pm | Talisha | Yes bidding. She emailed my contact info to estimator |
| ESWPPP Consultants, LLC | eswppp@hotmail.com | 925-451-1337 | 925-926-7191 | 7/12/16 | NG | 1, 13, 14, 25 | N | | 8/8/16 | 2:33 pm | Gil | Not bidding |
| Fine Grade Equipment, Inc. | judy@finegradeinc.com | 661-949-8788 | 661-722-8900 | 7/12/16 | 7/27/16 | 40-42 | N | | 8/8/16 | 2:34 pm | John | Not bidding |
| Flash Traffic Inc. | flashwbe@outlook.com | 661-262-6003 | 661-262-6099 | 7/12/16 | 7/27/16 | 4, 5, 7, 9, 11, 12 | | | 8/8/16<br>8/12/16 | 2:36 pm<br>8:43 am | | Left Message<br>Left Message |
| FMF Pandion | admin@fmfpandion.com | 760-405-6805 | | 7/12/16 | - | 13, 14 | | | 8/8/16<br>8/12/16 | 3:20 pm<br>8:44 am | | Left Message<br>Left Message |
| Force Traffic Control, Inc. | forcetraffic@earthlink.net | 559-594-1062 | 559-594-1056 | 7/12/16 | 7/27/16 | 5, 7, 9, 11, 12 | N | | 8/8/16 | 3:21 pm | Vern | Not Bidding |
| Full Traffic Maintenance | sammysalgado@sbcglobal.net | 951-520-9990 | 951-520-9980 | 7/12/16 | 7/27/16 | 4, 5, 7, 9, 11, 12, 46-48 | Y | Fax 7/28/16 | | | | |
| G & G Electric, Inc. | chvz_glbrt@yahoo.com | 951-572-0196 | 951-689-2694 | 7/12/16 | 7/27/16 | 48 | | | 8/8/16 | 3:22 pm | Veronica | She will check & call me back |
| Gates Enterprises, Inc. | jgates.gei@gmail.com | 714-382-6707 | 714-382-6801 | 7/12/16 | 7/27/16 | 40-42 | Y | Fax 8/4/16 | | | | Bidding the excavation, grading, demolition & trucking |
| Global Road Sealing, Inc. | grs@globalroadsealing.com | 714-893-0845 | 714-893-0945 | 7/12/16 | 7/27/16 | 5, 7, 9, 11, 12 | N | | 8/8/16 | 3:24 pm | Tri | Not bidding |
| Heir & Son Construction, Inc | Heirandson@comcast.net | 530-415-4777 | 916-463-9041 | 7/12/16 | 7/27/16 | 4 | | | 8/8/16<br>8/12/16 | 3:25 pm<br>8:45 am | | Left Message<br>Left Message |
| Hillside Drilling, Inc. | cheryl@hillsidedrilling.com | 510-234-6532 | 510-234-3131 | 7/12/16 | 7/27/16 | 45 | | | 8/8/16 | 3:26 pm | Mehei | Not on bid schedule – they will take a look at it & send quote if bidding |
| Industrial Battery Services | ibsrecoder@aol.com | 510-222-7719 | 510-412-5988 | 7/12/16 | NG | 5, 7, 9, 11, 12 | | | 8/8/16<br>8/12/16 | 3:30 pm<br>8:46 am | | Left Message<br>Left Message |
| In-Line Fence & Railing co. | julie@inlinerail.com | 760-789-0282 | 760-789-0689 | 7/12/16 | 7/27/16 | 19, 20, 49-51, 56, 57 | | | 8/8/16<br>8/12/16 | 3:32 pm<br>8:47 am | Jason | Need to speak to Gary – he's out, call back<br>Spoke to Jason on 8/12/16 – they are a maybe. If they bid they will send us a quote |
| Jahn Engineering Inc. | jahnengineering@gmail.com | 916-599-2379 | 916-596-4075 | 7/12/16 | 7/27/16 | 13-14 | N | | 8/8/16 | 3:33 pm | Alice | Not bidding |
| Jesmar construction | jesmarboring@sbcglobal.net | 714-972-2665 | 714-972-9331 | 7/12/16 | 7/27/16 | 60-64 | N | | 8/8/16 | 3:35 pm | Martha | Not bidding |
| JL Stormwater Consultants, Inc. | jane@jlstormwater.com | 619-938-2420 | 619-334-6750 | 7/12/16 | 7/27/16 | 13, 14 | Y | | 8/8/16<br>8/12/16 | 3:36 pm<br>8:51 am | Dillon | Left message<br>Yes bidding – will send us quote |
| K R C Safety Co., Inc. | garyc@krcsafety.com | 559-732-0393 | 559-732-2684 | 7/12/16 | 7/27/16 | 4-7, 9, 11, 12, 15-20, 45-47, 51-57 | N | | 8/8/16 | 3:37 pm | Cache | Not bidding |
| Kaylen Engineering, Inc. dba Kaylen Traffic Control | karen@imaginationmetals.com | 559-299-2899 | | 7/12/16 | - | 4, 5, 7, 9, 11, 12 | | | 8/9/16<br>8/12/16 | 8:45 am<br>8:52 am | | Left Message<br>Left Message |
| Kern County Custom Concrete | JerryKCCC@yahoo.com | 661-872-4602 | 661-325-5590 | 7/12/16 | NG | 45 | N | | 8/9/16 | 8:47 am | Pat | Not bidding – they are on a large project in Modesto |
| L C Paving & Sealing, Inc. | marisa@lcpaving.com | 760-752-1743 | 760-752-1674 | 7/12/16 | 7/27/16 | 40-42 | N | | 8/9/16 | 8:48 am | Marissa | Not bidding |

# GOOD FAITH EFFORTS DOCUMENTATION

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| La Firma, Inc. | estimating@theswpppfirm.com | 805-748-8576 | 805-929-0501 | 7/12/16 | 7/27/16 | 13, 14 | Y | | 8/9/16 | 8:49 am | Vince | Yes bidding |
| LMN Concrete & Grinding | orders@lmncoldmilling.com | 951-616-3828 | 951-685-1862 | 7/12/16 | 7/27/16 | 24 | Y | | 8/9/16 | 8:50 am | Damien | Yes bidding |
| LNA Concrete Structures, Inc. | agarcialna@aol.com | 909-393-1493 | 909-393-9363 | 7/12/16 | 7/27/16 | 40-42 | N | | 8/9/16 | 8:53 am | Angie | Not bidding |
| Maneri Traffic Control | mariamaneri@yahoo.com | 951-695-5104 | 951-695-5105 | 7/12/16 | 7/27/16 | 4, 5, 7, 9, 11, 12 | Y | Fax 7/28/16 | | | | Yes bidding |
| Matzenauer Electric, Inc. | diana@matzenauer.com | 619-390-4570 | 619-390-4559 | 7/12/16 | 7/27/16 | 5, 7, 9, 11, 12 | | | 8/9/16<br>8/12/16 | 8:57 am<br>8:53 am | | Left Message<br>Left Message |
| Mc Cullough Construction Inc. | denamccullough@mccullughconstructioninc.com | 707-825-1014 | 707-825-1769 | 7/12/16 | 7/27/16 | 5, 7, 9, 11, 12 | N | | 8/9/16 | 8:58 am | Jennifer | Not bidding |
| Metco | c.martinez@metco-usa.com | 415-455-9922 | 415-455-9960 | 7/12/16 | NG | 5, 7, 9, 11, 12 | | | 8/9/16<br>8/12/16 | 8:59 am<br>8:54 am | | Left Message<br>Left Message |
| Montgomery Construction Services, Inc. | estimating@montcsi.com | 619-578-2538 | 619-546-8482 | 7/12/16 | 7/27/16 | 39 | N | | 8/9/16 | 9:00 am | Emily | Not bidding |
| Natural Investigations Company, Inc. | cindy@naturalinvestingations.com | 916-765-9381 | 916-848-3511 | NG | 7/15/16<br>7/27/16 | 13, 14 | N | | 8/9/16 | 9:02 am | Cindy | Not bidding |
| Nuno Iron & MFG, Inc. | bpantoja@nunoiron.com | 831-386-0513 | 831-386-9976 | 7/12/16 | 7/27/16 | 46, 47 | N | | 8/9/16 | 9:03 am | Priscilla | They are not bidding anything at the moment |
| Ortiz Asphalt Paving, Inc. | bruceatortiz@aol.com | 951-966-7060 | 760-995-4443 | 7/12/16 | NG | 40-44 | | | 8/9/16<br>8/12/16 | 9:04 am<br>8:56 am | | Left Message<br>Left Message |
| Payco Specialties, Inc. | rebecca@payco.biz | 619-422-9204 | 619-427-1620 | 7/12/16 | 7/27/16 | 5-7, 9, 11, 12, 52-57 | Y | | 8/9/16 | 9:05 am | David | Yes bidding |
| ~~Quality Equipment Rental~~ | ~~qualityequipmentrental@yahoo.com~~ | ~~909-276-5582~~ | ~~888-839-9857~~ | ~~7/12/16~~ | | 4 | | | | | | Duplicate (Quality Traffic Control) |
| Quality Hydroseeding & Restoration | poundstone@live.com | 760-789-8040 | 760-789-5168 | 7/12/16 | 7/27/16 | 15-18 | N | | 8/9/16<br>8/12/16 | 9:38 am<br>8:57 am | Paula Poundstone | Left Message<br>Not bidding |
| Quality Traffic Control | Qualitytrafficcontrol@gmail.com | 909-276-5582 | 888-839-9857 | 7/12/16 | 7/27/16 | 4, 5, 7, 9, 11, 12 | Y | | 8/9/16<br>8/12/16 | 9:42 am<br>8:59 am | Jenny | Left Message<br>Yes bidding – will send us a quote |
| RAP Engineering | rperez@rapenginc.com | 760-233-2980 | 760-233-2984 | 7/12/16 | - | 40-42 | N | Email 7/13/16 | | | | Not bidding |
| Raymond Torres & Daughter Landscaping | rtorreslandscaping@gmail.com | 619-462-7751 | 619-923-2510 | 7/12/16 | NG | 15-18, 21, 26-28 | | | 8/9/16 | 9:43 am | | Recording stating the number has changed and the new number is unknown |
| Rebel Concrete Breaking Service | rebelconcretebreaking@yahoo.com | 323-574-9774 | 323-563-8311 | 7/12/16 | NG | 40-42 | | | 8/9/16 | | | |
| ROC Equipment LLC | vanessa@rocequipment.com | 801-214-6126 | 801-214-6144 | 7/12/16 | 7/27/16 | 45 | N | Fax 7/28/16 | | | | Not bidding |
| Russell Cress Co., Inc. | rdcress@frontiernet.net | 201-488-7111 | 201-488-7411 | 7/12/16 | - | 4, 46-47 | N | Email 7/19/16 | | | | They manufacture commercial display frames & transit advertising panels for buses ONLY |
| San Diego Bay Area Electric, Inc. | bev@bayareaelectric.com | 858-748-2060 | 858-748-6012 | 7/15/16 | 7/27/16 | 5, 7, 9, 11, 12 | N | | 8/9/16 | 9:47 am | Bev | |
| Sealright Paving | srpestimating@sbcglobal.net | 619-465-7411 | 619-465-7490 | 7/12/16 | 7/27/16 | 39, 40-44 | Y | | 8/9/16 | 9:49 am | Jennifer | Yes bidding |
| So. Cal Traffic Inc. | DO NOT SOLICIT | | | | - | | | | | | | DUPLICATE - CECILIA'S SAFETY SERVICE |

# GOOD FAITH EFFORTS DOCUMENTATION

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Southwest Contracting & Electric | danielancona@yahoo.com | 858-752-9197 | | 7/12/16 | - | 48 | | | 8/9/16 | 10:09 am | | Voice mailbox has not been setup so could not leave message |
| Statewide Stripes, Inc. | dawn@statewidestripes.com | 858-560-6887 | 858-560-0158 | 7/12/16 | 7/27/16 | 6, 22, 52-55 | N | | 8/9/16 | 10:10 am | Holly | Not bidding |
| Straight Stripe Painting | cheever@straightstripe.com | 435-656-0930 | 435-634-0580 | 7/12/16 | 7/27/16 | 6, 22, 52, 56, 57 | N | Fax 7/28/16 | | | | Not bidding |
| Super Seal & Stripe, Inc. | brenda@supersealandstripe.com | 805-524-7345 | 805-524-7428 | 7/12/16 | 7/27/16 | 6, 22, 46-47, 52-57 | N | | 8/9/16 | 10:20 am | Rob | Not bidding |
| Terra West, Inc. | roberto@terrawestinc.com | 619-591-1007 | 619-568-3475 | 7/12/16 | 7/27/16 | 13, 14 | | | 8/9/16 | 10:21 am | | Left Message |
| Terradyne Lax, Inc. | apalaniappan@terradyne.com | 949-389-0678 | 949-231-1700 | 7/12/16 | 7/27/16 | 13, 14 | N | | 8/9/16 | 10:23 am | Sam | Not bidding |
| Traffic Control Pros | estimating@tcpros.net | 925-270-4580 | 925-405-3833 | 7/12/16 | 7/28/16 | 4, 5, 7, 9, 11, 12 | N | | 8/9/16 | 10:28 am | Jeff | No Southern California work – they are in San Francisco Bay Area |
| Traffic Enforcement Solutions | trafficenforcementsolutions@gmail.com | 559-392-6050 | 559-323-4269 | 7/12/16 | NG | 5, 7, 9, 11, 12, 48 | | | 8/9/16<br>8/12/16 | 10:30 am<br>9:03 am | | Left Message<br>Left Message |
| Traffic Loops Crackfilling, Inc. | trafficloops@sbcglobal.net | 714-520-4026 | 714-520-4027 | 7/12/16 | 7/27/16 | 56, 57 | Y | | 8/9/16 | 10:31 am | Romero | Yes bidding |
| Tucker Technology, Inc. | frank@tuckertech.com | 510-836-0422 | 510-836-2625 | 7/12/16 | NG | 5, 7, 9, 11, 12 | N | | 8/9/16 | 10:32 am | Andrew | Not bidding |
| Tully Consulting Group | robin@tullygroup.com | 707-693-1926 | 707-471-0318 | 7/12/16 | 7/27/16 | 13, 14 | Y | | 8/9/16 | 10:33 am | Kaitlynn | Yes bidding |
| U. S. Concrete Construction, Inc. | DO NOT SOLICIT | | | | - | 39 | | | 1/14/16 | | VICTORIA | NOT BIDDING CAL TRANS PROJECTS |
| UGE & ECS, Inc. | nancy@ugeecs.com | 213-625-1016 | 310-862-6879 | 7/12/16 | 7/27/16 | 1, 13, 14, 25 | Y | | 8/9/16 | 10:35 am | Nancy | Yes bidding |
| United Traffic Services & Supply, Inc. | dora@unitedtraffic.net | 626-961-5736 | 818-961-4746 | 7/12/16 | 7/27/16 | 46, 47 | N | | 8/9/16 | 10:36 am | Jessica | Not bidding |
| ~~V A P Construction, Inc.~~ *COMPETITOR* | vapconstructioninc@gmail.com | 714-253-3270 | 714-551-9420 | 7/12/16 | 7/27/16 | 4, 5, 7, 9, 11, 12, 24, 40-42 | | | 8/9/16 | 10:37 am | | Left Message<br>COMPETITOR |
| Verduzco Electric, Inc. | verduzcoelectric@aol.com | 310-886-3068 | 310-886-3958 | 7/12/16 | 7/27/16 | 5, 7, 9, 11, 12 | N | | 8/9/16 | 10:39 am | Mariella | No Caltrans – they only do small commercial building work |
| VT Electric | DO NOT SOLICIT | | | | - | | | | | | | COMPETITOR |
| West Pacific Electric Company | vvilla@westpacificelectircompany.com | 559-924-6422 | 559-924-4826 | NG | 7/15/16<br>7/27/16 | 48 | N | | 8/9/16 | 10:43 am | Sarah | Not bidding |
| Wirenet Communications, Inc. | garreola@wirenetcomm.com | 909-986-3290 | 909-986-6490 | 7/12/16 | 7/27/16 | 48 | | | 8/9/16<br>8/12/16 | 10:44 am<br>9:04 am | | Left Message<br>Left Message |
| WRECO | info@wreco.com | 925-941-0017 | 925-941-0018 | 7/12/16 | 7/27/16 | 13, 14 | N | | 8/9/16 | 10:46 am | Breckin | Not bidding |
| | | | | | | | | | | | | |

| ! | To | Subject | Sent | Size | Categories |
|---|---|---|---|---|---|
| **Date: Today** | | | | | |
| | 'bev@bayare... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 164 KB | |
| **Date: Tuesday** | | | | | |
| | 'mary@agrise... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'acmlighting... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'roberto@terr... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'jahnengineer... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'frank@kitecli... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'Heirandson... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'paustin@aus... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'b.v.landscap... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'cindy@natur... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'ltennis@cask... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'touray@alfre... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'qualityequip... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'info@wreco.... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'nancy@ugee... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'robin@tullyg... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'trafficenforce... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'apalaniappa... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'rdcress@fron... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'vanessa@roc... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'rebelconcret... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'rtorreslandsc... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'Qualitytraffic... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'poundstone... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'bpantoja@n... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'mariamaneri... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'jesmarboring... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'ibsrecoder@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'admin@fmfp... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'flashwbe@o... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'eswppp@hot... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'Ferry@Deco... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'jb.calcon@m... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'Darrell@ASh... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'Sanjay.pandy... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'adh@adhenv... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'kimberlypatz... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'candace@ac... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'KIM@acefen... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'stvnenator@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'pacheco@14... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'sammysalga... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'jane@jlstorm... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'garreola@wir... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'vvilla@westp... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'estimating@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'danielancona... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'rebecca@pa... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'diana@matz... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'chvz_glbrt@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |

| ! | To | Subject | Sent | Size | Categories |
|---|---|---|---|---|---|
| | 'dm3mlm@g... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'castroelectric... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'verduzcoelec... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'vapconstruct... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'dora@united... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'frank@tucke... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'trafficloops@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'brenda@sup... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'cheever@str... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'dawn@state... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'srpestimatin... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'rperez@rape... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'bruceatortiz... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'estimating@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'c.martinez@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'denamccullo... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'agarcialna@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'orders@lmnc... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'estimating@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'marisa@lcpa... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'JerryKCCC@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'karen@imagi... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'garyc@krcsaf... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'julie@inliner... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'cheryl@hillsi... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'grs@globalr... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'jgates.gei@g... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'forcetraffic@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'judy@finegr... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'brooks.curtis... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'ronnie@enor... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'eeelectric@e... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'dbe@diversif... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'amahaffey@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'aBili@deltec... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'marty@desig... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'tony@dlinec... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'cooks_son@... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'wegrindasph... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'airbears@bal... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'cecilias@pac... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'catsexcavatin... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'blancoconst... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'syncnetwork... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'apadana1@s... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'paving_agp... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'apconstructi... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'debbieh@ale... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'chidi@albert... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |
| | 'daryl@abslc... | Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 | Tue 7/12/201... | 164 KB | |

# FAX TX Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/27/2016 20:41

[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

| No. | Date and Time | Destination | Type | Times | Page | Result |
|---|---|---|---|---|---|---|
| 00001 | 07/27/16 13:46 | A B S L Construction | FAX | 0°00'54" | 005 | OK |
| 00002 | 07/27/16 13:48 | A Plus Signs | FAX | 0°01'13" | 005 | OK |
| 00003 | 07/27/16 13:50 | AC-DC Electric | FAX | 0°01'39" | 005 | OK |
| 00004 | 07/27/16 13:52 | Ace Fence Company | FAX | 0°02'23" | 005 | OK |
| 00005 | 07/27/16 13:56 | ACM Lighting | FAX | 0°01'03" | 005 | OK |
| 00006 | 07/27/16 13:57 | ACME Safety & Supply | FAX | 0°02'20" | 000 | BUSY |
| 00007 | 07/27/16 18:43 | Adanta, Inc. | FAX | 0°00'54" | 005 | OK |
| 00008 | 07/27/16 18:45 | ADH Technical Services | FAX | 0°01'13" | 005 | OK |
| 00009 | 07/27/16 18:47 | AGRI Service Recycling | FAX | 0°01'04" | 005 | OK |
| 00010 | 07/27/16 18:49 | Albert Wilson & Associates | FAX | 0°03'33" | 005 | OK |
| 00011 | 07/27/16 18:53 | Alert-O-Lite | FAX | 0°01'41" | 005 | OK |
| 00012 | 07/27/16 18:55 | America Pacific Construction | FAX | 0°02'26" | 005 | OK |
| 00013 | 07/27/16 18:58 | American Utility Products | FAX | 0°00'57" | 005 | OK |
| 00014 | 07/27/16 19:00 | Anthony's Grading & Paving | FAX | 0°00'44" | 005 | OK |
| 00015 | 07/27/16 19:01 | Apadana Engineering | FAX | 0°01'02" | 005 | OK |
| 00016 | 07/27/16 19:03 | Ashoona Landscape | FAX | 0°01'40" | 005 | OK |
| 00017 | 07/27/16 19:07 | Blanco Construction | FAX | 0°02'30" | 005 | OK |
| 00018 | 07/27/16 19:12 | CATS Excavating | FAX | 0°01'39" | 005 | OK |
| 00019 | 07/27/16 19:05 | Bellcurve & Synchnetworks | FAX | 0°03'03" | 005 | OK |
| 00020 | 07/27/16 19:18 | Cal-Con Pumping | FAX | 0°02'27" | 005 | OK |
| 00021 | 07/27/16 19:22 | California Grinding Specialties | FAX | 0°04'18" | 005 | OK |
| 00022 | 07/27/16 19:10 | Buena Vista Landscape | FAX | 0°02'48" | 000 | BUSY |
| 00023 | 07/27/16 19:28 | Castro Electric | FAX | 0°04'16" | 005 | OK |
| 00024 | 07/27/16 19:33 | Cecilia's Safety Service | FAX | 0°02'26" | 005 | OK |
| 00025 | 07/27/16 19:36 | Cindy Bales Engineering | FAX | 0°02'26" | 005 | OK |
| 00026 | 07/27/16 19:39 | Cindy Trump dba Lindy's Cold Planing | FAX | 0°01'10" | 005 | OK |
| 00027 | 07/27/16 19:41 | Cooks & Son, Inc. | FAX | 0°01'21" | 005 | OK |
| 00028 | 07/27/16 19:43 | D-Line Constructors | FAX | 0°02'27" | 005 | OK |
| 00029 | 07/27/16 19:46 | Deco Pave | FAX | 0°01'38" | 005 | OK |
| 00030 | 07/27/16 19:49 | Dimure corp. | FAX | 0°00'57" | 000 | BUSY |
| 00031 | 07/27/16 19:50 | Diversified Landscape | FAX | 0°02'24" | 005 | OK |
| 00032 | 07/27/16 19:54 | Don H Mahaffey Drilling | FAX | 0°00'52" | 005 | OK |
| 00033 | 07/27/16 19:56 | E-Nor Innovations | FAX | 0°00'58" | 000 | BUSY |
| 00034 | 07/27/16 19:58 | EE Electric | FAX | 0°01'57" | 005 | OK |
| 00035 | 07/27/16 19:48 | Deltech Enginering | FAX | 0°02'01" | 000 | BUSY |
| 00036 | 07/27/16 20:02 | Eagle Engineering & Construction | FAX | 0°01'38" | 005 | OK |
| 00037 | 07/27/16 20:05 | Fine Grade Equipment | FAX | 0°01'38" | 005 | OK |
| 00038 | 07/27/16 20:07 | Flash Traffic | FAX | 0°03'04" | 005 | OK |
| 00039 | 07/27/16 20:11 | Force Traffic Control | FAX | 0°03'03" | 005 | OK |
| 00040 | 07/27/16 20:00 | ESWPPP Consultants | FAX | 0°00'22" | 000 | BUSY |
| 00041 | 07/27/16 20:15 | Full Traffic Maintenance | FAX | 0°01'39" | 005 | OK |
| 00042 | 07/27/16 20:18 | G & G Electric | FAX | 0°01'39" | 005 | OK |
| 00043 | 07/27/16 20:20 | Gates Enterprises | FAX | 0°00'51" | 005 | OK |
| 00044 | 07/27/16 20:22 | Global Road Sealing | FAX | 0°03'09" | 005 | OK |
| 00045 | 07/27/16 20:25 | Heir & Son Construction | FAX | 0°03'38" | 005 | OK |
| 00046 | 07/27/16 20:30 | Hillside Drilling | FAX | 0°01'41" | 005 | OK |
| 00047 | 07/27/16 20:33 | In-Line Fence & Railing | FAX | 0°00'55" | 005 | OK |
| 00048 | 07/27/16 20:34 | Industrial Battery Services | FAX | 0°00'57" | 000 | BUSY |
| 00049 | 07/27/16 20:37 | Jahn Engineering | FAX | 0°01'44" | 005 | OK |
| 00050 | 07/27/16 20:39 | Jesmar Construction | FAX | 0°01'40" | 005 | OK |

# FAX TX Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/28/2016 07:20

[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

| No. | Date and Time | Destination | Type | Times | Page | Result |
|---|---|---|---|---|---|---|
| 00001 | 07/27/16 22:16 | Wirenet Communications | FAX | 0°01'41" | 005 | OK |
| 00002 | 07/27/16 22:13 | West Pacific Electric Co. | FAX | 0°02'32" | 005 | OK |
| 00003 | 07/27/16 22:09 | WRECO | FAX | 0°04'16" | 005 | OK |
| 00004 | 07/27/16 22:06 | Verduzco Electric | FAX | 0°02'10" | 005 | OK |
| 00005 | 07/27/16 22:03 | VAP Construction | FAX | 0°01'41" | 005 | OK |
| 00006 | 07/27/16 21:48 | Tucker Technology | FAX | 0°02'16" | 000 | BUSY |
| 00007 | 07/27/16 21:59 | United Traffic Services & Supply | FAX | 0°02'55" | 005 | OK |
| 00008 | 07/27/16 21:45 | Traffic Enforcement Solutions | FAX | 0°02'44" | 000 | BUSY |
| 00009 | 07/27/16 21:54 | UGE & ECS | FAX | 0°01'39" | 005 | OK |
| 00010 | 07/27/16 21:49 | Tully Consulting Group | FAX | 0°02'26" | 005 | OK |
| 00011 | 07/27/16 21:47 | Traffic Loops Crackfilling | FAX | 0°00'57" | 005 | OK |
| 00012 | 07/27/16 21:42 | Terradyne Lax, Inc. | FAX | 0°02'25" | 005 | OK |
| 00013 | 07/27/16 21:40 | Terra West, Inc. | FAX | 0°02'26" | 005 | OK |
| 00014 | 07/27/16 21:38 | Super Seal & Stripe | FAX | 0°00'43" | 005 | OK |
| 00015 | 07/27/16 21:23 | Rebel Concrete Breaking Service | FAX | 0°03'20" | 000 | BUSY |
| 00016 | 07/27/16 21:35 | Straight Stripe Painting | FAX | 0°00'45" | 005 | OK |
| 00017 | 07/27/16 21:22 | Raymond Torres & Daughter Landscaping | FAX | 0°01'07" | 000 | BUSY |
| 00018 | 07/27/16 21:33 | Statewide Stripes | FAX | 0°00'55" | 005 | OK |
| 00019 | 07/27/16 21:29 | Sealright Paving | FAX | 0°01'39" | 005 | OK |
| 00020 | 07/27/16 21:25 | San Diego Bay Area Electric | FAX | 0°01'07" | 005 | OK |
| 00021 | 07/27/16 21:21 | ROC Equipment LLC | FAX | 0°00'43" | 005 | OK |
| 00022 | 07/27/16 21:19 | Quality Hydroseeding & Restoration | FAX | 0°01'39" | 005 | OK |
| 00023 | 07/27/16 21:15 | Quality Traffic Control | FAX | 0°02'26" | 005 | OK |
| 00024 | 07/27/16 21:10 | Ortiz Asphalt Paving | FAX | 0°01'51" | 000 | BUSY |
| 00025 | 07/27/16 21:11 | Payco Specialties | FAX | 0°02'25" | 005 | OK |
| 00026 | 07/27/16 21:09 | Nuno Iron & MFG | FAX | 0°00'52" | 005 | OK |
| 00027 | 07/27/16 21:05 | Natural Investigations Co. | FAX | 0°02'35" | 005 | OK |
| 00028 | 07/27/16 21:04 | Montgomery Construction Services | FAX | 0°00'42" | 005 | OK |
| 00029 | 07/27/16 21:02 | Metco | FAX | 0°00'57" | 000 | BUSY |
| 00030 | 07/27/16 21:01 | McCullough Construction | FAX | 0°00'49" | 005 | OK |
| 00031 | 07/27/16 20:59 | Matzenauer Electric | FAX | 0°01'12" | 005 | OK |
| 00032 | 07/27/16 20:56 | Maneri Traffic Control | FAX | 0°01'43" | 005 | OK |
| 00033 | 07/27/16 20:54 | La Firma | FAX | 0°01'38" | 005 | OK |
| 00034 | 07/27/16 20:53 | LNA Concrete Structures | FAX | 0°00'53" | 005 | OK |
| 00035 | 07/27/16 20:46 | Kern County Custom Concrete | FAX | 0°01'37" | 000 | BUSY |
| 00036 | 07/27/16 20:49 | LMN Concrete & Grinding | FAX | 0°01'40" | 005 | OK |
| 00037 | 07/27/16 20:47 | LC Paving & Sealing | FAX | 0°01'07" | 005 | OK |
| 00038 | 07/27/16 20:44 | KRC Safety | FAX | 0°01'16" | 005 | OK |
| 00039 | 07/27/16 20:36 | JL Stormwater Consultants | FAX | 0°02'16" | 005 | OK |
| *00040 | 07/27/16 20:39 | Jesmar Construction | FAX | 0°01'40" | 005 | OK |
| *00041 | 07/27/16 20:37 | Jahn Engineering | FAX | 0°01'44" | 005 | OK |
| *00042 | 07/27/16 20:34 | Industrial Battery Services | FAX | 0°00'57" | 000 | BUSY |
| *00043 | 07/27/16 20:33 | In-Line Fence & Railing | FAX | 0°00'55" | 005 | OK |
| *00044 | 07/27/16 20:30 | Hillside Drilling | FAX | 0°01'41" | 005 | OK |
| *00045 | 07/27/16 20:25 | Heir & Son Construction | FAX | 0°03'38" | 005 | OK |
| *00046 | 07/27/16 20:22 | Global Road Sealing | FAX | 0°03'09" | 005 | OK |
| *00047 | 07/27/16 20:20 | Gates Enterprises | FAX | 0°00'51" | 005 | OK |
| *00048 | 07/27/16 20:18 | G & G Electric | FAX | 0°01'39" | 005 | OK |
| *00049 | 07/27/16 20:15 | Full Traffic Maintenance | FAX | 0°01'39" | 005 | OK |
| *00050 | 07/27/16 20:00 | ESWPPP Consultants | FAX | 0°00'22" | 000 | BUSY |

# Send Result Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/28/2016 07:50
[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

Job No.: 000132 Total Time: 0°02'26" Page: 005

# Complete

Document: **Microsoft Word - DBE SOLICITATION LETTER general.docx**

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL

| No. | Date and Time | Destination | Times | Type | Result | Resolution/ECM |
|---|---|---|---|---|---|---|
| 001 | 07/28/16 07:48 | **19254053833 Traffic Control Pros** | 0°02'26" | FAX | OK | 200x200 Fine/Off |



[ L8D5X07301 ]

# Send Result Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/27/2016 14:09
[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

Job No.: 000122 Total Time: 0°09'32" Page: 005

# Error occurred

Document: **Microsoft Word - DBE SOLICITATION LETTER general.docx**

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 27, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL

| No. | Date and Time | Destination | Times | Type | Result | Resolution/ECM |
|---|---|---|---|---|---|---|
| 001 | 07/27/16 13:46 | **A B S L Construction** | 0°00'54" | FAX | OK | 200x200 Fine/On |
| 002 | 07/27/16 13:48 | **A Plus Signs** | 0°01'13" | FAX | OK | 200x200 Fine/On |
| 003 | 07/27/16 13:50 | **AC-DC Electric** | 0°01'39" | FAX | OK | 200x200 Fine/On |
| 004 | 07/27/16 13:52 | **Ace Fence Company** | 0°02'23" | FAX | OK | 200x200 Fine/Off |
| 005 | 07/27/16 13:56 | **ACM Lighting** | 0°01'03" | FAX | OK | 200x200 Fine/On |
| 006 | 07/27/16 13:57 | **ACME Safety & Supply** | 0°02'20" | FAX | BUSY | 200x100 Normal/Off |



[ L8D5X07301 ]

# Send Result Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/27/2016 22:18

[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

Job No.: 000124 Total Time: 2°32'35" Page: 005

# Error occurred

Document: **Microsoft Word - DBE SOLICITATION LETTER general.docx**

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL

| No. | Date and Time | Destination | Times | Type | Result | Resolution/ECM |
|---|---|---|---|---|---|---|
| 001 | 07/27/16 18:43 | **Adanta, Inc.** | 0°00'54" | FAX | OK | 200x200 Fine/On |
| 002 | 07/27/16 18:45 | **ADH Technical Services** | 0°01'13" | FAX | OK | 200x200 Fine/On |
| 003 | 07/27/16 18:47 | **AGRI Service Recycling** | 0°01'04" | FAX | OK | 200x200 Fine/On |
| 004 | 07/27/16 18:49 | **Albert Wilson & Associates** | 0°03'33" | FAX | OK | 200x200 Fine/On |
| 005 | 07/27/16 18:53 | **Alert-O-Lite** | 0°01'41" | FAX | OK | 200x200 Fine/On |
| 006 | 07/27/16 18:55 | **America Pacific Construction** | 0°02'26" | FAX | OK | 200x200 Fine/Off |
| 007 | 07/27/16 18:58 | **American Utility Products** | 0°00'57" | FAX | OK | 200x200 Fine/On |
| 008 | 07/27/16 19:00 | **Anthony's Grading & Paving** | 0°00'44" | FAX | OK | 200x200 Fine/On |
| 009 | 07/27/16 19:01 | **Apadana Engineering** | 0°01'02" | FAX | OK | 200x200 Fine/On |
| 010 | 07/27/16 19:03 | **Ashoona Landscape** | 0°01'40" | FAX | OK | 200x200 Fine/On |



[ L8D5X07301 ]

# Send Result Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/27/2016 22:18

[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

Job No.: 000124 Total Time: 2°32'35" Page: 005

# Error occurred

Document: **Microsoft Word - DBE SOLICITATION LETTER general.docx**

| No. | Date and Time | Destination | Times | Type | Result | Resolution/ECM |
|---|---|---|---|---|---|---|
| 011 | 07/27/16 19:05 | **Bellcurve & Synchnetworks** | 0°03'03" | FAX | OK | 200x200 Fine/On |
| 012 | 07/27/16 19:07 | **Blanco Construction** | 0°02'30" | FAX | OK | 200x200 Fine/Off |
| 013 | 07/27/16 19:10 | **Buena Vista Landscape** | 0°02'48" | FAX | BUSY | 200x100 Normal/Off |
| 014 | 07/27/16 19:12 | **CATS Excavating** | 0°01'39" | FAX | OK | 200x200 Fine/On |
| 015 | 07/27/16 19:18 | **Cal-Con Pumping** | 0°02'27" | FAX | OK | 200x200 Fine/Off |
| 016 | 07/27/16 19:22 | **California Grinding Specialties** | 0°04'18" | FAX | OK | 200x200 Fine/On |
| 017 | 07/27/16 19:28 | **Castro Electric** | 0°04'16" | FAX | OK | 200x200 Fine/On |
| 018 | 07/27/16 19:33 | **Cecilia's Safety Service** | 0°02'26" | FAX | OK | 200x200 Fine/Off |
| 019 | 07/27/16 19:36 | **Cindy Bales Engineering** | 0°02'26" | FAX | OK | 200x200 Fine/Off |
| 020 | 07/27/16 19:39 | **Cindy Trump dba Lindy's Cold Planing** | 0°01'10" | FAX | OK | 200x200 Fine/On |
| 021 | 07/27/16 19:41 | **Cooks & Son, Inc.** | 0°01'21" | FAX | OK | 200x200 Fine/On |
| 022 | 07/27/16 19:43 | **D-Line Constructors** | 0°02'27" | FAX | OK | 200x200 Fine/Off |
| 023 | 07/27/16 19:46 | **Deco Pave** | 0°01'38" | FAX | OK | 200x200 Fine/On |
| 024 | 07/27/16 19:48 | **Deltech Enginering** | 0°02'01" | FAX | BUSY | 200x100 Normal/Off |
| 025 | 07/27/16 19:49 | **Dimure corp.** | 0°00'57" | FAX | BUSY | 200x100 Normal/Off |
| 026 | 07/27/16 19:50 | **Diversified Landscape** | 0°02'24" | FAX | OK | 200x200 Fine/Off |
| 027 | 07/27/16 19:54 | **Don H Mahaffey Drilling** | 0°00'52" | FAX | OK | 200x200 Fine/On |
| 028 | 07/27/16 19:56 | **E-Nor Innovations** | 0°00'58" | FAX | BUSY | 200x100 Normal/Off |
| 029 | 07/27/16 19:58 | **EE Electric** | 0°01'57" | FAX | OK | 200x200 Fine/On |
| 030 | 07/27/16 20:00 | **ESWPPP Consultants** | 0°00'22" | FAX | BUSY | 200x100 Normal/Off |
| 031 | 07/27/16 20:02 | **Eagle Engineering & Construction** | 0°01'38" | FAX | OK | 200x200 Fine/On |
| 032 | 07/27/16 20:05 | **Fine Grade Equipment** | 0°01'38" | FAX | OK | 200x200 Fine/On |
| 033 | 07/27/16 20:07 | **Flash Traffic** | 0°03'04" | FAX | OK | 200x200 Fine/Off |
| 034 | 07/27/16 20:11 | **Force Traffic Control** | 0°03'03" | FAX | OK | 200x200 Fine/Off |
| 035 | 07/27/16 20:15 | **Full Traffic Maintenance** | 0°01'39" | FAX | OK | 200x200 Fine/On |
| 036 | 07/27/16 20:18 | **G & G Electric** | 0°01'39" | FAX | OK | 200x200 Fine/On |
| 037 | 07/27/16 20:20 | **Gates Enterprises** | 0°00'51" | FAX | OK | 200x200 Fine/On |
| 038 | 07/27/16 20:22 | **Global Road Sealing** | 0°03'09" | FAX | OK | 200x200 Fine/Off |
| 039 | 07/27/16 20:25 | **Heir & Son Construction** | 0°03'38" | FAX | OK | 200x200 Fine/Off |
| 040 | 07/27/16 20:30 | **Hillside Drilling** | 0°01'41" | FAX | OK | 200x200 Fine/On |
| 041 | 07/27/16 20:33 | **In-Line Fence & Railing** | 0°00'55" | FAX | OK | 200x200 Fine/On |
| 042 | 07/27/16 20:34 | **Industrial Battery Services** | 0°00'57" | FAX | BUSY | 200x100 Normal/Off |
| 043 | 07/27/16 20:36 | **JL Stormwater Consultants** | 0°02'16" | FAX | OK | 200x200 Fine/On |
| 044 | 07/27/16 20:37 | **Jahn Engineering** | 0°01'44" | FAX | OK | 200x200 Fine/On |
| 045 | 07/27/16 20:39 | **Jesmar Construction** | 0°01'40" | FAX | OK | 200x200 Fine/On |
| 046 | 07/27/16 20:44 | **KRC Safety** | 0°01'16" | FAX | OK | 200x200 Fine/On |
| 047 | 07/27/16 20:46 | **Kern County Custom Concrete** | 0°01'37" | FAX | BUSY | 200x100 Normal/Off |
| 048 | 07/27/16 20:47 | **LC Paving & Sealing** | 0°01'07" | FAX | OK | 200x200 Fine/On |
| 049 | 07/27/16 20:49 | **LMN Concrete & Grinding** | 0°01'40" | FAX | OK | 200x200 Fine/On |
| 050 | 07/27/16 20:53 | **LNA Concrete Structures** | 0°00'53" | FAX | OK | 200x200 Fine/On |
| 051 | 07/27/16 20:54 | **La Firma** | 0°01'38" | FAX | OK | 200x200 Fine/On |
| 052 | 07/27/16 20:56 | **Maneri Traffic Control** | 0°01'43" | FAX | OK | 200x200 Fine/On |
| 053 | 07/27/16 20:59 | **Matzenauer Electric** | 0°01'12" | FAX | OK | 200x200 Fine/On |
| 054 | 07/27/16 21:01 | **McCullough Construction** | 0°00'49" | FAX | OK | 200x200 Fine/On |
| 055 | 07/27/16 21:02 | **Metco** | 0°00'57" | FAX | BUSY | 200x100 Normal/Off |
| 056 | 07/27/16 21:04 | **Montgomery Construction Services** | 0°00'42" | FAX | OK | 200x200 Fine/On |
| 057 | 07/27/16 21:05 | **Natural Investigations Co.** | 0°02'35" | FAX | OK | 200x200 Fine/Off |
| 058 | 07/27/16 21:09 | **Nuno Iron & MFG** | 0°00'52" | FAX | OK | 200x200 Fine/On |
| 059 | 07/27/16 21:10 | **Ortiz Asphalt Paving** | 0°01'51" | FAX | BUSY | 200x100 Normal/Off |
| 060 | 07/27/16 21:11 | **Payco Specialties** | 0°02'25" | FAX | OK | 200x200 Fine/Off |

# Send Result Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/27/2016 22:18

[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

Job No.: 000124 Total Time: 2°32'35" Page: 005

# Error occurred

Document: **Microsoft Word - DBE SOLICITATION LETTER general.docx**

| No. | Date and Time | Destination | Times | Type | Result | Resolution/ECM |
|---|---|---|---|---|---|---|
| 061 | 07/27/16 21:15 | **Quality Traffic Control** | 0°02'26" | FAX | OK | 200x200 Fine/Off |
| 062 | 07/27/16 21:19 | **Quality Hydroseeding & Restoration** | 0°01'39" | FAX | OK | 200x200 Fine/On |
| 063 | 07/27/16 21:21 | **ROC Equipment LLC** | 0°00'43" | FAX | OK | 200x200 Fine/On |
| 064 | 07/27/16 21:22 | **Raymond Torres & Daughter Landscaping** | 0°01'07" | FAX | BUSY | 200x100 Normal/Off |
| 065 | 07/27/16 21:23 | **Rebel Concrete Breaking Service** | 0°03'20" | FAX | BUSY | 200x100 Normal/Off |
| 066 | 07/27/16 21:25 | **San Diego Bay Area Electric** | 0°01'07" | FAX | OK | 200x200 Fine/On |
| 067 | 07/27/16 21:29 | **Sealright Paving** | 0°01'39" | FAX | OK | 200x200 Fine/On |
| 068 | 07/27/16 21:33 | **Statewide Stripes** | 0°00'55" | FAX | OK | 200x200 Fine/On |
| 069 | 07/27/16 21:35 | **Straight Stripe Painting** | 0°00'45" | FAX | OK | 200x200 Fine/On |
| 070 | 07/27/16 21:38 | **Super Seal & Stripe** | 0°00'43" | FAX | OK | 200x200 Fine/On |
| 071 | 07/27/16 21:40 | **Terra West, Inc.** | 0°02'26" | FAX | OK | 200x200 Fine/Off |
| 072 | 07/27/16 21:42 | **Terradyne Lax, Inc.** | 0°02'25" | FAX | OK | 200x200 Fine/Off |
| 073 | 07/27/16 21:45 | **Traffic Enforcement Solutions** | 0°02'44" | FAX | BUSY | 200x100 Normal/Off |
| 074 | 07/27/16 21:47 | **Traffic Loops Crackfilling** | 0°00'57" | FAX | OK | 200x200 Fine/On |
| 075 | 07/27/16 21:48 | **Tucker Technology** | 0°02'16" | FAX | BUSY | 200x100 Normal/Off |
| 076 | 07/27/16 21:49 | **Tully Consulting Group** | 0°02'26" | FAX | OK | 200x200 Fine/Off |
| 077 | 07/27/16 21:54 | **UGE & ECS** | 0°01'39" | FAX | OK | 200x200 Fine/On |
| 078 | 07/27/16 21:59 | **United Traffic Services & Supply** | 0°02'55" | FAX | OK | 200x200 Fine/On |
| 079 | 07/27/16 22:03 | **VAP Construction** | 0°01'41" | FAX | OK | 200x200 Fine/On |
| 080 | 07/27/16 22:06 | **Verduzco Electric** | 0°02'10" | FAX | OK | 200x200 Fine/On |
| 081 | 07/27/16 22:09 | **WRECO** | 0°04'16" | FAX | OK | 200x200 Fine/On |
| 082 | 07/27/16 22:13 | **West Pacific Electric Co.** | 0°02'32" | FAX | OK | 200x200 Fine/Off |
| 083 | 07/27/16 22:16 | **Wirenet Communications** | 0°01'41" | FAX | OK | 200x200 Fine/On |

**dbxinc@hotmail.com**

**From:** dbxinc65@gmail.com
**Sent:** Wednesday, July 27, 2016 3:09 PM
**To:** dbxinc@hotmail.com
**Subject:** TASKalfa 4551ci Job end report mail
**Attachments:** 000122.pdf

Job No.: 000122
Result: NG
End Time: Wed 27 Jul 2016 14:09:20
File Name: Microsoft Word - DBE SOLICITATION LETTER general.docx
Category: Sending Jobs

| Result | Job Type | Address |
|---|---|---|
| OK | FAX | A B S L Construction |
| OK | FAX | A Plus Signs |
| OK | FAX | AC-DC Electric |
| OK | FAX | Ace Fence Company |
| OK | FAX | ACM Lighting |
| NG | FAX | ACME Safety & Supply |

---
TASKalfa 4551ci
[00:17:c8:25:36:43]
---

**dbxinc@hotmail.com**

**From:** dbxinc65@gmail.com
**Sent:** Wednesday, July 27, 2016 11:19 PM
**To:** dbxinc@hotmail.com
**Subject:** TASKalfa 4551ci Job end report mail
**Attachments:** 000124.pdf

Job No.: 000124
Result: NG
End Time: Wed 27 Jul 2016 22:18:32
File Name: Microsoft Word - DBE SOLICITATION LETTER general.docx
Category: Sending Jobs

| Result | Job Type | Address |
|---|---|---|
| OK | FAX | Adanta, Inc. |
| OK | FAX | ADH Technical Services |
| OK | FAX | AGRI Service Recycling |
| OK | FAX | Albert Wilson & Associates |
| OK | FAX | Alert-O-Lite |
| OK | FAX | America Pacific Construction |
| OK | FAX | American Utility Products |
| OK | FAX | Anthony's Grading & Paving |
| OK | FAX | Apadana Engineering |
| OK | FAX | Ashoona Landscape |
| OK | FAX | Bellcurve & Synchnetworks |
| OK | FAX | Blanco Construction |
| NG | FAX | Buena Vista Landscape |
| OK | FAX | CATS Excavating |
| OK | FAX | Cal-Con Pumping |
| OK | FAX | California Grinding Specialties |
| OK | FAX | Castro Electric |
| OK | FAX | Cecilia's Safety Service |
| OK | FAX | Cindy Bales Engineering |
| OK | FAX | Cindy Trump dba Lindy's Cold Planing |
| OK | FAX | Cooks & Son, Inc. |
| OK | FAX | D-Line Constructors |
| OK | FAX | Deco Pave |
| NG | FAX | Deltech Enginering |
| NG | FAX | Dimure corp. |
| OK | FAX | Diversified Landscape |
| OK | FAX | Don H Mahaffey Drilling |
| NG | FAX | E-Nor Innovations |
| OK | FAX | EE Electric |
| NG | FAX | ESWPPP Consultants |
| OK | FAX | Eagle Engineering & Construction |
| OK | FAX | Fine Grade Equipment |
| OK | FAX | Flash Traffic |
| OK | FAX | Force Traffic Control |

| | | |
|---|---|---|
| OK | FAX | Full Traffic Maintenance |
| OK | FAX | G & G Electric |
| OK | FAX | Gates Enterprises |
| OK | FAX | Global Road Sealing |
| OK | FAX | Heir & Son Construction |
| OK | FAX | Hillside Drilling |
| OK | FAX | In-Line Fence & Railing |
| NG | FAX | Industrial Battery Services |
| OK | FAX | JL Stormwater Consultants |
| OK | FAX | Jahn Engineering |
| OK | FAX | Jesmar Construction |
| OK | FAX | KRC Safety |
| NG | FAX | Kern County Custom Concrete |
| OK | FAX | LC Paving & Sealing |
| OK | FAX | LMN Concrete & Grinding |
| OK | FAX | LNA Concrete Structures |
| OK | FAX | La Firma |
| OK | FAX | Maneri Traffic Control |
| OK | FAX | Matzenauer Electric |
| OK | FAX | McCullough Construction |
| NG | FAX | Metco |
| OK | FAX | Montgomery Construction Services |
| OK | FAX | Natural Investigations Co. |
| OK | FAX | Nuno Iron & MFG |
| NG | FAX | Ortiz Asphalt Paving |
| OK | FAX | Payco Specialties |
| OK | FAX | Quality Traffic Control |
| OK | FAX | Quality Hydroseeding & Restoration |
| OK | FAX | ROC Equipment LLC |
| NG | FAX | Raymond Torres & Daughter Landscaping |
| NG | FAX | Rebel Concrete Breaking Service |
| OK | FAX | San Diego Bay Area Electric |
| OK | FAX | Sealright Paving |
| OK | FAX | Statewide Stripes |
| OK | FAX | Straight Stripe Painting |
| OK | FAX | Super Seal & Stripe |
| OK | FAX | Terra West, Inc. |
| OK | FAX | Terradyne Lax, Inc. |
| NG | FAX | Traffic Enforcement Solutions |
| OK | FAX | Traffic Loops Crackfilling |
| NG | FAX | Tucker Technology |
| OK | FAX | Tully Consulting Group |
| OK | FAX | UGE & ECS |
| OK | FAX | United Traffic Services & Supply |
| OK | FAX | VAP Construction |
| OK | FAX | Verduzco Electric |
| OK | FAX | WRECO |
| OK | FAX | West Pacific Electric Co. |
| OK | FAX | Wirenet Communications |

---

TASKalfa 4551ci

[00:17:c8:25:36:43]
---

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: A B S L Construction
daryl@abslconstruction.com
510-727-0910

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

☐ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: A Plus Signs
pacheco@1430espn.com
559-275-7482

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Aardvark Biological Services LLC
stvnenator@gmail.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**dbxinc@hotmail.com**

**From:** Steven Chen <stvnenator@gmail.com>
**Sent:** Tuesday, July 12, 2016 8:54 PM
**To:** DBX Inc.
**Subject:** Re: Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

Thank you for the invitation, but we are unable to participate at this time.

**Steven Chen**
(650) 224-9375
stvnenator@gmail.com



**DGS MicroBusiness #1799442; CPUC WMBE Von #14040024; CUPC DBE #42985**

On Tue, Jul 12, 2016 at 2:53 PM, DBX Inc. <DBXINC@hotmail.com> wrote:

**DBX, Inc.** July 13, 2016

42024 Avenida Alvarado, Suite A

Temecula, CA 92590

Phone (951) 296-9909

Fax (951) 296-9978

**INVITATION TO BID**

To: Aardvark Biological Services LLC

stvnenator@gmail.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**

**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**BID ITEM LIST**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH METHOD) | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |

| | | | | |
|---|---|---|---|---|
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD) | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 30 |

| | | | | |
|---|---|---|---|---|
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3) | LF | 1,600 |

| | | | | |
|---|---|---|---|---|
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: AC-DC Electric
562-926-4311

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Ace Fence Company
KIM@acefencecompany.com
626-333-7843

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 27, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: ACE FENCE CO.

☑ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: ACM Lighting
acmlighting@sbcglobal.net
951-272-4838

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: ACME Safety & Supply Corp.
candace@acmesafetysupply.com
619-542-0763

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**Subject:** Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16
**From:** "DBX Inc." <DBXINC@hotmail.com>
**Date:** 8/8/2016 11:39 AM
**To:** "admin2@acmesafetysupply.com" <admin2@acmesafetysupply.com>

**DBX, Inc.**
2016
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13,

**INVITATION TO BID**

To: ACME Safety & Supply
admin2@acmesafetysupply.com
619-542-0763

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: Acme Safety and Supply Corp.

☑ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**BID ITEM LIST**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH METHOD) | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |

| | | | | |
|---|---|---|---|---|
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD) | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 30 |
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3) | LF | 1,600 |
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

**dbxinc@hotmail.com**

**From:** dbxinc@hotmail.com on behalf of DBX Inc.
**Sent:** Monday, August 08, 2016 11:40 AM
**To:** 'admin2@acmesafetysupply.com'
**Subject:** Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

**INVITATION TO BID**

To: ACME Safety & Supply
admin2@acmesafetysupply.com
619-542-0763

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**BID ITEM LIST**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH METHOD) | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |

| | | | | |
|---|---|---|---|---|
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD) | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 30 |
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3) | LF | 1,600 |
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Adanta, Inc.
kimberlypatz@adanta-inc.com
707-736-8368

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: ADH Technical Services, Inc.
adh@adhenvironmental.com
831-477-0895

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: AGRI Service Recycling, Inc.
mary@agriserviceinc.com
760-295-6262

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Albert Wilson & Associates
chidi@albertwilsontra.com
909-989-1576

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Alert-O-Lite
debbieh@alertolite.com
559-453-3250

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Alfred Civil Engineering , Inc
touray@alfredce.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: America Pacific Construction
apconstruction09@gmail.com
714-384-3988

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: American Utility Products
Sanjay.pandya@gmail.com
626-335-9797

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Anthony's Grading & Paving
paving_agp@yahoo.com
619-749-3973

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Apadana Engineering, Inc.
apadana1@sbcglobal.net
415-467-7721

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Ashoona Landscape
Darrell@AShoonaLandscape.com
714-852-3725

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Banaga Construction Inc.
frank@kiteclimbers.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Bellcurve and Synchnetworks
syncnetworks@gmail.com
424-331-5242

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Blanco Construction
blancoconst@aol.com
951-602-2050

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Buena Vista Landscape, Inc.
b.v.landscape@pacbell.net
714-771-2569

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Cal-Con Pumping, LLC
jb.calcon@mac.com
415-401-7664

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**dbxinc@hotmail.com**

**From:** dbxinc@hotmail.com on behalf of DBX Inc.
**Sent:** Monday, August 08, 2016 1:15 PM
**To:** 'jb.calcon@mac.com'
**Subject:** Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

**INVITATION TO BID**

To: Cal-Con Pumping, LLC
jb.calcon@mac.com
415-401-7664

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**BID ITEM LIST**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH METHOD) | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |

| | | | | |
|---|---|---|---|---|
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD) | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 30 |
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3) | LF | 1,600 |
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: California Grinding Specialties, Inc.
paustin@austin-enterprise.com
661-589-9509

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: California Professional Engineering
DO NOT SOLICIT

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Caskey Biological Consultaing, LLC
ltennis@caskeybiological.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Castro Electric
castroelectric@cox.net
619-561-6124

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: CATS Excavating
catsexcavatinginc@yahoo.com
619-264-7566

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Cecilia's Safety Service, Inc.
cecilias@pacbell.net
858-793-4495

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Cindy Bales Engineering
airbears@balesengineering.com
909-752-7090

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Cindy Trump Inc. dba Lindy's Cold Planing
wegrindasphalt@aol.com
562-697-2039

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: CMC Traffic Control Specialist
DO NOT SOLICIT

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Cooks and Son Inc.
cooks_son@mail.com
805-937-5473

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: D-Line Constructors, Inc.
tony@dlineconstructors.com
510-251-6401

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Deco Pave
Ferry@DecoPaveCorp.com
626-480-1557

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Deltech Engineering, Inc.
aBili@deltechengineeringinc.com
714-384-4594

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Designitgreen
marty@designitGREEN.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Dimure Corp.
dm3mlm@gmail.com
619-467-7768

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Diversified Landscape Co.
dbe@diversifiedlandscape.com
951-245-1847

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Don H Mahaffey Drilling Co.
amahaffey@mahaffeycompanies.com
310-668-2040

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Dreambuilder Construction Corp.
DO NOT SOLICIT

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: E E Electric, Inc.
eeelectric@earthlink.net
909-829-0118

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**dbxinc@hotmail.com**

---

**From:** postmaster@mail.hotmail.com
**To:** eeelectric@earthlink.net
**Sent:** Tuesday, July 12, 2016 2:53 PM
**Subject:** Undeliverable: Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

This is an automatically generated Delivery Status Notification.

Delivery to the following recipients failed.

eeelectric@earthlink.net

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3103 |
| RECIPIENT ADDRESS | 19098290118 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:06 |
| TIME USE | 03'30 |
| PAGES SENT | 5 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: E E Electric, Inc.
eeelectric@earthlink.net
909-829-0118

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: E-Nor Innovations
ronnie@enortraffic.com
310-513-6299

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Eagle Engineering & Construction, Inc.
brooks.curtis@att.net
650-367-8282

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: ESWPPP Consultants, LLC
eswppp@hotmail.com
925-926-7191

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Fine Grade Equipment, Inc.
judy@finegradeinc.com
661-722-8900

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Flash Traffic Inc.
flashwbe@outlook.com
661-262-6099

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: FMF Pandion
admin@fmfpandion.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Force Traffic Control, Inc.
forcetraffic@earthlink.net
559-594-1056

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Full Traffic Maintenance
sammysalgado@sbcglobal.net
951-520-9980

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: Full Traffic Maintenance

X Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: G & G Electric, Inc.
chvz_glbrt@yahoo.com
951-689-2694

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Gates Enterprises, Inc.
jgates.gei@gmail.com
714-382-6801

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: GATES ENTERPRISES, INC.

X Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

Excavation, grading, demolition, trucking

Joe Gates Office: (714) 382-6707

"AN EQUAL OPPORTUNITY EMPLOYER"

002/002

# CALIFORNIA UNIFIED CERTIFICATION PROGRAM
# DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

## GATES ENTERPRISES, INC

714 W. OLYMPIC BLVD. STE 703
LOS ANGELES, CA 90015

**Owner: JOE GATES JR.**
**Business Structure: CORPORATION**

**This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:**

**NAICS Code(s) * Indicates primary NAICS code**

237310 Highway, Street, and Bridge Construction
484220 Specialized Freight (except Used Goods) Trucking, Local
532412 Construction, Mining, and Forestry Machinery and Equipment Rental
238910 Site Preparation Contractors

**Work Category Code(s)**

| | |
|---|---|
| C1901 | ROADWAY EXCAVATION |
| C8700 | CONSULTANT |
| C9602 | BOTTOM DUMP TRUCKING |
| C3910 | PAVING ASPHALT (ASPHALT CONCRETE) |
| C8770 | CONSTRUCTION MANAGEMENT |
| C9771 | TRUCK BROKER |

**Licenses**

C12 Earthwork and Paving Contractor

UNIFIED CERTIFICATION PROGRAM

**CERTIFYING AGENCY:**

ORANGE COUNTY TRANSPORTATION AUTHORITY (OCTA)
550 SOUTH MAIN STREET, PO BOX 14184
ORANGE, CA 92863 1584
(714) 560-5620

UCP Firm Number : 37053

Tina Gates Potter
CUCP OFFICER

August 18, 2008

**It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Parts 21 and 26.**

08/04/2016 11:43 FAX

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Global Road Sealing, Inc.
grs@globalroadsealing.com
714-893-0945

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Heir & Son Construction, Inc
Heirandson@comcast.net
916-463-9041

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Hillside Drilling, Inc.
cheryl@hillsidedrilling.com
510-234-3131

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: In-Line Fence & Railing co.
julie@inlinerail.com
760-789-0689

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Industrial Battery Services
ibsrecoder@aol.com
510-412-5988

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Jahn Engineering Inc.
jahnengineering@gmail.com
916-596-4075

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Jesmar construction
jesmarboring@sbcglobal.net
714-972-9331

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: JL Stormwater Consultants, Inc.
jane@jlstormwater.com
619-334-6750

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: K R C Safety Co., Inc.
garyc@krcsafety.com
559-732-2684

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Kaylen Engineering, Inc. dba Kaylen Traffic Control
karen@imaginationmetals.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Kern County Custom Concrete
JerryKCCC@yahoo.com
661-325-5590

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: L C Paving & Sealing, Inc.
marisa@lcpaving.com
760-752-1674

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: La Firma, Inc.
estimating@theswpppfirm.com
805-929-0501

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: LMN Concrete & Grinding
orders@lmncoldmilling.com
951-685-1862

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: LNA Concrete Structures, Inc.
agarcialna@aol.com
909-393-9363

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Maneri Traffic Control
mariamaneri@yahoo.com
951-695-5105

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Instal. CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/ce/weekly_ads/ce_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: MANERI TRAFFIC CONTROL

☒ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

# BID ITEM LIST

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH METHOD) | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Matzenauer Electric, Inc.
diana@matzenauer.com
619-390-4559

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Mc Cullough Construction Inc.
denamccullough@mcculloughconstructioninc.com
707-825-1769

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Metco
c.martinez@metco-usa.com
415-455-9960

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Montgomery Construction Services, Inc.
estimating@montcsi.com
619-546-8482

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Natural Investigations Company, Inc.
cindy@naturalinvestingations.com
916-848-3511

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**dbxinc@hotmail.com**

**From:** postmaster@mail.hotmail.com
**To:** cindy@naturalinvestingations.com
**Sent:** Tuesday, July 12, 2016 2:55 PM
**Subject:** Undeliverable: Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

This is an automatically generated Delivery Status Notification.

Delivery to the following recipients failed.

cindy@naturalinvestingations.com

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3102 |
| RECIPIENT ADDRESS | 19168483511 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:02 |
| TIME USE | 03'12 |
| PAGES SENT | 5 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

**INVITATION TO BID**

To: Natural Investigations Company, Inc.
cindy@naturalinvestingations.com
916-848-3511

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Nuno Iron & MFG, Inc.
bpantoja@nunoiron.com
831-386-9976

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Ortiz Asphalt Paving, Inc.
bruceatortiz@aol.com
760-995-4443

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Payco Specialties, Inc.
rebecca@payco.biz
619-427-1620

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Quality Equipment Rental
qualityequipmentrental@yahoo.com
888-839-9857

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Quality Hydroseeding & Restoration
poundstone@live.com
760-789-5168

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Quality Traffic Control
Qualitytrafficcontrol@gmail.com
888-839-9857

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: RAP Engineering
rperez@rapenginc.com
760-233-2984

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**dbxinc@hotmail.com**

**From:** Robert Perez <rperez@rapenginc.com>
**Sent:** Wednesday, July 13, 2016 8:06 AM
**To:** 'DBX Inc.'
**Subject:** RE: Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

We will respectfully decline

Robert Perez, President
rperez@rapenginc.com
RAP Engineering, Inc.
503 E. Mission Road
San Marcos, CA 92069
760-233-2980
760-233-2984 Fax
Caltrans MBE/DBE Cert# 40569
SBA 8(a)

---

**From:** DBX Inc. [mailto:DBXINC@hotmail.com]
**Sent:** Tuesday, July 12, 2016 2:52 PM
**To:** rperez@rapenginc.com
**Subject:** Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

**INVITATION TO BID**

To: RAP Engineering
rperez@rapenginc.com
760-233-2984

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION

FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**BID ITEM LIST**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |

| | | | | |
|---|---|---|---|---|
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY | LF | 30 |
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE | LF | 1,600 |
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Raymond Torres & Daughter Landscaping
rtorreslandscaping@gmail.com
619-923-2510

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Rebel Concrete Breaking Service
rebelconcretebreaking@yahoo.com
323-563-8311

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Raymond Torres & Daughter Landscaping
rtorreslandscaping@gmail.com
619-923-2510

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Rebel Concrete Breaking Service
rebelconcretebreaking@yahoo.com
323-563-8311

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: ROC Equipment LLC
vanessa@rocequipment.com
801-214-6144

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SY...
TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE ...
(TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTE...
MANAGEMENT; PREPARE WATER POLLUTION CONTROL PRO...
FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE...
GUARDRAIL; REMOVE IRRIGATION FACILITY; RE...
COLD PLANE ASPHALT CONCRETE PA...
MULCH; CHECK AND TEST EXIST...
NEUTRAL CONDUCTORS; ...
(SCHEDULE 40) (SU...
CORRUGATED ...
COAT); HO...

...c);
...ALL
...E BARRIER
...WET NIGHT VISIBILITY)
...12-3); PAVEMENT MARKER
...ONAL BORING

Although ROC Equipment will not be bidding to work on this project, we rent foundation drilling equipment that may be useful in the event you are self performing the drilled shaft bid items.

...g, lines of credit or insurance, technical assistance or
...ements for the work, or in obtaining necessary equipment, supplies,
...ay be required, contact our office at (951) 296-9909.

...icate 2nd tier DBE participation offered on your quotation as it will be evaluated with your

... work with interested subs/suppliers to identify opportunities to break down items into economically feasible units ...ate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

44 of 60"

Company Name: ROC Equipment LLC

☐ Yes, we will be bidding on this project

☒ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Russell Cress Co., Inc.
rdcress@frontiernet.net
201-488-7411

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**dbxinc@hotmail.com**

**From:** Rusty @ frontier <rdcress@frontiernet.net>
**Sent:** Tuesday, July 19, 2016 6:17 AM
**To:** 'DBX Inc.'
**Subject:** RE: Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

Dear Sir:.....

Please be advised that our company manufactures Commercial Display Frames and Transit Advertising Panels for Mass Transit Venues and Transit Coaches/Buses.

We are not manufacturers of signs for Highways/parking Lots etc.

Thank you for contacting us though. Should you need any of our type products in the future we will be pleased to provide a quotation to your company.

Respectfully

Russell Cress

President

---

**From:** DBX Inc. [mailto:DBXINC@hotmail.com]
**Sent:** Tuesday, July 12, 2016 5:54 PM
**To:** rdcress@frontiernet.net
**Subject:** Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

**INVITATION TO BID**

To: Russell Cress Co., Inc.
rdcress@frontiernet.net
201-488-7411

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION

FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**BID ITEM LIST**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH METHOD) | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |

| | | | | |
|---|---|---|---|---|
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD) | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 30 |
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3) | LF | 1,600 |
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

This email has been checked for viruses by Avast antivirus software.
www.avast.com

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: San Diego Bay Area Electric
bev@bayareaelectric.com
858-748-6012

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Sealright Paving
srpestimating@sbcglobal.net
619-465-7490

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Southwest Contracting & Electric
danielancona@yahoo.com

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Statewide Stripes, Inc.
dawn@statewidestripes.com
858-560-0158

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Straight Stripe Painting
cheever@straightstripe.com
435-634-0580

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/ce/weekly_ads/ce_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: Straight Stripe Painting

☐ Yes, we will be bidding on this project

☒ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Super Seal & Stripe, Inc.
brenda@supersealandstripe.com
805-524-7428

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Terra West, Inc.
roberto@terrawestinc.com
619-568-3475

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Terradyne Lax, Inc.
apalaniappan@terradyne.com
949-231-1700

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Traffic Control Pros
estimating@tcpros.net
925-405-3833

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Traffic Enforcement Solutions
trafficenforcementsolutions@gmail.com
559-323-4269

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Traffic Loops Crackfilling, Inc.
trafficloops@sbcglobal.net
714-520-4027

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Tucker Technology, Inc.
frank@tuckertech.com
510-836-2625

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Tully Consulting Group
robin@tullygroup.com
707-471-0318

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: U. S. Concrete Construction, Inc.
DO NOT SOLICIT

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: UGE & ECS, Inc.
nancy@ugeecs.com
310-862-6879

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: United Traffic Services & Supply, Inc.
dora@unitedtraffic.net
818-961-4746

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: V A P Construction, Inc.
vapconstructioninc@gmail.com
714-551-9420

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Verduzco Electric, Inc.
verduzcoelectric@aol.com
310-886-3958

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: VT Electric
DO NOT SOLICIT

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: West Pacific Electric Company
vvilla@westpacificelectircompany.com
559-924-4826

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**dbxinc@hotmail.com**

| | |
|---|---|
| **From:** | postmaster@mail.hotmail.com |
| **To:** | vvilla@westpacificelectircompany.com |
| **Sent:** | Tuesday, July 12, 2016 2:53 PM |
| **Subject:** | Undeliverable: Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16 |

This is an automatically generated Delivery Status Notification.

Delivery to the following recipients failed.

vvilla@westpacificelectircompany.com

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3104 |
| RECIPIENT ADDRESS | 15599244826 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:09 |
| TIME USE | 03'19 |
| PAGES SENT | 5 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

**INVITATION TO BID**

To: West Pacific Electric Company
vvilla@westpacificelectircompany.com
559-924-4826

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: Wirenet Communications, Inc.
garreola@wirenetcomm.com
909-986-6490

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

# DBE GOOD FAITH EFFORTS DOCUMENTATION

## TAB 5

3. For each item of work made available, indicate whether the Bidder provided plans and specifications specific to the items of work being offered, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE. Provide copies of each DBE and Non-DBE quote submitted to the Bidder whenever a Non-DBE firm was selected over a DBE for work on the Contract.

| Items of Work | Provided Plans/ Specifications for Work Offered Yes/No | Name of Selected Firm | DBE or Non-DBE | Name of Rejected Firm | Quote ($) | Price Difference ($) | Explanation |
|---|---|---|---|---|---|---|---|
| 1. Lead Compliance Plan | Yes* | Summit Environmental | Non | No DBE Quotes Received | | | |
| 4. Construction Area Signs | Yes* | Smith & Son | Non | No DBE quotes received | | | |
| 5. Traffic Control System | Yes* | Quality Traffic Control | DBE | | | | |
| 6. Temp. Traffic Stripe | Yes* | Payco Specialties | DBE | | | | |
| 7. Traffic Plastic Drum | Yes* | Smith & Son | Non | No DBE quotes received | | | |
| 8. Temp. Pvmt Marker | Yes* | Payco Specialties | DBE | | | | |
| 9. Portable CMS | Yes* | Smith & Son | Non | No DBE quotes received | | | |
| 10. Temporary K Rail | Yes* | | | | | | |
| 11. Temp Alternative Crash Cushion | Yes* | Smith & Son | Non | No DBE quotes received | | | |
| 12. Temp Crash Cushion Module | Yes* | Smith & Son | Non | No DBE quotes received | | | |
| 13. Jobsite Management | Yes* | RTC, Inc. | Non | JL Stormwater Consultants | 8820.00 + 180.00 for each pre/ During/ post storm inspection | Unable to determine | Selected bidder includes a training session and pre/post/during storm inspections with quoted price. Rejected DBE firm charges extra for those services which would make their price higher. |
| 14. Prepare WPCP | Yes* | RTC, Inc. | Non | JL Stormwater Consultants | 1500.00 | -50.00 | Selected bidder has to do this item in order to perform the jobsite management item 13 for which DBE firm's quote was higher |
| 15. Temp. Drainage Inlet Protection | Yes* | RTC, Inc. | Non | No DBE quotes received | | | |
| 16. Temporary Fiber Roll | Yes* | RTC, Inc. | Non | No DBE quotes received | | | |
| 17. Temporary Construction Entrance | Yes* | | | No quotes received | | | |
| 18. Temporary Concrete Washout | Yes* | | | No quotes received | | | |
| 19. Treated Wood Waste | Yes* | FenceCorp Inc. | Non | Ace Fence Company | 3502.00 | -1854.00 | Quote rcvd. after our bid was submitted |
| 20. Remove Guardrail | Yes* | FenceCorp, Inc. | Non | Ace Fence Company | 3993.00 | 214.50 | Quote rcvd. after our bid was submitted |
| 21. Remove Irrigation Facility | Yes* | Diversified Landscape | DBE | | | | |
| 22. Remove Painted Traffic Stripe | Yes* | Payco Specialties | DBE | | | | |
| 23. Remove Thermoplastic Traffic Stripe | Yes* | Payco Specialties | DBE | | | | |
| 24. Cold Plane Asphalt Concrete | Yes* | Angus Asphalt | Non | No DBE quotes received | | | |
| 25. Roadway Excavation | Yes* | Summit Environmental | Non | Deltech Engineering, Inc. | 13247.50 | -5757.50 | Price too high |
| 26. Wood Mulch | Yes* | Diversified Landscape | DBE | | | | |
| 27. Ck/Test Ex. Irrigation Facilities | Yes* | Diversified Landscape | DBE | | | | |
| 28. Operate Ex. Irrigation Facilities | Yes* | Diversified Landscape | DBE | | | | |
| 29. Control & Neutral Conductors | Yes* | Diversified Landscape | DBE | | | | |
| 30. Pop-up Sprinkler Assembly | Yes* | Diversified Landscape | DBE | | | | |
| 31. 3" Gate Valve | Yes* | Diversified Landscape | DBE | | | | |

# DBE GOOD FAITH EFFORTS DOCUMENTATION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 32. 1" Plastic Pipe | Yes* | Diversified Landscape | DBE | | | | |
| 33. 1 ¼" Plastic Pipe | Yes* | Diversified Landscape | DBE | | | | |
| 34. 1 ½" Plastic Pipe | Yes* | Diversified Landscape | DBE | | | | |
| 35. 2" Plastic Pipe | Yes* | Diversified Landscape | DBE | | | | |
| 36. 3" Plastic Pipe | Yes* | Diversified Landscape | DBE | | | | |
| 37. 3" Temporary Irrigation Supply Line | Yes* | Diversified Landscape | DBE | | | | |
| 38. 8" Corrugated HDP Conduit | Yes* | Diversified Landscape | DBE | | | | |
| 39. Class 2 Aggregate Base | Yes* | Angus Asphalt | Non | No DBE quotes received | | | |
| 40. Asphaltic Emulsion | Yes* | Angus Asphalt | Non | No DBE quotes received | | | |
| 41. Hot Mix Asphalt | Yes* | Angus Asphalt | Non | No DBE quotes received | | | |
| 42. Rubberized Hot Mix Asphalt | Yes* | Angus Asphalt | Non | No DBE quotes received | | | |
| 43. Place Hot Mix Asphalt | Yes* | Angus Asphalt | Non | No DBE quotes received | | | |
| 44. Tack Coat | Yes* | Angus Asphalt | Non | No DBE quotes received | | | |
| 45. 60" CIDH Concrete Pile | Yes* | Coral Construction | Non | No DBE quotes received | | | |
| 46. Furnish Sign Structure | Yes* | Coral Construction | Non | No DBE quotes received | | | |
| 47. Install Sign Structure | Yes* | Coral Construction | Non | No DBE quotes received | | | |
| 48. Install Changeable Message Sign | Yes* | Coral Construction | Non | No DBE quotes received | | | |
| 49. Single Thrie Beam Barrier | Yes* | FenceCorp, Inc. | Non | Ace Fence Company | 13440.00 | 160.00 | Quote rcvd. after our bid was submitted |
| 50. End Anchor Assembly | Yes* | FenceCorp, Inc. | Non | Ace Fence Company | 4200.00 | 1800.00 | Quote rcvd. after our bid was submitted |
| 51. Concrete Barrier | Yes* | B & T Works | Non | No DBE quotes received | | | |
| 52. Paint Traffic Stripe | Yes* | Payco Specialties | DBE | | | | |
| 53. 4" Thermoplastic Stripe | Yes* | Payco Specialties | DBE | | | | |
| 54. 4" Thermoplastic Stripe Broken | Yes* | Payco Specialties | DBE | | | | |
| 55. 8" Thermoplastic Stripe | Yes* | Payco Specialties | DBE | | | | |
| 56. Pavement Marker Non-Reflective | Yes* | Payco Specialties | DBE | | | | |
| 57. Pavement Marker Retroreflective | Yes* | Payco Specialties | DBE | | | | |
| 60(p) Stripe after trenching | Yes* | Payco Specialties | DBE | | | | |
| 60(p) Directional Drilling | Yes* | MJ Directionals | Non | No DBE quotes received | | | |
| 60(p) Trenching & Backhoe | Yes* | Amerc Inc. | DBE | | | | |
| 61(p) Loop Detectors & Piezos | Yes* | Smithson Electric | Non | Traffic Loops Crackfilling, Inc. | 37000.00 | 750.00 | Quote rcvd. after our bid was submitted |
| 64(p) Loop Detectors | Yes* | Smithson Electric | Non | Traffic Loops Crackfilling, Inc. | 9000.00 | 3300.00 | Quote rcvd. after our bid was submitted |
| | | | | | | | |
| | | | | | | | |

If the firm selected for the item is not a DBE, provide the reason for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above.
Provide evidence as to why additional agreements could not be reached for DBEs to perform work.

*ACCESS TO PLANS/SPECS PROVIDED

**SUMMIT**
ENVIRONMENTAL CONTRACTORS

*SENT VIA FAX*

**ITEM BID COST**

**August 22, 2016**

**Summit Environmental Contractors**
**Environmental Infrastructure Division**
**CSLB License # 929061 Class A, C-21, C-57, HAZ**
***Certified Small Business No. 61973***
***DIR Registration #1000024682***

**PROJECT:** **Caltrans Contract No. 11-237964**
**TO:** **DBX, Inc.**
**ATTN:** **Jim Perry**

Summit Environmental Contractors is providing this pricing proposal to furnish supervision, labor, materials and equipment in accordance with the scope of work, plans, specifications, terms and condition provided at the time of proposal for the subject project, and as defined below:

**Summit will be utilizing a second tier DBE Subcontractor for the amount of $20,000.**

| Bid # | Item Code | Bid Item | Unit | Price |
|---|---|---|---|---|
| 1 | 070030 | Lead Compliance Plan | LS | $1,500.00 |
| 25 | 190105 | Roadway Excavation (Z-2)* (Aerially Deposited Lead) | TON | $107.00 7490 - |

*** Price includes transportation and disposal only.**

**NON CONTRACT ITEMS**

| | | | |
|---|---|---|---|
| Excavation and Transportation Plan | Plan | $1,500.00 |

**All work shall be performed in accordance with all Federal, State, and Local regulations in effect at the time of this proposal.**

**Submitted by:** **Cathy Partsch**
**Business Development**
**(949) 370-5799, Cell**

www.summitenvcon.com
33161 Camino Capistrano, Suite E
San Juan Capistrano, CA 92675
Office 949-542-4330
Fax 949-542-4331

Deltech
Engineering Inc.

August 15, 2016

Estimating Department
**DBX, INC.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590

**Subject:** Deltech's **DBE** Bid for **Hauling and Disposal of Z2 Aerially Deposited Lead Hazardous Materials** on the Caltrans Contract No. 11-237964 to Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA and Signs in San Diego County, La Mesa and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing.

Dear Estimating,

Thank you for the opportunity to be part of your team for the Caltrans Contract No. 11-237964. We have provided below our quote for the hauling and disposal of the Z2 Aerially Deposited Lead Hazardous soil and other contaminated materials on this project.

| ***Bid Items*** | ***Quantity*** | ***Unit Price*** |
|---|---|---|
| **Bid Item 25 – Roadway Excavation Aerially Deposited Lead (ADL)** | | |
| Transport and disposal of **Cal-Haz** ADL (Z-2) Lead contaminated soil to Approved Landfill | 280 CY | $189.25/Ton 13247.50 |
| Sample, and test stockpiles of Contaminated soil for disposal Profiling | Lump Sum | $4,500 |

*Terms & Conditions*
***The above quote excludes:***

1. *Excavations and Excavation Management Plans*
2. *Construction and management of Stockpiles*
3. *Providing Staging Area and Staging Area Fencing*
4. *Transport of Re-Usable Soil*
   *Traffic Control/Control Plan*
5. *SWPPP*
6. *Daily Work Site Waste Cleanup*
7. *Excavation Equipment Decontamination*
8. *BOE Taxes (Unless Metro is Exempt from BOE Taxes, as they should be)*
9. *Groundwater Dewatering or Pumping out Contaminated Groundwater*
10. *Shoring*
11. *Loading for Transport*
12. *Lead Compliance Plan and Health & Safety Plans*
13. *Premiums for insurance above Deltech's $1M Limit*

Respectfully,

Ebbiteanga Abili
Principal

**DIR REGISTRATION NO: 1000014756**
**Mail: P.O. Box 6630, Orange, CA 92863. 4913 E. Gerda Drive, Anaheim, CA 92807. Tel: 714 495 9755 Fax: 714 384 4594.**
**www.deltechengineeringinc.com. deltech@deltechengineeringinc.com**
**A General Engineering and Environmental Management Company**
**778185 A, HAZ**

**dbxinc@hotmail.com**

**From:** Ebbiteanga Abili <abili@deltechengineeringinc.com>
**Sent:** Monday, August 15, 2016 12:10 PM
**To:** 'DBX Inc.'
**Subject:** RE: Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16
**Attachments:** Caltrans Contract No. 11-237964 - Deltech's Sub Quote for HAZ Materials Handling.doc

Deltech Engineering Inc.

Hello Estimating,

Thanks for the opportunity to be a part of your Project Team on this project. We have attached our Bid for Handling the contaminated Haz materials on the Caltrans Contract No. 11-237964.

Thanks again for the opportunity and we look forward to working with you on this project.

Regards

Ebbiteanga Abili
Principal
Deltech Engineering
714 495 9755

---

**From:** DBX Inc. [mailto:DBXINC@hotmail.com]
**Sent:** Tuesday, July 12, 2016 2:51 PM
**To:** aBili@deltechengineeringinc.com
**Subject:** Invitation to Bid; Caltrans #11-237964; Bid Date: 8/16/16

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

**INVITATION TO BID**

To: Deltech Engineering, Inc.
aBili@deltechengineeringinc.com
714-384-4594

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE

WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**BID ITEM LIST**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |

| | | | | |
|---|---|---|---|---|
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY | LF | 30 |
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE | LF | 1,600 |
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

* PROPOSAL * License No. 886544 * CONTRACT *

# FenceCorp Inc.

INDUSTRIAL COMMERCIAL FENCING

2401 Industry Street
Oceanside, CA 92054
Phone: 760-721-2101
Fax: 760-721-2548

111 Main Street
Riverside, CA 92501
Phone: 951-686-3170
Fax: 951-686-3125

6837 Power Inn Road
Sacramento, CA 95828
Phone: 916-388-0887
Fax: 916-383-5769

| PROPOSAL SUBMITTED TO: | PHONE: | FAX: | DATE: |
|---|---|---|---|
| DBX, Inc. | | 951-296-9978 | 8/23/2016 |
| Attention: Estimating | JOB NAME: Caltrans 11-237964 | | |
| DIR Registration No. 1000000850 | JOB LOCATION: Rte 8 Near El Cajon | | |

We hereby submit an estimate to furnish Labor and Materials for:

| Quantity | Item | Description | Unit Cost | Unit Measure | |
|---|---|---|---|---|---|
| 4,120 | 19 | Treated Wood Waste | $0.40 | LB | $1,648.00 |
| 330 | 20 | Remove Guardrail | $12.75 | LF | $4,207.50 |
| 320 | 49 | Single Thrie Beam Barrier | $42.50 | LF | $13,600.00 |
| 4 | 50 | End Anchor Assembly (Type SFT) | $1,500.00 | EA | $6,000.00 |

Note 1: Please figure 4 shifts of traffic control for our scope of work

TOTAL = $25,455.50

Exclusions: Traffic Control, engineering, staking, clearing, grubbing, surveying, maintenance, bond or permit fee, core-drill, removals (unless specific removal item), spoil removal, concrete back-up block AC Patch or Restoration, Minor Concrete , Vegetation Control., welding plans or inspection.

NOTE FOLLOWING CONDITIONS:
Addenda 1 thru 4
Our Bond Rate is 1%
FenceCorp is a Union Contractor
"STANDARD INSURANCE APPLIES, EXCLUDES RAILROAD AND PROFESSIONAL LIABILTY INSURANCE, EXCESS INSURANCE IF REQUIRED WILL BE ADDED TO CONTRACT AMOUNT"

ACCEPTANCE OF PROPOSAL:

Signature: _____

Date: _____

AUTHORIZED SIGNATURE:

AL SAID - OCEANSIDE OFFICE - cell (951) 840-8260

In the event that either party becomes involved in litigatin, arbitration or any other alternate dispute resolution arising out of or relating to this contract or the performance of it, the court or tribunal in such arbitration or litigation shall award reasonable fees and costs incurred to the prevailing party including attorneys fees, expert witness fees, court costs and other costs arising out of or relating to resolution of the dispute.

### Payments to be made as follows:

All materials are guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specification involving extra costs will be executed only upon written orders and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents, or delays beyond our control. Our worker's are fully covered by Workmen's Compensation Insurance. All property markers must be at the start of construction or otherwise we do not assume any responsibility whatsoever for any fences in their wrong location.

### Notice

"Under the Mechanics' Lien Law (California Code of Civil Procedure, Section 1181 et seq.) Any contractor, subcontractor, laborer, supplier, or other person who helps to improve your property but is not paid for this work or supplies, has a right to enforce a claim against your property. This means that, after a court hearing, your property could be sold by a court officer and the proceeds of the sale used to satisfy the indebtedness. This can happen even if you have paid your own contractor in full, if the subcontractor, laborer or supplier remains unpaid."

Rev138

# ACE FENCE COMPANY

727 GLENDORA AVENUE, LA PUENTE, CA 91744
PHONE (626) 333-0727 * FAX (626) 333-7843
CERTIFIED AS DBE/SBE/MBE/WBE FIRM, UNION COMPANY, LACMTA Pre-Qualified to Bid
"Awarded Minority Contractor of the Year by the City of Los Angeles for Excellence in Quality and Services"
"We Are An Equal Opportunity Employer"


## FAX QUOTE

| | | | |
|---|---|---|---|
| TO | : General Contractors | ATTN | : Estimator |
| FAX # | : | DATE | : 8/22/16 |
| FROM | : Michael Abanilla | PAGES | : 1 |
| PROJECT | : CADOT Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA and Signs (Contract No. 11-237964) From 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and From Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing, In San Diego, La Mesa, and Near El Cajon, In San Diego Co., CA | | |
| BID DATE | : 8/23/16 2:00 P.M. | | |
| SPECS | : per 2010 CALTRANS Plans & Specs | ADDENDUM: | 1, 2, 3 & 4 |

| ITEM | DESCRIPTION | Unit | Qty | Unit Price | Amount |
|---|---|---|---|---|---|
| | Proposal as follows: | | | | |
| 19 | TREATED WOOD WASTE | LB | 4,120 | $ 0.85 | $ 3,502.00 |
| 20 | REMOVE GUARDRAIL | LF | 330 | $ 12.10 | $ 3,993.00 |
| 49 | SINGLE THRIE BEAM BARRIER (WOOD POST) | LF | 320 | $ 42.00 | $ 13,440.00 |
| 50 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 | $ 1,050.00 | $ 4,200.00 |
| | | | **TOTAL BID AMOUNT:** | | **$ 25,135.00** |

rcvd. after Bid submitted

* THIS PROPOSAL IS BASED ON PAID PREVAILING WAGES AND CERTIFIED PAYROLL.
* **PLEASE REFER TO NOTES & EXCLUSIONS BELOW. IF YOU HAVE QUESTIONS PLEASE CALL.**

**NOTE:** PROPOSAL IS AS A PACKAGE UNLESS DISCUSSED PRIOR TO BID. OUR PROPOSAL IS PER LINE ITEM & NOT LUMPSUM UNLESS IT STATES OTHERWISE. AWARD MUST HAPPEN WITHIN 60 DAYS. COPY OF ACE FENCE COMPANY's BID TO BE PART OF THE FINAL CONTRACT AGREEMENT. COPY OF GENERAL's PAYMENT & PERFORMANCE BONDS TO BE ATTACHED TO THE CONTRACT AGREEMENT.

**EXCLUDE:** DELINEATORS & MARKERS; STAINING & PAINTING; MINOR CONCRETE OR ANY CONCRETE WORKS; GROUT & VEGETATION CONTROL; DEMOLITION; CLEARING & GRUBBING; REMOVAL OF FENCES, VEGETATION OR ANY OBSTRUCTIONS; IMPORT BORROW / DIRT FOR BACKFILLING; GRADING; STAKING & LAY-OUT; ROCK DRILLING, CONCRETE CUTTING, BREAKING & CORE DRILLING; PAVEMENT REPAIR OR ASPHALT PATCHING; POTHOLING OR LOCATING UTILITIES; MAINTENANCE OR REPAIR TO DAMAGES CAUSED BY OTHERS & TO UNMARKED UTILITY LINES; GROUNDING & ELECTRICAL WORKS; ENGINEERING OR STRUCTURAL CALCULATIONS; SURVEYS FOR ALIGNMENT & ELEVATIONS; COSTS FOR INSPECTIONS & TESTING; BOND COST; SWPPP; BEST MANAGEMENT PRACTICES; ASBESTOS & LEAD COMPLIANCE PLAN OR ANY RELATED WORKS; PERMITS/FEES; DUST CONTROL; K-RAIL; TEMP. FENCES, SAFETY RAILING & FALL PROTECTION; TRAFFIC CONTROL, LIGHTING & SIGNS; FLAGMEN; LANE CLOSURE; HAULING OF SPOILS (spoils from our excavation are to be scattered in the immediate vicinity of our work, relocation of spoils will be considered a change order)

**INSURANCE:** GENERAL LIABILITY - $ 1,000,000 - $ 2,000,000 AGGREGATE; AUTOMOBILE - $ 1,000,000; WORKMAN COMPENSATION - $ 1,000,000. OCIP / CCIP PROJECTS - WC's PREMIUMS ALREADY DEDUCTED. ADDITIONAL INSURANCE REQUIREMENTS ARE SUBJECT TO EXTRA PREMIUMS.

**LICENSE # A, B & C-13 # 996577, EXP. 9-30-2016, DIR Registration #1000004092 - UNION**
**SUBJECT TO ACCEPTANCE WITHIN 30 DAYS**

Alcorn Fence Company dba
**ATLAS FENCE COMPANY**
788 Energy Way - Chula Vista, CA 91911-6109
Phone 619-397-6500 FAX 619-397-6506
DIR 1 00000 1986 exp 06/30/17

CONTRACTORS LICENSE - #176374
exp 10/31/2017

Quote rcvd. after Bid Submitted

PROJECT: 11-237964
CONTACT: Nick Dobson
Date: August 23, 2016

CONTRACTOR: Prime
ATTENTION: Estimator
Ph

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| Plans: | Yes | x | No: | Bondable: | Yes: | x | No |
| Installed: | Yes | x | No: | Rate: | .75 of 1% (24 Month Term) | | |
| Tax Included: | Yes | x | No: | DBE/WBE: | Yes | | No x |
| Union: | Yes | x | No | Addendum: | one thru four | | |

Atlas Fence Company is signatory to Laborers, Operating Engineers and Cement Masons unions.

| ITEM | DESCRIPTION | QUANTITY | U/M | UNIT PRICE | AMOUNT |
|---|---|---|---|---|---|
| 19 | Treated wood waste | 4,120 | LB | $0.20 | $824.00 |
| 20 | Remove Guardrail | 330 | LF | $8.75 | $2,887.50 |
| 49 | Single Thrie Beam Barrier | 320 | LF | $57.00 | $18,240.00 |
| 50 | End Anchor Assembly (type SFT) | 4 | EA | $825.00 | $3,300.00 |

**Exclusions:**
Location of private utilities not marked by USA
Off site spoil removal
Traffic control
Clearing & Grading
Weed control & Minor concrete
Maintenance
Digging in solid undistrubed rock formations
Permits & fees
SWPPP Implementation & Maintenance

Atlas shall notify Underground Service Alert forty-eight (48) business hours prior to any excavation. However, Atlas shall not be responsible for damage to underground facilities not properly and accurately shown on contract plans, as-builts, and/or identified by forces other than Atlas.

This proposal, when signed by the purchaser and accepted by Atlas Fence Company becomes a contract and is not subject to cancellation. Terms: Net 30 days. If payment is not made as herein provided, purchaser agrees to pay all costs of collection, including reasonable attorney's fees and legal interest from due date until paid.

Accepted: _____ Date: _____
Signed

Print Name Title

rcvd. after Bid submitted

Since 1988
FERREIRA
CONSTRUCTION CO., INC.
DBA FERREIRA COASTAL CONSTRUCTION COMPANY

SIGNATORY TO THE LABORERS, OPERATING ENGINEERS, AND TEAMSTERS UNIONS
License #985180
DIR #1000001634

**BID DATE:** 8/23/16
**BID TIME:** 2:00 P.M.

**PROJECT NAME:** Caltrans 11-237964
**LOCATION:** In San Diego County in San Diego on Route 8

**BOND RATE:** 1% MBGR, 1% Fencing

**ADDENDUMS NOTED:** 1, 2, 3, 4

| ITEM # | DESCRIPTION | QUANTITY | UM | UNIT PRICE | TOTAL |
|---|---|---|---|---|---|
| 19 | Treated Wood Waste | 4120 | LB | $ 1.00 | $ 4,120.00 |
| 20 | Remove Guardrail | 330 | LF | $ 19.30 | $ 6,369.00 |
| 49 | Single Thrie Beam Barrier | 320 | LF | $ 71.00 | $ 22,720.00 |
| 50 | End Anchor Assembly (Type SFT) | 4 | EA | $ 760.00 | $ 3,040.00 |
| | TOTAL BID: | | | $ | 36,249.00 |

NOTE: Contract or Letter of Intent required within 60 days of bid in order to hold pricing.
NOTE: Contractor to provide a minimum of 4 weeks notification prior to mobilization.
NOTE: If we cannot use our Guardrail post driver, the pricing above is void or will need to be renegotiated.
NOTE: A minimum of 16' is required for our Guardrail Post Driver.
NOTE: General Contractor to provide laydown yard for Ferreira Construction.

**EXCLUSIONS:** TRAFFIC CONTROL, CONCRETE ANCHOR BLOCKS, REMOVAL OF CONCRETE ANCHORS, STAKING, GRADING, CLEARING & GRUBBING OF FENCE LINE, SURVEYING, SPOILS REMOVAL, MAINTENANCE OF INSTALLED FENCING OR MBGR, BOND FEES, PERMITS OR FEES, CORE-DRILLING, SAWCUTTING, EXTRA DIRT FOR BACKFILLING, LOCATION OF UNDERGROUND UTILITIES, PAINTING, ENGINEERING, ASPHALT OR CONCRETE PATCH WORK, GROUNDING, CONCRETE PADS/SLABS OR POTHOLEING.

Thank You,

Tom Lyons

Estimator / Project Manager

Ferreira Coastal Construction
15188 Vista Del Rio Ave.
Chino, CA 91710

Phone (909) 606-5900
Fax (909) 606-7711
E-mail tlyons@ferreiraconstruction.com

Low

Smithson Electric, Inc.
1938 E. Katella Avenue
Orange, CA 92867
Phone: 714-997-9556
Fax: 714-997-9559

SMALL BUSINESS
CERTIFIED
SUPPLIER #37532

Contractor's License
#614518 ✓

DIR #1000001610 ✓

# Estimate

| Date | Estimate # |
|---|---|
| 8/12/2016 | 15917 |

| Name / Address | Project |
|---|---|
| DBX<br>42024 AVENIDA ALVARADO, SUITE A<br>TEMECULA, CA 92590 | SR-8<br>San Diego area<br>Caltrans # 11-237964<br>Attn: Charles |

| P.O. No. | Project |
|---|---|
| | |

| Description | Qty | Rate | Total |
|---|---|---|---|
| Bid item # 61- 20 Piezo sensors & 10 loops | 1 | 36,250.00 | 36,250.00 |
| Bid item # 646' CIRCLE TRAFFIC LOOPS - RAMPS | 12 | 475.00 | 5,700.00 |
| Price includes 2 move-ins. Traffic control is excluded. Plan 6 nights. | | 0.00 | 0.00 |

B.I Item #64

| | | **Total** | $41,950.00 |
|---|---|---|---|

**PRICE EXCLUDES BONDS, PERMITS & SAFETY CLASSES**

**Quote is valid for 90 days.**

# FAX

**Date** 08/23/2016

Number of pages including cover sheet: *4*

**To:**

+19512969978

***Phone***

***Fax Phone*** *+19512969978*

**From:**

Mary Nguyen

Traffic Loops Crackfilling, Inc.

946 S. Emerald Street

Anaheim CA

92804

***Phone*** *17145204026*

***Fax Phone*** *(714) 462-9922*

**REMARKS:**

Quote - Caltrans 11-237964

To Estimator,

Attached is our quote.

Please contact us if you have any questions or concerns.

Thanks,

Traffic Loops Crackfilling, Inc.
946 S. Emerald Street, Anaheim CA 92804
Ph: (74) 520-4026
Fax: (714) 520-4027
Email: Estimating@tlcinc-ca.com

# Traffic Loops Crackfilling, Inc.

946 S. Emerald Street, Anaheim CA 92804 • Tel: (714) 520 4026 Fax: (714) 520 4027
CA State License No. 652956 • Class C-10 & C-32 • SBE No. 0016691 • DBE & UDBE No. 38033
DIR Registration No. 1000003794 • Expiration Date: 06/30/2017
Email: Mailan@tlcinc-ca.com or Estimating@tlcinc-ca.com

**Quotation**

Date: 8/23/2016
Attn: Estimator
Owner: Caltrans
Project: Contract No. 11-237964, Route 8
Bid Date: 08/23/2016 @ 2:00 PM

| SHEET # | DESCRIPTION | QTY. | UNIT | UNIT PRICE | ITEM TOTAL |
|---|---|---|---|---|---|
| **Bid Item No. 64 (Partial) - Modify Existing Electrical System** | | | | | |
| 125, E-24 | Install Type E Loop Detectors - Ramps | 8 | EA | 600.00 | 4,800.00 |
| 126, E-25 | Install Type E Loop Detectors - Ramps | 1 | EA | 600.00 | 600.00 |
| 128, E-27 | Install Type A Loop Detectors - Mainlane | 10 | EA | 600.00 | 6,000.00 |
| | Furnish and install Piezoelectric Sensor | 20 | EA | 1,550.00 | 31,000.00 |
| 129, E-28 | Install Type E Loop Detectors - Ramps | 3 | EA | 600.00 | 1,800.00 |
| 131, E-30 | Install Type E Loop Detectors - Ramps | 3 | EA | 600.00 | 1,800.00 |
| | | | **TOTAL BID AMOUNT:** | | **$ 46,000.00** |

- Quote is good for 180 days from the date of this proposal.
- 10 days notice required for scheduling.
- Site must be ready with cat-track or permanent striping prior to loop installation.
- Additional charges may incur for extra move-ons.

**Our quote includes:**
1- Lay out, saw cut, wash, blow, dry, seal, and megg
2- Loop saw cut shall be filled with Hot Melt Sealant
3- Insurance coverage up to $1 million, general aggregate up to $2 million, umbrella up to $2 million
4- One move-on

**Our quote excludes:**
1- Bond fee, permit fee, utilities fee, advance sign posting of any kind, or notifying residents
2- Traffic control (6 days)
3- Weekend work
4- Conduit, stub-out, splice

All inclusions and exclusions are to be incorporated into our contract. If either party becomes involved in litigation or arbitration arising out of this contract, the court or arbitration panel shall award attorney's fees and costs to the prevailing party.

Please call if you have any questions or need more information.

Sincerely,

**Mai-Lan Nguyen**

Mary P. Nguyen
Sent from my iPhone

23905 Clinton Keith Rd
Suite 114-351
Wildomar,CA 92595

Phone
Office 951-775-6617
Estimating 951-775-6615
jg@btworksinc.com

# B&T WORKS INC

A NON UNION CONTRACTOR

## BID PROPOSAL

License # 784833
Class A , C-12
Public Works # 1000012567

FAX
Office 951-696-3749
Estimating 951-790-0208

**Job Location**

Project No 11-237964

Route 08 Near Lake Murray Blvd ( La Mesa )

Caltrans District 11

**Proposal #** 9590

**BID Date** 8/16/2016

**We hereby propose to furnish the materials and to perform the labor necessary for the completion of :**

| Item # | Description | QTY | Unit | Unit Price | Total |
|---|---|---|---|---|---|
| 51 | PCC Barrier Type 60 Modified | 190.00 | LF | 325.00 | $61,750.00 |

Traffic Control,K-Rail,Grading & Survey by Others

**Total Proposed Job Cost**

$61,750.00

**Exclusions:** Bonds,Permits,SWPPP,Traffic Control Plan,Water Meter,CMS

All Work to be as specified and performed in accordance with plans and specifications submitted by owner and completed in a workmanlike manner.Any alteration or deviation from plans and specifications involving extra cost will be executed only upon written change orders and will become an extra charge over and above the estimate.All agreements contingent upon strikes,accidents or delays beyond our control.

**Acceptance of proposal, Quote Good For Ten Days only**

Date _____ Date _____

Signature _____ Signature _____

**RTC , inc.**

*Stormwater & Erosion Control Professionals*

22431 Antonio Parkway # B 160-251
Rancho Santa Margarita, CA 92688
(714) 709-4911 p
(877) 742-6546 f

**TO: ESTIMATING**

Bid Date: *8 23 2016*
Project: *Caltrans 11-237964*
County: *San Diego*
Scope: *SWPPP/Erosion Control*
Duration: *240 Work Days*
Spec: *Caltrans Std.*
Plans: *Caltrans*

Bid Items: *ITEM 13-14*
SWPPP QSD/P Scope

| | DESCRIPTION | UNIT | QUANTITY | | UNIT | | TOTAL |
|---|---|---|---|---|---|---|---|
| 13 | Job Site Management | EA | 48 | $ | 185.00 | $ | 8,880.00 |
| | *( 48 weeks: QSD to be WPC Manager and perform the weekly and rain-event inspections and reports. The QSD will review/approve each report and perform independent site inspections)* | | | | | | |
| 14 | Prepare Stormwater Pollution Prevention Plan *(RL = 2. 3 hard copies and one electronic file)* | LS | 1 | $ | 1,550.00 | $ | 1,550.00 |
| | | | | | TOTAL | $ | 10,430.00 |

*Job Site Management: Includes QSD/WPC Manager to perform weekly and rain-event (Pre-Rain, During-Rain and Post-Rain) and Quarterly non-stormwater visual inspections for 48 weeks. QSD will prepare Caltrans CEM inspection reports each week. NOAA weather monitoring and coordination with construction site Superintendent is included.*
*SWPPP updating and amendments @ $500/each. QSD will be the WPC Manager required by Caltrans. QSD to prepare REAPs 48 hours prior to Qualifying Rain Events. QSD to complete stormwater sampling and testing of pH and Turbidity and monitor rain gauges. QSD to prepare result reports and upload into SMARTS for the GC. One (1) stormwater Annual Report is included.*
*Training: Includes one training session for GC and Subs. QSD will provide a training packet for the GC to use for on-going weekly training.*

*SWPPP: Prepare SWPPP or WPCP:*
*The SWPPP or WPCP will be prepared by a Qualified SWPPP Developer (QSD)*
*The SWPPP or WPCP will follow the Caltrans required template format*
*Includes WPC Drawings and all CEM monitoring and inspection forms*
*The SWPPP or WPCP will be completed within 7 work days of the Notice to Proceed*

*Bid Options:*
*Additional BMP Training for GC and Subcontractors: $350.00 per session.*
*QSD or QSP Inspection or Consultation: $125 per Hour for site inspection and roundtrip travel*
*Laminated Enlarged WPC Drawings: $150.00/Sheet*

*Qualifications of RTC Staff Members:*
*Certified/Qualified SWPPP Developer (QSD)*
*Certified/Qualified SWPPP Practitioner (QSP)*
*Certified Professional in Erosion and Sediment Control (CPESC)*
*Certified Erosion, Sediment and Stormwater Inspector (CESSWI)*
*SWPPP/WPCP Prepared by Qualified SWPPP Developer (QSD)*
*GL and E and O Insured $2 million EA/AGG*

*Inclusions/Exclusions*
*Includes 3 hard copies in tabbed binders and one electronic .pdf file of SWPPP or WPCP*
*Excludes permit fees of any type*
*Full Payment due for SWPPP Upon CalTrans approval of the SWPPP*

DIR #1000032860

*SWPPP-WPCP-Water Pollution Control Managers-Inspections*

Lic. 24331

# RE: Caltrans 11-237964; Bid Date: 8/23/16

Chris Becker

Mon 8/22/2016 6:40 PM

To:'DBX Inc.' <DBXINC@hotmail.com>;

Cc:'charles perry' <charlesdbx@hotmail.com>;

Hi

Here are our bid prices. We will follow-up with a formal proposal.

ITEM

13 Job Site Management (48 weeks of QSP Stormwater Inspections and Reports @ $195/Wk = $9360.00)

14 Prepare Water Pollution Control Program $485.00

15 Temporary Drainage Inlet Protection (39 @ $165.00 = $6435.00)

16 Temporary Fiber Rolls 3670 LF @ $1.85 = $6789.50

Good luck with the bid

Chris

**From:** DBX Inc. [mailto:DBXINC@hotmail.com]
**Sent:** Monday, August 22, 2016 11:37 AM
**To:** Chris Becker <chrisrtc@cox.net>
**Subject:** Caltrans 11-237964; Bid Date: 8/23/16

Chris,

Charles wanted me to follow up with you and find out if you are still planning to submit a quote for the Caltrans project bidding tomorrow in San Diego County?

Sincerely,

Lisa Martz
DBX, Inc.
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
p. (951) 296-9909
f. (951) 296-9978

JL StormWater Consultants, Inc.

**Fax Transmittal**

To Charles Perry

Office DBX, Inc.

From JL StormWater Consultants, Inc.

Date 8/15/16

Time 9:23 am

**Job Number**

Receiving Fax No. 951-296-9978

**Pages to follow, including cover sheet** 3

JL StormWater Consultants, Inc. Fax No (619) 334-6750

**Comments:** Bid for Caltrans No. 11-237964; 11-SD-85.4/10.6, R20.0/R21.6

cc:

8/16/16

Project: [redacted]
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: JL StormWater Consultants, Inc.

☑ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**BID ITEM LIST**

| Item | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| [redacted] | | | | |
| | | | | |

JL StormWater Consultants, Inc

1016 Broadway, Suite C, El Cajon, California 92021
P 619.938.2420 F 619.334.6750

*State Certified SB/DBE/WBE/UDBE*
*DBE/UDBE Certification Number 37409*
*www.jlstormwater.com*

August 15, 2016

**RE: CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6 INSTALL CCTV CAMERAS, CMS, LDS, VDS, F/O CABLE, TMS, RHMA, AND SIGNS IN SAN DIEGO COUNTY, LA MESA, AND NEAR EL CAJON FROM 0.2 MILE WEST OF ROUTE 15/8 SEPARATION TO FLETCHER PARKWAY OVERCROSSING AND FROM LOS COCHES ROAD UNDERCROSSING TO 0.2 MILE WEST OF LAKE JENNINGS PARK ROAD UNDERCROSSING**

**BIDS OPEN 8/16/2016**

JL StormWater Consultants, Inc. is a State Certified SBE/DBE/WBE/UDBE. We have certified professionals who bring 30 years of experience, including former *California Regional Water Quality Control Board* and the *U.S. Army Corps of Engineers* employees. We are trained in *Wetlands Delineation, Title 22 Hazardous Waste Management,* and in *air quality* requirements by the *San Joaquin Valley Air Pollution Control District and the South Coast Air Quality Management District.*

**JL StormWater Consultants, Inc's staff holds the following certifications:**

- **Certified Professionals in Storm Water Quality (CPSWQ)**
- **Qualified SWPPP Develop (QSD)**
- **Qualified SWPPP Practitioner (QSP)**
- **Trainer of Record for the QSD/QSP Certifications**
- **Trainer of Record for the Industrial Storm Water Permit (QISP, CGL)**

**BID ITEMS:**

Prepare Water Pollution Control Plan.....Cost Without Monitoring Services: $1,500.00
Prepare Water Pollution Control Plan.....Cost With Monitoring Services: $500.00
Contractor Training .....$180.00
Weekly Site inspections:.....$180.00
Pre/Post/During Site Inspection: .....$180.00 (Includes travel time from our El Cajon office)

**This Bid is good for 90 days from the date of this document.**

48 weeks $8640
training $180
Storm inspections $180 ea

**Assumptions:**
This scope assumes the project is less than 1 acre.

**Exclusions:**
Engineering calculations and design (including preparing storm water run-on Q's), sizing of temporary desilt basins, aerially deposited lead reuse reports, storm water sampling and analysis, pH and Turbidity testing of storm water runoff, biological and site monitoring. These services may be available for an extra cost but were not included in the Proposal items listed above.

If additional insurance is required **including but not limited** to a Waiver of Subrogation it can be obtained for an additional fee. If a bond is required it can be provided for an additional fee.

If certified payroll is required additional time will be added to prepare these reports.

Jane Ledford
Principal

CORAL
CONSTRUCTION COMPANY
SPECIALTY HIGHWAY AND GENERAL CONTRACTORS

## SUBCONTRACT PROPOSAL

| | | | |
|---|---|---|---|
| PROJECT: | SAN DIEGO - LA MESA<br>SAN DIEGO CO., CADOT<br>11-237964 | BID DATE:<br>ESTIMATE NO: | 8/23/16<br>160806C |
| PREPARED BY: | MARC ROBERTS | REFER INQUIRIES TO: | MARC ROBERTS |
| TERMS: | | | |

| ITEM | DESCRIPTION | QUANTITY | UNIT | UNIT PRICE | TOTAL |
|---|---|---|---|---|---|
| 45 | 60" CIDH CONCRETE PILE (SIGN FOUNDATION) | 44.00 | LF | $ 1,100.00 | $ 48,400.00 |
| 46 | FURNISH SIGN STRUCTURE (TRUSS) | 31,551.00 | LB | $ 3.00 | $ 94,653.00 |
| 47 | INSTALL SIGN STRUCTURE (TRUSS) | 31,551.00 | LB | $ 0.25 | $ 7,887.75 |
| 65 | MOBILIZATION | 1.00 | LS | $ 15,000.00 | $ 15,000.00 |
| | | | | **TOTAL** | **$ 165,940.75** |

**TERMS AND CONDITIONS:**

1 BOND EXCLUDED.
2 TRAFFIC CONTROL, SURVEY, AND ALL ELECTRICAL WORK EXCLUDED.
3 PROPOSAL ASSUMES MUTUALLY ACCEPTABLE SUBCONTRACT TERMS AND SCHEDULE.
4 RETAINAGE NOT TO EXCEED THE PERCENTAGE BEING WITHHELD BY OWNER.
5 AERIALLY DEPOSITED LEAD SOIL MITIGATION EXCLUDED.
6 PROPOSAL EXCLUDES LIABILITY INSURANCE LIMITS IN EXCESS OF $ 10.0 MM.
7 REMOVAL OF FOUNDATION SPOILS FROM DRILL RIG WHILE EXCAVATING BY OTHERS.
8 REMOVAL OR REPLACEMENT OF CONCRETE OR ASPHALT SURFACING EXCLUDED.
9 PROPOSAL INCLUDES ONE MOBILIZATION. ADDITIONAL MOBS ARE $1,500 EACH.
10 ACCESS TO FOUNDATIONS FOR TRUCK MOUNTED DRILLING EQUIPMENT BY OTHERS.
11 CALIFORNIA DEPARTMENT OF INDUSTRIAL RELATIONS REGISTRATION NO. 1000005868.
12 **CMS PANEL PICK-UP AND INSTALL (NO WIRING) CAN BE DONE FOR $2,000 EACH OR $6,000 TOTAL.**
13 **DBE PARTICIPATION CAN BE USED IN THE AMOUNT OF $55,000 BUT FOR A $20,000 ADD ABOVE QUOTED PRICE.**

ABOVE PRICE QUOTED FOR IMMEDIATE ACCEPTANCE UNLESS OTHERWISE STATED; APPLY ONLY TO PROJECT SPECIFIED.

CORAL CONSTRUCTION COMPANY

**REVISED QUOTE**

BY: *Marc Roberts*
TITLE: ESTIMATOR
DATE: 8/23/16

ANGUS
Asphalt Inc

General Contractor
Asphalt
Concrete
Fuel Tanks ✓
License: 523300 A,B,C8,C12,HAZ ✓
Public Works Contractor Registration #1000003892

Phone: 619-562-8201
Fax: 619-562-1973
PO Box 711539 Santee, CA 92072
9959 Prospect Ave. Santee CA 92071

August 23, 2016 Proposal and Contract 

Customer:
DBX Inc.
42024 Avenida Alvarado Suite A
Temecula, CA 92590
Attn: Charles Perry

Phone: 951-296-9909
Fax:
Email: charlesdbx@hotmail.com
Job Address:
Caltrans Project 11-237964

**Description:**

-Item #24: Cold plane asphalt concrete pavement

**17,700 SQYD = $167,849.00**

-Item #39: Class II aggregate base (CY)

**89 CY = $15,048.00**

-Item #40: Asphaltic emulsion (Fog Sealcoat)

**6 ton = $26,568.00**

-Item #41: Hot mix asphalt (Type A)

**31 ton = $16,012.00**

-Item #42: Rubberized hot mix asphalt (GAP Graded)

**1710 ton = $573,827.00**

**NOTE: DUE TO THE VOLATILITY OF THE OIL MARKETS, ASPHALT PRICES ARE CHANGING ON A DAY TO DAY BASIS AND FINAL PRICE OF MATERIAL WILL BE DRIVEN BY MARKET PRICES, AND ARE SUBJECT TO CHANGE AT ANY TIME.**

Excludes: Demolition, Subgrade preparation, Weed kill, Prime coat, Sealcoat, Striping, Bonds, Inspections, Permits, Fees, Testing, Scarification, Recompaction, Engineering, Traffic control, Waiver of Subrogation, Staking.

Note: Subgrade to be plus or minus one tenth of a foot. Project to be completed in one phase with full access to site.

This proposal is valid for 30 days from the date above. We reserve the right to modify this proposal after 30 days to adjust for changes in our costs for material, equipment and labor.

TOTAL CONTRACT AMOUNT: $836,912.00

Estimator Name: John Melland Customer Initials:_____ Date:_____

**Note: Initial this page & sign second page**

ANGUS
Asphalt Inc

General Contractor
Asphalt
Concrete
Fuel Tanks
License: 523300 A,B,C8,C12,HAZ
Public Works Contractor Registration #1000003892

Phone: 619-562-8201
Fax: 619-562-1973
PO Box 711539 Santee, CA 92072
9959 Prospect Ave. Santee CA 92071



Customer:
DBX Inc.
42024 Avenida Alvarado Suite A
Temecula, CA 92590
Attn: Charles Perry

Phone: 951-296-9909
Fax:
Email: charlesdbx@hotmail.com
Job Address:
Caltrans Project 11-237964

**Description:**
-Item #43: Place hot mix asphalt dike (Type E)

**200 LF = $11,040.00**

-Item #44: Tack coat

**6 ton = $26,568.00**

*Note Item #42 the price includes Vulcan Materials Company providing full QC services including QC plan, sampling, material properties testing and reporting as required by specifications.

*The above pricing is based on full and wide open access to all areas of work in consecutive shifts.

*Addendum #1 noted.

*Excludes: traffic control and light towers.

**NOTE: DUE TO THE VOLATILITY OF THE OIL MARKETS, ASPHALT PRICES ARE CHANGING ON A DAY TO DAY BASIS AND FINAL PRICE OF MATERIAL WILL BE DRIVEN BY MARKET PRICES, AND ARE SUBJECT TO CHANGE AT ANY TIME.**
Excludes: Demolition, Subgrade preparation, Weed kill, Prime coat, Sealcoat, Striping, Bonds, Inspections, Permits, Fees, Testing, Scarification, Recompaction, Engineering, Traffic control, Waiver of Subrogation, Staking.
Note: Subgrade to be plus or minus one tenth of a foot. Project to be completed in one phase with full access to site.
This proposal is valid for 30 days from the date above. We reserve the right to modify this proposal after 30 days to adjust for changes in our costs for material, equipment and labor.

TOTAL CONTRACT AMOUNT: $836,912.00

Estimator Name: John Melland Customer Initials:_____ Date:_____

**Note: Initial this page & sign second page**

## CONTRACT TERMS AND CONDITIONS

1. The quantities included in the proposal are approximate. Should there be any change in these quantities, the unit prices as quoted shall be used as the basis of payment for the amount of work completed. ANGUS ASPHALT INC. reserves the right to revise the unit prices should the included be reduced by an amount greater than 10% from the estimated amount.
2. Any agreement made or order taken by ANGUS ASPHALT INC. is subject to weather conditions, contingencies of manufacturers, labor strikes, fires, embargoes, government regulations, delay in transit, or to any other contingencies beyond the control of ANGUS ASPHALT INC.
3. Should the customer, architect, or engineers for the customer make any changes to the drawings, specification or actual field changes including, but not limited for elevation, quantities, or job conditions that were not mutually understood to be part of the work for which we contracted, ANGUS ASPHALT INC. agrees to furnish the materials and perform the work that the customer may require without nullifying this agreement, providing the customer agrees to pay for additions to or reductions from the contract prices quoted.
4. ANGUS ASPHALT INC. does not assume responsibility or liability for damage to our constructed items of work during the time that the subcontractors for the customer perform work over, under or through our construction. If damage should occur, the customer shall be responsible for payment and immediate repair to all work so damaged, so as to not cause ANGUS ASPHALT INC. any delay in the customer accepting our work.
5. Customer agrees to pay for all engineering, surveying and inspection permits and fees which apply to the work to be performed by ANGUS ASPHALT INC. unless ANGUS ASPHALT INC has specifically stated that these expenses are included in the quotation.
6. ANGUS ASPHALT INC is not responsible for damage to underground lines, cables, and / or valves or other obstructions unless they are specifically indicated or clearly identified on drawings or on the ground by the customer. If different is required ANGUS ASPHALT INC. must be notified and customer shall assume all responsibility for said notification.
7. Buyer agrees to give written notice to ANGUS ASPHALT INC. of any alleged defect in material or workmanship within five days after completion of this contract, and no claims will be allowed thereafter. No allowances will be made for labor, material, repairs or alterations without the written consent of ANGUS ASPHALT INC.
8. Unless otherwise specified, the term "line grade" shall mean that present grades are with +/- one tenth of a foot of finished subgrade. An extra charge will be made of excess dirt to be hauled away or fill to be brought in. Rough grade is not included in this proposal unless specifically stated. Customer shall be fully responsible for staking elevations and ANGUS ASPHALT INC. responsibility is limited to complying with those elevations.
9. All parties accepting this proposal hereby agree to pay 100% of the contract price and any changes for extras and/or delays caused to ANGUS ASPHALT INC. within 20 days after substantial completion of the work contained herein and any and all extra work performed by ANGUS ASPHALT INC. The parties have to agree that TIME IS OF THE ESSENCE with regard to this provision. By accepting this proposal, the parties hereto are representing to ANGUS ASPHALT INC. that they have the ability to and will comply with this representation. In the event of a breach of this provision, each party hereto agrees to pay ANGUS ASPHALT INC. delinquency charges on all amounts past due at the rate of 1 ½% per month until paid. Each agrees to pay Seller's actual attorney's fees, incurred with or without suit, to collect any amount unpaid. If any party files an action or arbitration proceeding which is based on this contract and/or ANGUS ASPHALT INC. performance of work, the prevailing party shall be entitled to recover its reasonable attorney fees and expert fees.
10. If any action, proceeding, mediation or arbitration, is filed and/or commenced by any party which is related in any way to this Contract, the Project, ANGUS ASPHALT INC. work, or which alleges construction defects and/or a right to indemnification and/or contribution, the prevailing party shall recover all costs, attorney's fees, expert witness fees, and insurance deductibles incurred by the prevailing party in said action or proceeding.
11. This quotation is based on the current price of labor and material and if not accepted within five days from the date hereof and/or if the work is not commenced within 30 days from the date hereof, ANGUS ASPHALT INC. reserves the right to submit a new quotation.
12. ANGUS ASPHALT INC. warrants all of our work for a period of 1 (one) year from the time of completion unless otherwise specified.
13. Payments may be made by credit card and a 3% charge will be added to any and all payments.

**PLEASE SIGN AND COMPLETE THE SECTION BELOW TO SIGNIFY ACCEPTANCE OF THIS CONTRACT**

**ANGUS ASPHALT INC**
**Signature:**_____
**Estimator:**_____
**Date:**_____

**CUSTOMER**
**Signature:**_____
**Name:**_____
**Date:**_____

# AMERC INC.

23437 ABURY AVENUE, MURRIETA, CA 92562
951-677-1078*FAX (951)698-1101*EMAIL amercinc@hotmail.com
License No. 630041**UDBE Certificate No. 12026

## PROPOSAL

**COMPANY:** DBX INC. DATE: 8/22/2016

**ATTENTION:** CHARLES PERRY **PROJECT:** 11-237964

---

AMERC INC. proposes to furnish 655 Vermeer Trencher with a load out conveyor for trenching on the I-8 Freeway. Duration of job is 97 days. Cost of Trencher and conveyor shall be $424,860. A lowbed will be on site 8 hrs. per day. We will furnish 2 backhoes with attachments for 100 days at $24,000.00 Mobilization will be $3140.00 for trencher and 2 backhoes.

**GRAND TOTAL** **$452,000.00**

NOTES:
USA to be provided by contractor prior to excavation.
Water shall be available on-site at no charge to AMERC INC.

EXCLUSIONS:
This price does not include overtime or night rates.

Thank you for considering AMERC INC. for this project. We look forward to providing you with quality service.

This proposal is good for 30 days.

Respectfully,

RIAN MURPHY
VICE PRESIDENT

# Quality Traffic Control

13940 Rose Avenue, Fontana CA 92337
Phone (909) 276-5582 Fax (888)839-9857
www.QualityTrafficControl24-7.com


**DBE Certified (#42283), Contractor License #992622 (C-31), Union Signatory, DIR#1000014062**

**To: Estimator**
**Job#: 11-237964**
**Bid Date: 8/16/16**

## ***Traffic Control Services*** day or night lane closures

| | |
|---|---|
| 1 lane, 1 direction, 1 truck, 2 people 8 hours | 1,350.00 |
| 2 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,500.00 |
| 3 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,650.00 |
| 4 lanes, 1 direction, 1 truck, 2 people 8 hours | 1,790.00 |
| Complete freeway, 1 truck, 2 people 8 hours | 1,790.00 |
| Ramp closure 1 to 4 ramps, 1 truck 2 people 8 hours | 1,390.00 |
| 1 attenuator truck (when needed) with driver 8 hours | 995.00 |
| Flagging Operation with Rumble Strips, 2 people 8 hours | 1,710.00 |
| Pilot car operation, 3 people 8 hours | 1,810.00 |
| Additional person (traffic tech, driver) | 700.00 |

- No charge for ramp closures adjacent to closed lane No charge for relocating closure during same shift
- Each additional closure performed by same crew performed will be charged at 350.00
- Subtract 400.00 for closures needing only one person
- Electronic message boards (when needed) will be charged at 125.00 a day in addition to lane closure price if maintained by traffic control crew.
- Anytime after 8 hours will be charged to contractor as overtime at the rate of 110.00 per person per hour.
- First 8 hours on Saturday or Sunday add 300.00 per person for overtime rate difference. Quality traffic control will need 24 hour notice when scheduling a closure to insure proper equipment and personnel. Cancellation made less than 4 hours will be charged at 40 % of closure ordered.
- All rental equipment and traffic control crews are subject to availability
- Time starts when first piece of equipment is placed and ends when last piece of equipment is picked up. Please allow average of 60 minutes for each closure to place and remove equipment.

## ***Bare Equipment Rental Only***

| | |
|---|---|
| Portable CMS | $125 daily, $380 weekly, **$900 monthly** |
| Flashing Arrow Signs | $50 daily, 160 weekly, 450 monthly |
| Portable Light Towers | $80 daily, 240 weekly, 575 monthly |
| Attenuator Truck w/out driver | $300 daily, 1050 weekly, 2790 monthly |
| Cone Truck w/buckets and arrow board | $300 daily, $1050 weekly, $2800 monthly |

$75charge each direction per unit (delivery/pickup). All Rental vehicles are charged $0.45 per mile, portal to portal

**Quality Traffic Control**

## ATTACHMENT A

1. Quality Traffic Control is signatory to the Construction Laborers of Southern California.
2. Quality Traffic Control requires a 12 WORKING DAY WRITTEN NOTICE IN ADVANCE prior to commencement of work. In addition, an Executed subcontract or purchase order must be on file with this office prior to the start of work.
3. Quality Traffic Control does not provide traffic plans, obtain required permits, or provide light source for pilot car/flagging operations.
4. Additional 3 ½ percent increase to prices every year on June 30th.
5. Notification must be given to Quality Traffic Control prior to any work performed as EXTRA-WORK or Force Account. If notification is not received, Quality Traffic Control will bill at usual rates and full payment will be the responsibility of the contractor.
6. This quote shall remain valid for a period of 45 days from actual bid opening unless otherwise agreed upon in writing.
7. Portable changeable message signs, light towers, flashing arrow signs, and impact attenuator vehicles are strictly rental. These items will not be incorporated into any subcontract. Contractor must issue a PO that accepts QTC standard rental agreement prior to delivery of equipment.
8. Contractor agrees to provide personnel for up to 5 to 10 minutes per Quality Traffic Control employee for relief break periods as needed due to weather and heat conditions to meet CAL OSHA heat illness prevention requirements.
9. Quality Traffic Control will not provide performance or payment bonds to the contractor.
10. Retention will not be held on traffic control work.
11. Quality Traffic Control maintains Commercial General Liability Insurance with limits of $1,000,000 each occurrence $2,000,000 aggregate. Any additional liability limits or additional endorsement, including Waiver of Subrogation (add $50.00 per policy period) requested by Prime Contractor and not provided by Quality Traffic Control will be charged to and will be the responsibility of the Prime Contractor. Railroad insurance requirements excluded from this quote.
12. **Should this quote be accepted by the contractor, Attachment A in its entirety shall become part of any and all subcontract agreements and/or purchase orders to this project. This quote shall be deemed accepted if a contractor lists Quality Traffic Control in its bid or if this quote is used by a subcontractor in its bid to a prime contractor.**

Submitted by: Jose L Segura II
Jose L Segura-Estimator

Date: 07/27/2016

Company: _____

Accepted by: _____

# Diversified Landscape Co.

21730 Bundy Canyon Road
Wildomar, CA 92595

Phone: 951-245-1686
Fax: 800-783-4197

***DBE 8022 SBE 12567 Union Contractor Lic. 576183 DIR 1000009249***

| | | | |
|---|---|---|---|
| **To:** | DBX, INC. | **Contact:** | |
| **Address:** | 42024 Avenida Alvarado, Suite A | **Phone:** | (951) 296-9909 |
| | Temecula, CA 92590 | **Fax:** | (951) 296-9978 |
| **Project Name:** | 11-237964 | **Bid Number:** | 3048 |
| **Project Location:** | Route 8, La Mesa | **Bid Date:** | 8/23/2016 |
| **Addendum #:** | 4 | | |

| Line # | Item Description | Estimated Quantity | Unit | Unit Price | Total Price |
|---|---|---|---|---|---|
| **DBE** | | | | | |
| 21 | Remove Existing Irrigation Facility | 1.00 | LS | $8,890.00 | $8,890.00 |
| 27 | Check And Test Existing Irrigation Facilities | 1.00 | LS | $4,490.00 | $4,490.00 |
| 28 | Operate Existing Irrigation Facilities | 1.00 | LS | $7,930.00 | $7,930.00 |
| 29 | Control and Neutral Conductors | 1.00 | LS | $6,650.00 | $6,650.00 |
| 30 | Pop-up Sprinkler Assembly (Gear Driven) | 4.00 | EACH | $93.20 | $372.80 |
| 31 | 3" Gate Valve | 1.00 | EACH | $1,040.00 | $1,040.00 |
| 32(F) | 1" Plastic Pipe (Schedule 40) (Supply Line) | 48.00 | LF | $10.10 | $484.80 |
| 33(F) | 1 1/4" Plastic Pipe (Schedule 40) (Supply Line) | 50.00 | LF | $10.10 | $505.00 |
| 34(F) | 1 1/2" Plastic Pipe (Schedule 40) (Supply Line) | 30.00 | LF | $12.60 | $378.00 |
| 35(F) | 2" Plastic Pipe (Schedule 40) (Supply Line) | 48.00 | LF | $10.90 | $523.20 |
| 36(F) | 3" Plastic Pipe (Class 315) (Supply Line) | 505.00 | LF | $15.50 | $7,827.50 |
| 37 | 3" Temporary Irrigation Supply Line | 120.00 | LF | $21.30 | $2,556.00 |
| 38 | 8" Corrugated High Density Polyethylene Pipe Conduit | 89.00 | LF | $87.90 | $7,823.10 |
| | | | **Total Price for above DBE Items:** | | **$49,470.40** |
| **NON DBE** | | | | | |
| 26 | Wood Mulch | 10.00 | CY | $97.30 | $973.00 |
| | | | **Total Price for above NON DBE Items:** | | **$973.00** |

**Total Bid Price: $50,443.40**

**Notes:**

- The above prices do not include Performance and Payment Bond. Add 2% if bond is required. Due in 30 days.
- Night work is excluded.
- Import or export of soil is excluded.
- Water meters, point of connection, cost of water and hot taps are excluded.
- Electrical is excluded except for final hookup to controller.
- All clear & grub is excluded.
- Cut, cap, patch and removal of concrete or asphalt is excluded.
- Check & test to be first order of work after construction signs go up.
- Traffic control is excluded.
- Retention to be held at the same rate as Owner to Contractor.
- Pipe and wire to be installed prior to paving or hardscape.
- Installation of sleeves to be scheduled prior to compaction of subgrade or installation of any facilities above sleeve.
- 17 working day(s) required and includes 1 move-in(s). Additional move-ins=$500 each.
- All of the notes above to be made part of contract.
- Proposal good for 60 days.
- Any changes, additions, deletions to this proposal must be approved by Diversified prior to bid time.
- **We are a Disadvantaged Business Enterprise (#8022) for NAICS Codes 237110, 237310, 237990.**

**Payment Terms:**

Payment to be made within 7 days of progress payment to contractor.

| ACCEPTED: | CONFIRMED: |
| --- | --- |
| The above prices, specifications and conditions are satisfactory and are hereby accepted. | **Diversified Landscape Co.** |
| **Buyer:** _____ | |
| **Signature:** _____ | **Authorized Signature:** _____ |
| **Date of Acceptance:** _____ | **Estimator:** Juan Martinez<br>951-245-1686 juanm@diversifiedlandscape.com |

8-23

# Payco Specialties, Inc. A WOMAN OWNED BUSINESS

Highway - Airport - Parking Lot - Signage - Striping - Marking & Removals

**SBE #18502 -DBE / WBE #102 - LABORERS LOCAL UNION #1184 - LICENSE #298637 C-32**
**CA DIR REGISTRATION #1000003515**

## BID PROPOSAL

| Project Description: | 11-237964 15/8 SEPERATION (11% DBE | Bid Date: 8-23-16 |
|---|---|---|
| Contract Time Limit: W.D. | Liquidated Damages: per C.D. | Addendums Noted: 2 |

| Item No. | Item Description | Estimated Quantity | Unit of Measure | Unit Price | Item Total |
|---|---|---|---|---|---|
| 1 | LEAD COMPLIANCE PLAN | 1.00 | LS | | $ 1,200.00 |
| 6 | TEMPORARY TRAFFIC STRIPE PAINT | 8,000.00 | LF | $ 0.40 | $ 3,200.00 |
| 8 | TEMPORARY PAVEMENT MARKER | 610.00 | EA | $ 6.00 | $ 3,660.00 |
| 22 | REMOVE PAINTED TRAFFIC STRIPE | 4,000.00 | LF | $ 0.56 | $ 2,240.00 |
| 23 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | 640.00 | LF | $ 1.50 | $ 960.00 |
| 52 | PAINT TRAFFIC STRIPE (1 COAT ) | 4,800.00 | LF | $ 0.21 | $ 1,008.00 |
| 53 | 4"THERMOPLASTIC TRAFFIC STRIPE ENHANCED | 3,800.00 | LF | $ 0.90 | $ 3,420.00 |
| | WET NIGHT VISIBILITY | | | | $ - |
| 54 | 4" THERMOPLASTIC TRAFFIC STRIPE ENHANCED | 4,800.00 | LF | $ 0.50 | $ 2,400.00 |
| | WET NIGHT VISIBILITY ( 36-12) | | | | $ - |
| 55 | 8" THERMOPLASTIC TRAFFIC STRIPE ENHANCED | 1,600.00 | LF | $ 1.80 | $ 2,880.00 |
| | WET NIGHT VISIBILITY BROKEN (12-3 ) | | | | $ - |
| 56 | PAVEMENT MARKER ( NON - REFLECTIVE ) | 400.00 | EA | $ 2.60 | $ 1,040.00 |
| 57 | PAVEMENT MARKER ( RETROREFLECTIVE ) | 250.00 | EA | $ 3.72 | $ 930.00 |
| * 60 | THERMO STRIPE 4 " WHITE ENHANCED | 20,000.00 | LF | $ 0.64 | $ 12,800.00 |
| | STRIPE AFTER TRENCHING FOR FIBEROPTICS | | | | $ - |
| | | | | | $ - |
| | | | | | $ - |
| | | | | | $ - |
| | | | | | $ - |
| | | | | | $ - |

**STIPULATIONS:** RECIPIENT IS RESPONSIBLE FOR ALL STIPULATIONS NOTED HEREON AND BELOW

* ANY badging, security checks, railroad classes, project required safety training will be billed at T&M to contractor
* A signed Purchase Order or Subcontract is required prior to any work associated with this Proposal.
* This Proposal is based on an 8 hour shift per workday, any overtime (premium time) will be paid by the Prime Contractor.
* This Proposal is valid for 30 days after the bid date.
* If accepted, this Proposal will be incorporated as an Exhibit to the Contract or Purchase Order.
* A minimum of 15 working days schedule notice is required AFTER ALL PAPERWORK IS COMPLETED.
* Bond cost to be paid by Prime Contractor.
* Cancelation charge for any shift of work called off within 12 hours of showup time is $2,500.
* Industry standard insurance available up to $5,000,000.00 LIMIT. Railroad insurance EXCLUDED
* A Mobilization / Move-In is any work accomplished through consecutive shifts. Unavailable work and all extra-work will be charged additional mobilizations upon completion.
* Payments are net 30 days. Retention is to be paid 30 days from Payco's completion of work.

**EXCLUSIONS:**
PLANS ,PERMITS,LDS,SWEEPING ,TRAFFIC CONTROL,PCMS BOARDS,DOOR HANGERS,HAUL OFF, ENGINEERING,REMOVAL,

**INCLUSIONS:**
ALL MATERIALS FOR PAYCO WORK

# of Working Days to Complete our Work: 3 # of Move-In's Allotted: 2 Add'l Move-In's: $ 1,500.00

**BID AMOUNT:** $ 35,738.00 **ESTIMATOR:** DAVID DESHAZO

120 North Second Avenue, Chula Vista, CA 91910-1127
Phone (619) 422-9204 / Fax (619) 427-1620

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: WRECO
info@wreco.com
925-941-0018

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

# TAB 5

## GOOD FAITH EFFORT DOCUMENTATION

## ITEM #3

## SELECTED/REJECTED FIRMS AND

## SUPPORTING DOCUMENTATION

Contract No. 11-237964

# TAB 6

## GOOD FAITH EFFORT DOCUMENTATION

## ITEM #4

## BIDDER'S OUTREACH EFFORTS AND

## SUPPORTING DOCUMENTATION

Contract No. 11-237964

# DBE GOOD FAITH EFFORTS DOCUMENTATION

## TAB 6

4. Describe the Bidder's outreach efforts to identify and solicit the interest of all certified DBEs that have the capability to perform the work of the Contract. Provide copies of supporting documents

| Description of Outreach | Dates | Location (if applicable) | Results |
|---|---|---|---|
| Searched Dept. of Transportation UCP Database | 7/12/16 | Online DBE Database | See Attached Search Results |
| Published Advertisement in Focus Publication | 7/12/16 | Construction Star | See Attached Proof of Publishing Affidavit |
| Published Advertisement in Focus Publication | 7/12/16 | Weekly Bid Flash | See Attached Proof of Publishing Affidavit |
| Placed ad in "Prime Contractor Looking for Help" section | 7/12/16 | Dept. of Transportation Office Engineer Website | See Attached Listing for all primes seeking assistance results |
| Posted notification of opportunity for minority businesses to view | 7/12/16 | San Diego PTAC | See Attached Advertisement |
| Searched "Opt-In" records for interested subs/ suppliers | 7/14/16<br>7/29/16 | Dept. of Transportation Office Engineer Website | See Attached Search Results |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | American Subcontractors Association<br>Fax #619-465-3805 | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Asian Business Association<br>Fax #858-277-2622 | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Chicano Federation of San Diego County<br>Fax #619-285-5614 | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Indian Voices<br>Email: RDavis4973@aol.com | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Union of Pan Asian Communities<br>Email: mpanrose@upacsd.com | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Women Construction Owners & Executives<br>USA Fax #619-427-1620 | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | SBDA-San Diego & Imperial Regional Network<br>Fax #619-216-6692 | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | SBA-San Diego District Office<br>Fax #619-557-5894 | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Small Business Development Center-<br>North San Diego<br>Email: centerinfo@miracosta.edu | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Black Contractors Association<br>Email: nationalbca@aol.com | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Engineering & Contractors Association<br>Email: debbieday@egca.org | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | NAWIC San Diego, CH21<br>Email: Pbrown1@san.rr.com | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | San Diego Supplier Development Council<br>Email: pres@sdsdc.org | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | American Indian Chamber of Commerce of California<br>Email: clmyron@gmail.com | |
| Contacted organizations/groups to provide assistance in identifying interested DBEs | 7/15/16 | Central San Diego Black Chamber of Commerce<br>Email: dhunter@t3staffing.com | |

Back To Query Form

## Search Returned 106 Records

Tue Jul 12 11:33:00 PDT 2016

**Query Criteria**
District: 11
Work Codes: C1200 CONSTRUCTION AREA SIGNS C1201 TRAFFIC CONTROL SYSTEM C1290 TEMPORARY RAILING (TYPE K) C1531 PLANE ASPHALT CONCRETE C2000 HIGHWAY PLANTING C2066 TEMPORARY EROSION CONTROL C2602 AGGREGATE BASE C3910 PAVING ASPHALT (ASPHALT CONCRETE) C3940 PLACE ASPHALT CONCRETE DIKE & MISC C4906 CAST-IN-DRILLED-HOLE CONCRETE PILING C5601 SIGN STRUCTURE C7601 DIRECTIONAL BORING/DRILLING C8320 METAL BEAM GUARD RAILING C8405 THERMOPLASTIC TRAFFIC STRIPING & MARKING C8406 PAINTED TRAFFIC STRIPING & MARKING C8501 PAVEMENT MARKING C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION C8851 Lead Compliance C8852 SWPPP Planning
Firm Type: DBE

| | |
|---|---|
| **Firm ID** | 5270 |
| **Firm/DBA Name** | A B S L CONSTRUCTION ✓ |
| **Address Line1** | 29393 PACIFIC ST |
| **Address Line2** | |
| **City** | HAYWARD item 24 |
| **State** | CA |
| **Zip Code1** | 94544 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | Daryl@abslconstruction.com |
| **Contact Name** | LUIS M. ALLENDE |
| **Area Code** | ( 510 ) |
| **Phone Number** | 727-0900 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 510 ) |
| **Fax Phone Number** | 727-0910 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 237310; 238110; 238120; 238910; |
| **ACDBE NAICS** | |
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C1522 RESET, ADJUST ROADWAY ITEMS; C1531 PLANE ASPHALT CONCRETE; C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C4201 GROOVE & GRIND PAVEMENT; C5105 MINOR CONCRETE STRUCTURE; C5124 ERECT PRECAST CONCRETE; C5135 CONCRETE BLOCK & MASONRY RETAINING WALL; C5501 STEEL STRUCTURES; C5570 STEEL CRIB WALL; C9980 DEMOLITION; |
| **Licenses** | A General Engineering Contractor; B General Building Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

| | |
|---|---|
| **Firm ID** | 40592 |
| **Firm/DBA Name** | A PLUS SIGNS, INC. ✓ items 46-47 |
| **Address Line1** | 4379 N. BRAWLEY |
| **Address Line2** | |

| | |
|---|---|
| **City** | FRESNO |
| **State** | CA |
| **Zip Code1** | 93722 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | pacheco@1430espn.com |
| **Contact Name** | CHRIS PACHECO |
| **Area Code** | ( 559 ) |
| **Phone Number** | 275-0700 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 559 ) |
| **Fax Phone Number** | 275-7482 |
| **Agency Name** | CITY OF FRESNO |
| **Counties** | 01; 02; 05; 09; 10; 13; 14; 15; 16; 19; 20; 21; 22; 23; 24; 27; 28; 30; 31; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 46; 48; 49; 50; 54; 55; 56; |
| **Districts** | 01; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 238210; 238990; 323115; 332323; 339950; |
| **ACDBE NAICS** | |
| **Work Codes** | C5601 SIGN STRUCTURE; F5095 Decals, Signs; |
| **Licenses** | C45 Electrical Sign Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42985 |
| **Firm/DBA Name** | AARDVARK BIOLOGICAL SERVICES LLC ✓ |
| **Address Line1** | 1382 OCEANAIRE DR |
| **Address Line2** | |
| **City** | SAN LUIS OBISPO |
| **State** | CA |
| **Zip Code1** | 93405 |
| **Zip Code2** | 4920 |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | stvnenator@gmail.com |
| **Contact Name** | STEVEN CHUNG-LI CHEN |
| **Area Code** | ( 650 ) |
| **Phone Number** | 224-9375 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( ) |
| **Fax Phone Number** | |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 541620; 541690; 541712; |
| **ACDBE NAICS** | |
| **Work Codes** | C8700 CONSULTANT, NON ENGINEERING; C8792 Environmental - Biological Studies; C8852 SWPPP Planning; |
| **Licenses** | |
| **Trucks** | |

items 13-14

| | |
|---|---|
| **Gender** | M |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 31317 ✓ |
| **Firm/DBA Name** | AC-DC ELECTRIC |
| **Address Line1** | 13326 YUCATAN PLACE |
| **Address Line2** | |
| **City** | CERRITOS |
| **State** | CA |
| **Zip Code1** | 90703 |
| **Zip Code2** | 8643 |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | |
| **Contact Name** | OSCAR L. HIGA |
| **Area Code** | ( 562 ) |
| **Phone Number** | 926-5737 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 562 ) |
| **Fax Phone Number** | 926-4311 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 19; 30; 33; 36; 37; 42; 56; |
| **Districts** | 05; 07; 08; 11; 12; |
| **DBE NAICS** | 238210; |

items 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C9858 RESIDENTIAL ELECTRICAL; E4910 ELECTRIC SERVICES; E4930 COMBINATION UTILITY SERVICES; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 34153 ✓ |
| **Firm/DBA Name** | ACE FENCE COMPANY |
| **Address Line1** | 727 N. GLENDORA AVENUE |
| **Address Line2** | |
| **City** | LA PUENTE |
| **State** | CA |
| **Zip Code1** | 91744 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | KIM@acefencecompany.com |
| **Contact Name** | AMERICA TANG |
| **Area Code** | ( 626 ) |
| **Phone Number** | 333-0727 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 626 ) |
| **Fax Phone Number** | 333-7843 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 00; |
| **Districts** | 00; |

items 19, 20, 49-51

| | |
|---|---|
| **DBE NAICS** | 237310; 237990; |
| **ACDBE NAICS** | |
| **Work Codes** | C0680 FENCING SUPPLIER; C8000 FENCING CONTRACTOR; C8201 OBJECT MARKER; C8320 METAL BEAM GUARD RAILING; C8391 METAL BEAM BARRIER; |
| **Licenses** | A General Engineering Contractor; B General Building Contractor; C13 Fencing Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 40771 |
| **Firm/DBA Name** | ACM LIGHTING |
| **Address Line1** | 201 S. MERRILL ST. |
| **Address Line2** | |
| **City** | CORONA |
| **State** | CA |
| **Zip Code1** | 92882 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | acmlighting@sbcglobal.net |
| **Contact Name** | CARLOS MORALES SR. |
| **Area Code** | ( 951 ) |
| **Phone Number** | 272-4881 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 951 ) |
| **Fax Phone Number** | 272-4838 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 05; 07; 09; 10; 13; 14; 15; 16; 19; 20; 21; 22; 24; 26; 27; 28; 30; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 48; 49; 50; 54; 55; 56; 57; 58; |
| **Districts** | 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 238210; |
| **ACDBE NAICS** | |
| **Work Codes** | C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C9858 RESIDENTIAL ELECTRICAL; C9859 Commercial Electrical; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

item 48

---

| | |
|---|---|
| **Firm ID** | 30511 |
| **Firm/DBA Name** | ACME SAFETY & SUPPLY CORP |
| **Address Line1** | 1616 WEST AVE |
| **Address Line2** | |
| **City** | NATIONAL CITY |
| **State** | CA |
| **Zip Code1** | 91950 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | candace@acmesafetysupply.com |
| **Contact Name** | CANDACE FRIEDMAN |
| | ( 619 ) |

items 4, 5, 7, 9, 11, 12

| | |
|---|---|
| **Area Code** | |
| **Phone Number** | 299-5100 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 542-0763 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 19; 30; 33; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 423390; 423860; |
| **ACDBE NAICS** | |
| **Work Codes** | C0612 SAFETY EQUIPMENT SUPPLIER; C0659 PAINT SUPPLIER; C0683 GUARD RAILINGS & BARRIERS SUPPLIER; C0685 PAVEMENT MARKERS SUPPLIER; C0699 TOOLS Supplier; C0800 Traffic Striping, Marking and Traffic Control Materials Supplier; C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C9907 CONSTRUCTION EQUIPMENT RENTAL; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 37357 ✓ |
| **Firm/DBA Name** | ADANTA, INC |
| **Address Line1** | 828 SCHOOL STREET |
| **Address Line2** | |
| **City** | NAPA |
| **State** | CA |
| **Zip Code1** | 94559 |
| **Zip Code2** | |
| **Mailing Address Line1** | 828 SCHOOL STREET |
| **Mailing Address Line2** | |
| **Mailing City** | NAPA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 94559 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | kimberlypatz@adanta-inc.com |
| **Contact Name** | KIMBERLY PATZ |
| **Area Code** | ( 707 ) |
| **Phone Number** | 709-8894 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 707 ) |
| **Fax Phone Number** | 736-8368 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 06; 07; 08; 09; 10; 11; 15; 17; 19; 23; 24; 25; 27; 28; 29; 30; 31; 33; 34; 36; 37; 38; 39; 40; 41; 42; 43; 44; 48; 49; 50; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 10; 11; 12; |
| **DBE NAICS** | 541620; 562910; |
| **ACDBE NAICS** | |
| **Work Codes** | C8713 CONSULTANT, ENVIRONMENTAL; C8792 Environmental - Biological Studies; C8793 Environmental - Environmental Impact Assessment; C8795 Environmental-Regulatory; C8851 Lead Compliance; C8852 SWPPP Planning; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

item 1, 13-14, 25

---

| | |
|---|---|
| **Firm ID** | 34145 ✓ |
| **Firm/DBA Name** | ADH TECHNICAL SERVICES, INC. |
| **Address Line1** | 3065 PORTER STREET, SUITE 101 |
| **Address Line2** | |
| **City** | SOQUEL |
| **State** | CA |

items 13-14

| | |
|---|---|
| **Zip Code1** | 95073 |
| **Zip Code2** | |
| **Mailing Address Line1** | 3065 PORTER STREET, SUITE 101 |
| **Mailing Address Line2** | |
| **Mailing City** | SOQUEL |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 95073 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | adh@adhenvironmental.com |
| **Contact Name** | null ALESSANDRO D. HNATT |
| **Area Code** | ( 831 ) |
| **Phone Number** | 477-2003 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 831 ) |
| **Fax Phone Number** | 477-0895 |
| **Agency Name** | SAN MATEO COUNTY TRANSIT DISTRICT (SAMTRANS)/JPB |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 541330; 541620; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8707 FEASIBILITY STUDIES; C8713 CONSULTANT, ENVIRONMENTAL; C8722 ENVIRONMENTAL ENGINEER; C8730 SAFETY STUDIES; C8794 Environmental - Water Quality; C8795 Environmental-Regulatory; C8852 SWPPP Planning; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42306 |
| **Firm/DBA Name** | AGRI SERVICE RECYCLING, INC ✓ |
| **Address Line1** | 468-A ALTA ROAD |
| **Address Line2** | |
| **City** | SAN DIEGO |
| **State** | CA |
| **Zip Code1** | 92154 |
| **Zip Code2** | |
| **Mailing Address Line1** | 3720 OCEANIC WAY, SUITE 204 |
| **Mailing Address Line2** | |
| **Mailing City** | OCEANSIDE |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92056 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | mary@agriserviceinc.com |
| **Contact Name** | MARY MATAVA |
| **Area Code** | ( 760 ) |
| **Phone Number** | 295-6255 |
| **Alt Area Code** | ( 760 ) |
| **Alt Phone Number** | 518-3498 |
| **Fax Area Code** | ( 760 ) |
| **Fax Phone Number** | 295-6262 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 30; 33; 37; |
| **Districts** | 08; 11; 12; |
| **DBE NAICS** | 325314; 561730; |

items 21, 26-28

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | B1490 MISC NONMETALLIC MINERALS; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C9867 LANDSCAPING CONTRACTOR; D2491 COMPOST MANUFACTURING; I8991 RECYCLING; |
| **Licenses** | C27 Landscaping Contractor; D49 Tree Service; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |

| | |
|---|---|
| **Firm Type** | DBE |

| | |
|---|---|
| **Firm ID** | 40292 |
| **Firm/DBA Name** | ALBERT WILSON & ASSOCIATES ✓ |
| **Address Line1** | 7866 HENBANE STREET |
| **Address Line2** | |
| **City** | RANCHO CUCAMONGA |
| **State** | CA |
| **Zip Code1** | 91739 |
| **Zip Code2** | |
| **Mailing Address Line1** | PO BOX 8155 |
| **Mailing Address Line2** | |
| **Mailing City** | ALTA LOMA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91701 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | chidi@awatraffic.com |
| **Contact Name** | CHIDI ONUMONU |
| **Area Code** | ( 909 ) |
| **Phone Number** | 483-4876 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 909 ) |
| **Fax Phone Number** | 989-1576 |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |
| **Counties** | 13; 14; 15; 19; 30; 33; 36; 37; 42; 56; |
| **Districts** | 05; 06; 07; 08; 09; 11; 12; |
| **DBE NAICS** | 237310; 541330; |
| **ACDBE NAICS** | |
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1210 Traffic Count; C8703 TRAFFIC ENGINEER; C8773 Construction Management - Highway, Street and Bridge Construction; C9802 BUILDING CONSTRUCTION; |
| **Licenses** | A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor; EC Civil Engineer; ET Traffic Engineer; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

items 4, 5, 7, 9, 11, 12

| | |
|---|---|
| **Firm ID** | 16345 |
| **Firm/DBA Name** | ALERT-O-LITE, INC ✓ |
| **Address Line1** | 2379 S G STREET |
| **Address Line2** | |
| **City** | FRESNO |
| **State** | CA |
| **Zip Code1** | 93721 |
| **Zip Code2** | |
| **Mailing Address Line1** | P.O. BOX 12224 |
| **Mailing Address Line2** | |
| **Mailing City** | FRESNO |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 93777 |
| **Mailing Zip Code2** | 2224 |
| **Certification Type** | DBE |
| **EMail** | debbieh@alertolite.com |
| **Contact Name** | DEBBIE HUNSAKER |
| **Area Code** | ( 559 ) |
| **Phone Number** | 453-2474 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 559 ) |
| **Fax Phone Number** | 453-3250 |
| **Agency Name** | CITY OF FRESNO |
| **Counties** | 00; |
| **Districts** | 00; |
| | 238990; 423610; 423830; 423990; 532412; |

items 4, 10, 46-47

**DBE NAICS**

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C0612 SAFETY EQUIPMENT SUPPLIER; C0683 GUARD RAILINGS & BARRIERS SUPPLIER; C0686 ELECTRICAL & SIGNALS SUPPLIER; C0699 TOOLS Supplier; C1200 CONSTRUCTION AREA SIGNS; C1290 TEMPORARY RAILING (TYPE K); C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C9907 CONSTRUCTION EQUIPMENT RENTAL; C9908 HEAVY EQUIPMENT RENTAL (OWNED EQUP ONLY); D3490 FABRICATED METAL PRODUCTS; D3990 MISC MANUFACTURES; F5070 HARDWARE, PLUMBING & HEATING EQUIPMENT; F5090 MISC DURABLE GOODS; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; D42 Sign Installation; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 41902 |
| **Firm/DBA Name** | ALFRED CIVIL ENGINEERING, INC ✓ |
| **Address Line1** | 7604 SOQUEL WAY |
| **Address Line2** | |
| **City** | CITRUS HEIGHTS |
| **State** | CA |
| **Zip Code1** | 95610 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | touray@alfredce.com |
| **Contact Name** | BORI A. TOURAY |
| **Area Code** | ( 916 ) |
| **Phone Number** | 235-3967 |
| **Alt Area Code** | ( 916 ) |
| **Alt Phone Number** | 241-5309 |
| **Fax Area Code** | ( 916 ) |
| **Fax Phone Number** | |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 541330; 541340; 541620; 541690; |

items 13-14

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8705 DESIGN; C8710 ENGINEERING; C8713 CONSULTANT, ENVIRONMENTAL; C8715 CONSULTANT, ENGINEERING; C8720 CIVIL ENGINEERING; C8722 ENVIRONMENTAL ENGINEER; C8765 DRAFTING; C8766 Computer-aided Design & DRAFTING (CADD); C8767 GIS Modeling; C8781 Engineering - Hydrology; C8794 Environmental - Water Quality; C8852 SWPPP Planning; |
| **Licenses** | EC Civil Engineer; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 39072 |
| **Firm/DBA Name** | AMERICA PACIFIC CONSTRUCTION ✓ |
| **Address Line1** | 7161 CITRUS VALLEY AVENUE |
| **Address Line2** | |
| **City** | EASTVALE |
| **State** | CA |
| **Zip Code1** | 92880 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |

items 40-42

| | |
|---|---|
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | apconstruction09@gmail.com |
| **Contact Name** | ASHISH SEGHAL |
| **Area Code** | ( 559 ) |
| **Phone Number** | 577-9999 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 384-3988 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 19; 30; 33; 36; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 237310; 238910; |
| **ACDBE NAICS** | |
| **Work Codes** | C1901 ROADWAY EXCAVATION; C1920 STRUCTURE EXCAVATION; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN SUBCONTINENT |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 36950 |
| **Firm/DBA Name** | AMERICAN UTILITY PRODUCTS ✓ |
| **Address Line1** | 1557 CANYON MEADOWS LANE |
| **Address Line2** | |
| **City** | GLENDORA |
| **State** | CA |
| **Zip Code1** | 91740 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | sanjay.pandya@gmail.com |
| **Contact Name** | SANJAY PANDYA |
| **Area Code** | ( 626 ) |
| **Phone Number** | 335-2753 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 626 ) |
| **Fax Phone Number** | 335-9797 |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 314911; 315999; 326122; 331511; 332911; 332996; 339950; 423440; 423720; 423990; |
| **ACDBE NAICS** | |
| **Work Codes** | C0670 PIPE SUPPLIER; C5601 SIGN STRUCTURE; D3290 MISC NONMETALLIC MINERAL PRODUCTS; D3320 IRON & STEEL FOUNDRIES; F5090 MISC DURABLE GOODS; H6220 COMMODITY CONTRACTS BROKERS, DEALERS; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN SUBCONTINENT |
| **Firm Type** | DBE |

items 46-47

---

| | |
|---|---|
| **Firm ID** | 42231 |
| **Firm/DBA Name** | ANTHONY'S GRADING & PAVING ✓ |
| **Address Line1** | 10769 WOODSIDE AVENUE |
| **Address Line2** | SUITE 209 |

items 39, 40-42

| | |
|---|---|
| **City** | SANTEE |
| **State** | CA |
| **Zip Code1** | 92071 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | paving_agp@yahoo.com |
| **Contact Name** | ANTHONY TEJEDA |
| **Area Code** | ( 619 ) |
| **Phone Number** | 334-6167 |
| **Alt Area Code** | ( 619 ) |
| **Alt Phone Number** | 922-3853 |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 749-3973 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 02; 37; |
| **Districts** | 10; 11; |
| **DBE NAICS** | 237310; 238910; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1575 REMOVE BRIDGE ITEM; C1601 CLEARING & GRUBBING; C1801 DUST PALLIATIVE; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1925 SHAPED BEDDING; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C1970 EMBANKMENT CONSTRUCTION; C1980 IMPORTED BORROW; C2201 FINISHING ROADWAY; C2401 LIME TREATMENT; C2501 AGGREGATE SUBBASE; C2602 AGGREGATE BASE; C2700 CEMENT TREATED BASE; C3701 SEAL COAT; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C3930 PAVEMENT REINFORCING FABRIC; C3940 PLACE ASPHALT CONCRETE DIKE & MISC; C3990 RECYCLE, RECLAIM ASPHALT CONCRETE; C9829 RETAINER WALLS; C9905 CUTTING; |
| **Licenses** | C12 Earthwork and Paving Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 37715 |
| **Firm/DBA Name** | APADANA ENGINEERING, INC. |
| **Address Line1** | 5 THOMAS MELLON CIRCLE, SUITE 154 |
| **Address Line2** | |
| **City** | SAN FRANCISCO |
| **State** | CA |
| **Zip Code1** | 94134 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | apadana1@sbcglobal.net; sopida@sbcglobal.net |
| **Contact Name** | SOPIDA SIADAT |
| **Area Code** | ( 415 ) |
| **Phone Number** | 300-6600 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 415 ) |
| **Fax Phone Number** | 467-7721 |
| **Agency Name** | SAN FRANCISCO MUNICIPAL TRANSPORTATION AGENCY |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 237110; 237310; 237990; 531210; |

item 24

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1531 PLANE ASPHALT CONCRETE; C3701 SEAL COAT; C3901 ASPHALT CONCRETE; C4201 GROOVE & GRIND PAVEMENT; C8773 Construction Management - Highway, Street and Bridge Construction; H6530 REAL ESTATE AGENTS & MANAGERS; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | OTHER |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42320 |
| **Firm/DBA Name** | ASHOONA LANDSCAPE ✓ |
| **Address Line1** | 1248 WEST SIXTH STREET |
| **Address Line2** | |
| **City** | SANTA ANA |
| **State** | CA |
| **Zip Code1** | 92703 |
| **Zip Code2** | |
| **Mailing Address Line1** | PO BOX 27383 |
| **Mailing Address Line2** | |
| **Mailing City** | SANTA ANA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92799 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | Darrell@AShoonaLandscape.com |
| **Contact Name** | DARRELL L. JOHNSTON |
| **Area Code** | ( 714 ) |
| **Phone Number** | 290-3339 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 852-3725 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 36; 37; 56; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 221310; 238990; 561730; |

items 21, 26-28

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C2000 HIGHWAY PLANTING; C2065 IRRIGATION SYSTEM; C5190 JOINT SEAL - WATER STOP; C8100 SYNTHETIC PRODUCTS INSTALLATION; C9867 LANDSCAPING CONTRACTOR; |
| **Licenses** | C27 Landscaping Contractor; D12 Synthetic Products; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 41022 |
| **Firm/DBA Name** | BANAGA CONSTRUCTION, INC |
| **Address Line1** | 1264 STAGECOACH TRAIL LOOP |
| **Address Line2** | |
| **City** | CHULA VISTA |
| **State** | CA |
| **Zip Code1** | 91915 |
| **Zip Code2** | |
| **Mailing Address Line1** | 1264 STAGECOACH TRAIL LOOP |
| **Mailing Address Line2** | |
| **Mailing City** | CHULA VISTA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91915 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | frank@kiteclimbers.com |
| **Contact Name** | FRANK BANAGA |
| **Area Code** | ( 619 ) |
| **Phone Number** | 922-8570 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |

item 24

| | |
|---|---|
| **Fax Phone Number** | 737-9199 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 37; 45; 53; |
| **Districts** | 02; 07; 11; |
| **DBE NAICS** | 237310; 238910; 238990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1531 PLANE ASPHALT CONCRETE; C1601 CLEARING & GRUBBING; C1701 DEVELOP WATER SUPPLY; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C3930 PAVEMENT REINFORCING FABRIC; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42378 |
| **Firm/DBA Name** | BELLCURVE AND SYNCNETWORKS ✓ |
| **Address Line1** | 5300 REYNIER AVENUE |
| **Address Line2** | |
| **City** | LOS ANGELES |
| **State** | CA |
| **Zip Code1** | 90056 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | syncnetworks@gmail.com |
| **Contact Name** | ABIYOU ADMASSU |
| **Area Code** | ( 310 ) |
| **Phone Number** | 678-5018 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 424 ) |
| **Fax Phone Number** | 331-5242 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238210; 541380; 541512; 541519; 811219; |

item 48

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8711 COMPUTER; I7378 COMPUTER MAINTENANCE & REPAIR; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 36219 |
| **Firm/DBA Name** | BLANCO CONSTRUCTION ✓ |
| **Address Line1** | 19320 DALLAS AVENUE |
| **Address Line2** | |
| **City** | RIVERSIDE |
| **State** | CA |
| **Zip Code1** | 92508 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |

item 24

| | |
|---|---|
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | lawym2004@aol.com; blancoconst@aol.com |
| **Contact Name** | LEONARDO BLANCO |
| **Area Code** | ( 951 ) |
| **Phone Number** | 250-6692 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 951 ) |
| **Fax Phone Number** | 602-2050 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 10; 12; 13; 15; 19; 24; 30; 33; 36; 37; 40; 42; 43; 56; |
| **Districts** | 01; 04; 05; 06; 07; 08; 10; 11; 12; |
| **DBE NAICS** | 237110; 237310; 238110; 238120; 238190; 238390; 238910; 238990; |
| **ACDBE NAICS** | |
| **Work Codes** | C1531 PLANE ASPHALT CONCRETE; C1575 REMOVE BRIDGE ITEM; C1580 MODIFY BRIDGE ITEM; C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C4040 CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; C5100 CONCRETE STRUCTURE; C5111 CONCRETE OVERLAY, DRILL & BOND; C5201 REINFORCING STEEL; E4952 SEWERAGE SYSTEMS; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 10544 |
| **Firm/DBA Name** | BUENA VISTA LANDSCAPE, INC ✓ |
| **Address Line1** | 1472 N HARDING ST. |
| **Address Line2** | |
| **City** | ORANGE |
| **State** | CA |
| **Zip Code1** | 92867 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | b.v.landscape@pacbell.net |
| **Contact Name** | ANGEL GOMEZ |
| **Area Code** | ( 714 ) |
| **Phone Number** | 771-2563 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 771-2569 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 238910; 561730; |
| **ACDBE NAICS** | |
| **Work Codes** | C0700 CONSTRUCTION STAKING SUPPLIER; C1601 CLEARING & GRUBBING; C1940 DITCHES EXCAVATION; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; |
| **Licenses** | C27 Landscaping Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

items 21, 26, 38

---

| | |
|---|---|
| **Firm ID** | 36919 |
| **Firm/DBA Name** | CAL-CON PUMPING, LLC ✓ |
| **Address Line1** | 1 AVENUE OF THE PALMS AVE., STE 212 |

items 40-42

| | |
|---|---|
| **Address Line2** | |
| **City** | SAN FRANCISCO |
| **State** | CA |
| **Zip Code1** | 94130 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | jb.calcon@mac.com |
| **Contact Name** | JULIE BERRY |
| **Area Code** | ( 415 ) |
| **Phone Number** | 401-9838 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 415 ) |
| **Fax Phone Number** | 401-7664 |
| **Agency Name** | SAN FRANCISCO MUNICIPAL TRANSPORTATION AGENCY |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238110; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C3000 Concrete Pumping; C3910 PAVING ASPHALT (ASPHALT CONCRETE); |
| **Licenses** | C08 Concrete Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 13602 |
| **Firm/DBA Name** | CALIFORNIA GRINDING SPECIALTIES, INC. DBA AUSTIN ENTERPRISE ✓ |
| **Address Line1** | 13421 SNOW ROAD |
| **Address Line2** | |
| **City** | BAKERSFIELD |
| **State** | CA |
| **Zip Code1** | 93314 |
| **Zip Code2** | |
| **Mailing Address Line1** | PO BOX 81926 |
| **Mailing Address Line2** | |
| **Mailing City** | BAKERSFIELD |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 93380 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | paustin@austin-enterprise.com |
| **Contact Name** | PATTI AUSTIN |
| **Area Code** | ( 661 ) |
| **Phone Number** | 589-1001 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 661 ) |
| **Fax Phone Number** | 589-9509 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238110; 532412; |

items 4, 53-55, 56-57

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1522 RESET, ADJUST ROADWAY ITEMS; C1901 ROADWAY EXCAVATION; C3701 SEAL COAT; C4010 PORTLAND CEMENT & CONCRETE PAVEMENT; C4040 CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; C4101 PAVEMENT SUBSEALING & JACKING; C4201 GROOVE & GRIND PAVEMENT; C5100 CONCRETE STRUCTURE; C5111 CONCRETE OVERLAY, DRILL & BOND; C5150 CORE CONCRETE - REPAIR BRIDGE DECK; C5190 JOINT SEAL - WATER STOP; C5620 ROADSIDE SIGN; C7301 |

| | |
|---|---|
| | CONCRETE CURB & SIDEWALK - MISC; C8405 THERMOPLASTIC TRAFFIC STRIPING & MARKING; C8501 PAVEMENT MARKING; C9904 CORING; C9905 CUTTING; C9907 CONSTRUCTION EQUIPMENT RENTAL; |
| **Licenses** | A General Engineering Contractor; D06 Concrete Related Services; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 31277 |
| **Firm/DBA Name** | CALIFORNIA PROFESSIONAL ENGINEERING INC |
| **Address Line1** | 929 OTTERBEIN AVENUE, UNIT E |
| **Address Line2** | |
| **City** | LA PUENTE |
| **State** | CA |
| **Zip Code1** | 91748 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | van@cpengineeringinc.com |
| **Contact Name** | VAN TAN NGUYEN |
| **Area Code** | ( 626 ) |
| **Phone Number** | 810-1338 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 626 ) |
| **Fax Phone Number** | 810-1322 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 10; 15; 19; 30; 33; 36; 37; |
| **Districts** | 06; 07; 08; 11; 12; |
| **DBE NAICS** | 237310; 238210; |
| **ACDBE NAICS** | |
| **Work Codes** | C8501 PAVEMENT MARKING; C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8604 LIGHTING; C8608 DETECTOR; C8611 RAMP METERING SYSTEM; |
| **Licenses** | A General Engineering Contractor; C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

Do not solicit competitor

---

| | |
|---|---|
| **Firm ID** | 42488 |
| **Firm/DBA Name** | CASKEY BIOLOGICAL CONSULTING, LLC ✓ |
| **Address Line1** | 312 S SANTA ANITA AVENUE |
| **Address Line2** | |
| **City** | PASADENA |
| **State** | CA |
| **Zip Code1** | 91107 |
| **Zip Code2** | |
| **Mailing Address Line1** | 274 W HARRIET ST |
| **Mailing Address Line2** | |
| **Mailing City** | ALTADENA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91001 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | ltennis@caskeybiological.com |
| **Contact Name** | LINDSEY MICHELLE TENNIS |
| **Area Code** | ( 831 ) |
| **Phone Number** | 241-3712 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( ) |
| **Fax Phone Number** | |

items 13-14

| | |
|---|---|
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 10; 13; 15; 16; 19; 36; 39; 40; 42; 43; |
| **Districts** | 04; 05; 06; 07; 08; 10; 11; |
| **DBE NAICS** | 541620; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8792 Environmental - Biological Studies; C8852 SWPPP Planning; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 34347 |
| **Firm/DBA Name** | CASTRO ELECTRIC ✓ |
| **Address Line1** | 11616 LAKESIDE AVENUE |
| **Address Line2** | |
| **City** | LAKESIDE |
| **State** | CA |
| **Zip Code1** | 92040 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | castroelectric@cox.net |
| **Contact Name** | EDWARD JOHN ANTHONY CASTRO |
| **Area Code** | ( 619 ) |
| **Phone Number** | 561-6122 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 561-6124 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 33; 37; |
| **Districts** | 08; 11; |
| **DBE NAICS** | 238210; |

items 5,7,9,11,12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C9858 RESIDENTIAL ELECTRICAL; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 31128 |
| **Firm/DBA Name** | CATS EXCAVATING, INC ✓ |
| **Address Line1** | 1944 54TH STREET |
| **Address Line2** | |
| **City** | SAN DIEGO |
| **State** | CA |
| **Zip Code1** | 92105 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | catsexcavatinginc@yahoo.com |
| **Contact Name** | NITA GROVES |

items 40-42

| | |
|---|---|
| **Area Code** | ( 619 ) |
| **Phone Number** | 264-4125 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 264-7566 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 02; 37; |
| **Districts** | 10; 11; |
| **DBE NAICS** | 237310; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1910 GRADING; C3910 PAVING ASPHALT (ASPHALT CONCRETE); |
| **Licenses** | C12 Earthwork and Paving Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 25584 |
| **Firm/DBA Name** | CECILIA'S SAFETY SERVICE, INC. |
| **Address Line1** | 751 SEABRIGHT LANE |
| **Address Line2** | |
| **City** | SOLANA BEACH |
| **State** | CA |
| **Zip Code1** | 92075 |
| **Zip Code2** | |
| **Mailing Address Line1** | 1358 LA MIRADA DRIVE |
| **Mailing Address Line2** | |
| **Mailing City** | SAN MARCOS |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92078 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | cecilias@pacbell.net |
| **Contact Name** | CECILIA KATHLEEN OSTLUND |
| **Area Code** | ( 858 ) |
| **Phone Number** | 793-4465 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 858 ) |
| **Fax Phone Number** | 793-4495 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 10; 13; 19; 30; 33; 36; 37; 40; 42; 56; |
| **Districts** | 05; 06; 07; 08; 11; 12; |
| **DBE NAICS** | 238990; |

items 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; D42 Sign Installation; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 33135 |
| **Firm/DBA Name** | CINDY BALES ENGINEERING, INC. |
| **Address Line1** | 1828 SHADY LANE |
| **Address Line2** | |
| **City** | BIG BEAR CITY |
| **State** | CA |
| **Zip Code1** | 92314 |
| **Zip Code2** | |
| **Mailing Address Line1** | P. O. BOX 1600 |
| **Mailing Address Line2** | |

items 5, 7, 9, 11, 12

| | |
|---|---|
| **Mailing City** | BIG BEAR CITY |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92314 |
| **Mailing Zip Code2** | 1600 |
| **Certification Type** | DBE |
| **EMail** | airbears@balesengineering.com |
| **Contact Name** | CINDY BALES |
| **Area Code** | ( 909 ) |
| **Phone Number** | 585-1557 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 909 ) |
| **Fax Phone Number** | 752-7090 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 238210; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C8903 ELECTRICAL; C9858 RESIDENTIAL ELECTRICAL; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 40089 |
| **Firm/DBA Name** | CINDY TRUMP INC DBA LINDY'S COLD PLANING ✓ |
| **Address Line1** | 625 S. MOUNTAIN VIEW |
| **Address Line2** | |
| **City** | LA HABRA |
| **State** | CA |
| **Zip Code1** | 90631 |
| **Zip Code2** | |
| **Mailing Address Line1** | P. O. BOX 385 |
| **Mailing Address Line2** | |
| **Mailing City** | LA HABRA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 90631 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | wegrindasphalt@aol.com |
| **Contact Name** | CINDY TRUMP |
| **Area Code** | ( 562 ) |
| **Phone Number** | 697-2286 |
| **Alt Area Code** | ( 714 ) |
| **Alt Phone Number** | 904-1142 |
| **Fax Area Code** | ( 562 ) |
| **Fax Phone Number** | 697-2039 |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |
| **Counties** | 10; 13; 14; 15; 19; 27; 29; 30; 33; 34; 35; 36; 37; 40; 42; 50; 53; 54; 55; |
| **Districts** | 02; 03; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 237310; 237990; 238910; |

items 24, 40-42

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1531 PLANE ASPHALT CONCRETE; C1901 ROADWAY EXCAVATION; C2201 FINISHING ROADWAY; C2401 LIME TREATMENT; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C3990 RECYCLE, RECLAIM ASPHALT CONCRETE; C4201 GROOVE & GRIND PAVEMENT; C9903 CONSTRUCTION CLEAN UP; C9905 CUTTING; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 33473 |

| | |
|---|---|
| **Firm/DBA Name** | CMC TRAFFIC CONTROL SPECIALIST |
| **Address Line1** | 3450 THIRD STREET, UNIT 3 G |
| **Address Line2** | |
| **City** | SAN FRANCISCO |
| **State** | CA |
| **Zip Code1** | 94124 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | crystal@cmctraffic.com |
| **Contact Name** | null CRYSTAL MIKS |
| **Area Code** | ( 415 ) |
| **Phone Number** | 206-1700 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 415 ) |
| **Fax Phone Number** | 206-1711 |
| **Agency Name** | SAN FRANCISCO MUNICIPAL TRANSPORTATION AGENCY |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238990; |
| **ACDBE NAICS** | |
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; |
| **Licenses** | A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

Do Not solicit
District 4 only

---

| | |
|---|---|
| **Firm ID** | 40072 |
| **Firm/DBA Name** | COOKS AND SON INC. |
| **Address Line1** | 4134 ODIE LANE |
| **Address Line2** | |
| **City** | SANTA MARIA |
| **State** | CA |
| **Zip Code1** | 93455 |
| **Zip Code2** | |
| **Mailing Address Line1** | 4134 ODIE LANE |
| **Mailing Address Line2** | |
| **Mailing City** | SANTA MARIA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 93455 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | cooks_son@mail.com |
| **Contact Name** | CHARLES E. HENDERSON JR. |
| **Area Code** | ( 805 ) |
| **Phone Number** | 934-2705 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 805 ) |
| **Fax Phone Number** | 937-5473 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 05; 07; 09; 10; 12; 15; 16; 19; 20; 23; 24; 27; 28; 29; 30; 31; 33; 34; 35; 36; 37; 38; 40; 41; 42; 43; 44; 46; 48; 49; 50; 54; 56; |
| **Districts** | 01; 03; 04; 05; 06; 07; 08; 10; 11; 12; |
| **DBE NAICS** | 237110; 237310; 238910; |
| **ACDBE NAICS** | |

Item 39, 43-44

| | |
|---|---|
| **Work Codes** | C1601 CLEARING & GRUBBING; C1701 DEVELOP WATER SUPPLY; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1940 DITCHES EXCAVATION; C2501 AGGREGATE SUBBASE; C2602 AGGREGATE BASE; C3940 PLACE ASPHALT CONCRETE DIKE & MISC; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

| | |
|---|---|
| **Firm ID** | 40922 |
| **Firm/DBA Name** | D-LINE CONSTRUCTORS, INC. |
| **Address Line1** | 499 EMBARCADERO, SUITE Q |
| **Address Line2** | |
| **City** | OAKLAND |
| **State** | CA |
| **Zip Code1** | 94606 |
| **Zip Code2** | |
| **Mailing Address Line1** | 499 EMBARCADERO POST 3 BOX 6 |
| **Mailing Address Line2** | |
| **Mailing City** | OAKLAND |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 94606 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | tony@dlineconstructors.com |
| **Contact Name** | JOSUE PRADA |
| **Area Code** | ( 510 ) |
| **Phone Number** | 251-6400 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 510 ) |
| **Fax Phone Number** | 251-6401 |
| **Agency Name** | BAY AREA RAPID TRANSIT DISTRICT (BART) |
| **Counties** | 01; 19; 37; 38; |
| **Districts** | 04; 07; 11; |
| **DBE NAICS** | 236220; 237310; 237990; |

item 24

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1531 PLANE ASPHALT CONCRETE; C1910 GRADING; C1970 EMBANKMENT CONSTRUCTION; C7041 JACKED WELDED STEEL PIPE; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

| | |
|---|---|
| **Firm ID** | 42226 |
| **Firm/DBA Name** | DECO PAVE |
| **Address Line1** | 15535 E. ARROW HIGHWAY #D |
| **Address Line2** | |
| **City** | IRWINDALE |
| **State** | CA |
| **Zip Code1** | 91706 |
| **Zip Code2** | |
| **Mailing Address Line1** | P. O. BOX 2084 |
| **Mailing Address Line2** | |
| **Mailing City** | IRWINDALE |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91706 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | Ferry@DecoPaveCorp.com |
| **Contact Name** | FERRY SOENDJOJO |
| **Area Code** | ( 626 ) |
| **Phone Number** | 337-9580 |
| **Alt Area Code** | ( 626 ) |
| **Alt Phone Number** | 384-1550 |
| **Fax Area Code** | ( 626 ) |

items 40-42

| | |
|---|---|
| **Fax Phone Number** | 480-1557 |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 237310; 238990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C3701 SEAL COAT; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); D3530 CONSTRUCTION & RELATED MACHINERY; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 31021 |
| **Firm/DBA Name** | DELTECH ENGINEERING, INC ✓ |
| **Address Line1** | 4913 E. GERDA DRIVE |
| **Address Line2** | |
| **City** | ANAHEIM |
| **State** | CA |
| **Zip Code1** | 92807 |
| **Zip Code2** | |
| **Mailing Address Line1** | P.O. BOX 6630 |
| **Mailing Address Line2** | |
| **Mailing City** | ORANGE |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92863 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | abili@deltechengineeringinc.com |
| **Contact Name** | (MR.) EBBITEANGA I. ABILI |
| **Area Code** | ( 714 ) |
| **Phone Number** | 495-9755 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 384-4594 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 10; 13; 15; 19; 24; 30; 33; 34; 36; 37; 38; 39; 40; 42; 43; 56; 57; |
| **Districts** | 03; 04; 05; 06; 07; 08; 10; 11; 12; |
| **DBE NAICS** | 237110; 237310; 237990; 541620; 541990; 562112; 562211; 562910; |

items 40-42

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1901 ROADWAY EXCAVATION; C2065 IRRIGATION SYSTEM; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C8707 FEASIBILITY STUDIES; C8730 SAFETY STUDIES; C9632 HAZARDOUS SUBSTANCE REMOVAL; C9869 ASBESTOS REMOVAL/ABATEMENT; E4954 HAZARDOUS WASTE COLLECTION AND DISPOSAL; |
| **Licenses** | A General Engineering Contractor; HAZ Hazardous Waste; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42005 |
| **Firm/DBA Name** | DESIGNITGREEN ✓ |
| **Address Line1** | 271 SETON HALL AVENUE |
| **Address Line2** | |
| **City** | VENTURA |
| **State** | CA |
| **Zip Code1** | 93003 |
| **Zip Code2** | |
| **Mailing Address Line1** | P. O. BOX 1162 |
| **Mailing Address Line2** | |
| **Mailing City** | VENTURA |
| **Mailing State** | CA |
| | 93002 |

items 13-14

| | |
|---|---|
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | 1162 |
| **Certification Type** | DBE |
| **EMail** | marty@designitGREEN.com |
| **Contact Name** | MARTIN ALLEN ARMSTRONG |
| **Area Code** | ( 805 ) |
| **Phone Number** | 364-2377 |
| **Alt Area Code** | ( 858 ) |
| **Alt Phone Number** | 754-9101 |
| **Fax Area Code** | ( ) |
| **Fax Phone Number** | |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |
| **Counties** | 15; 19; 21; 28; 37; 42; 49; 56; 57; |
| **Districts** | 03; 04; 05; 06; 07; 11; |
| **DBE NAICS** | 541320; 541620; 561730; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | A0781 Landscaping, Tree Services; C8700 CONSULTANT, NON ENGINEERING; C8705 DESIGN; C8713 CONSULTANT, ENVIRONMENTAL; C8744 LANDSCAPE ARCHITECTS; C8765 DRAFTING; C8793 Environmental - Environmental Impact Assessment; C8794 Environmental - Water Quality; C8834 Bicycle, Pedestrian Studies; C8852 SWPPP Planning; |
| **Licenses** | LA Landscape Architect; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 41066 |
| **Firm/DBA Name** | DIMURE CORP ✓ |
| **Address Line1** | 3842 AVENIDA JOHANNA |
| **Address Line2** | |
| **City** | LA MESA |
| **State** | CA |
| **Zip Code1** | 91941 |
| **Zip Code2** | |
| **Mailing Address Line1** | 3531 YBARRA ROAD |
| **Mailing Address Line2** | |
| **Mailing City** | SPRING VALLEY |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91978 |
| **Mailing Zip Code2** | 1117 |
| **Certification Type** | DBE |
| **EMail** | dm3mlm@gmail.com |
| **Contact Name** | DINA MURALT |
| **Area Code** | ( 619 ) |
| **Phone Number** | 647-3996 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( ) |
| **Fax Phone Number** | |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 30; 37; |
| **Districts** | 11; 12; |
| **DBE NAICS** | 236220; 237310; 238990; 541340; 541614; 561730; |

items 4, 21, 26-38

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C2000 HIGHWAY PLANTING; C8708 CONSULTANT,MASS TRANSIT/TRANSPORTATION; C8765 DRAFTING; C8770 CONSTRUCTION MANAGEMENT; C9872 SEWER CONNECTION; |
| **Licenses** | A General Engineering Contractor; B General Building Contractor; C27 Landscaping Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 43116 |
| **Firm/DBA Name** | DON H MAHAFFEY DRILLING CO ✓ |

item 45

| | |
|---|---|
| **Address Line1** | 1800 SOUTH ALAMEDA STREET |
| **Address Line2** | |
| **City** | COMPTON |
| **State** | CA |
| **Zip Code1** | 90221 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | amahaffey@mahaffeycompanies.com |
| **Contact Name** | ASHLEY MAHAFFEY TULLIUS |
| **Area Code** | ( 310 ) |
| **Phone Number** | 668-2030 |
| **Alt Area Code** | ( 310 ) |
| **Alt Phone Number** | 245-6157 |
| **Fax Area Code** | ( 310 ) |
| **Fax Phone Number** | 668-2040 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 237310; 237990; 238910; 238990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1580 MODIFY BRIDGE ITEM; C1970 EMBANKMENT CONSTRUCTION; C4901 FURNISH & DRIVE PILING; C4905 SOIL STABILIZATION; C4906 CAST-IN-DRILLED-HOLE CONCRETE PILING; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 38712 |
| **Firm/DBA Name** | DREAMBUILDER CONSTRUCTION CORP |
| **Address Line1** | 1324 E LAWSON LN. |
| **Address Line2** | |
| **City** | PLACENTIA |
| **State** | CA |
| **Zip Code1** | 92870 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | alex.singh@dreambuildercorp.com |
| **Contact Name** | ANURAG SINGH |
| **Area Code** | ( 714 ) |
| **Phone Number** | 646-3697 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 646-3698 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 237110; 237310; 238110; 238910; |

**ACDBE NAICS**

C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1531 PLANE ASPHALT

Competition
DO not solicit

| | |
|---|---|
| **Work Codes** | CONCRETE; C1601 CLEARING & GRUBBING; C1701 DEVELOP WATER SUPPLY; C1901 ROADWAY EXCAVATION; C2065 IRRIGATION SYSTEM; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C5105 MINOR CONCRETE STRUCTURE; C6200 ALTERNATIVE PIPE CULVERT; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN SUBCONTINENT |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 25021 |
| **Firm/DBA Name** | E E ELECTRIC, INC ✓ |
| **Address Line1** | 11127 CALABASH AVENUE |
| **Address Line2** | |
| **City** | FONTANA |
| **State** | CA |
| **Zip Code1** | 92337 |
| **Zip Code2** | |
| **Mailing Address Line1** | P. O. BOX 465 |
| **Mailing Address Line2** | |
| **Mailing City** | MIRA LOMA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91752 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | eeelectric@earthlink.net |
| **Contact Name** | HENRY ESCAJEDA |
| **Area Code** | ( 909 ) |
| **Phone Number** | 829-7818 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 909 ) |
| **Fax Phone Number** | 829-0118 |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 237130; 238210; 238990; 811310; |

items 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C8903 ELECTRICAL; C9858 RESIDENTIAL ELECTRICAL; D3590 INDUSTRIAL MACHINERY MANUFACTURING; |
| **Licenses** | B General Building Contractor; C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 37718 |
| **Firm/DBA Name** | E-NOR INNOVATIONS INC. ✓ |
| **Address Line1** | 16213 ILLINOIS AVENUE |
| **Address Line2** | |
| **City** | PARAMOUNT |
| **State** | CA |
| **Zip Code1** | 90723 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | ronnie@enortraffic.com |
| **Contact Name** | RONNIE JONES |
| **Area Code** | ( 310 ) |
| **Phone Number** | 513-6209 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 310 ) |

items 4, 5, 7, 9, 11, 12

| | |
|---|---|
| **Fax Phone Number** | 513-6299 |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 423990; 541340; 541620; 561990; |
| **ACDBE NAICS** | |
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C8700 CONSULTANT, NON ENGINEERING; C8765 DRAFTING; C9999 BROKER; J9510 ENVIRONMENTAL QUALITY; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; D42 Sign Installation; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 24176 |
| **Firm/DBA Name** | EAGLE ENGINEERING AND CONSTRUCTION, INC ✓ |
| **Address Line1** | 1175 PALOMAR DRIVE |
| **Address Line2** | |
| **City** | REDWOOD CITY |
| **State** | CA |
| **Zip Code1** | 94062 |
| **Zip Code2** | 3834 |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | brooks.curtis@att.net |
| **Contact Name** | CURTIS BROOKS |
| **Area Code** | ( 650 ) |
| **Phone Number** | 367-8000 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 650 ) |
| **Fax Phone Number** | 367-8282 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 221119; 237990; 238110; 238120; 238910; 333611; 517110; |
| **ACDBE NAICS** | |
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1575 REMOVE BRIDGE ITEM; C1580 MODIFY BRIDGE ITEM; C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C4010 PORTLAND CEMENT & CONCRETE PAVEMENT; C5501 STEEL STRUCTURES; C5570 STEEL CRIB WALL; C7410 PUMPING PLANT ELECTRICAL EQUIPMENT; C7415 ENGINE GENERATOR SET; C8602 SIGNAL & LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8611 RAMP METERING SYSTEM; C8770 CONSTRUCTION MANAGEMENT; C9858 RESIDENTIAL ELECTRICAL; C9866 HEATING & AIR CONDITIONING; C9980 DEMOLITION; D3510 ENGINES & TURBINES; E4810 TELEPHONE COMMUNICATIONS; E4820 TELEGRAPH & OTHER COMMUNICATIONS; E4910 ELECTRIC SERVICES; E4930 COMBINATION UTILITY SERVICES; |
| **Licenses** | A General Engineering Contractor; C07 Low Voltage Systems Contractor; C10 Electrical Contractor; C20 Warm-Air Heating, Ventilation and Air-conditioning Contracto; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

items 4, 43-44

---

| | |
|---|---|
| **Firm ID** | 35275 |
| **Firm/DBA Name** | ESWPPP CONSULTANTS LLC ✓ |
| **Address Line1** | 902 CORTINA COURT |
| **Address Line2** | |
| **City** | WALNUT CREEK |
| **State** | CA |
| **Zip Code1** | 94598 |
| **Zip Code2** | 4526 |

items 1, 25, 13-14

| | |
|---|---|
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | eswppp@hotmail.com |
| **Contact Name** | TIMIRBARAN MEHTA |
| **Area Code** | ( 925 ) |
| **Phone Number** | 451-1337 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 925 ) |
| **Fax Phone Number** | 465-4634 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 541330; 541620; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8713 CONSULTANT, ENVIRONMENTAL; C8720 CIVIL ENGINEERING; C8722 ENVIRONMENTAL ENGINEER; C8851 Lead Compliance; C8852 SWPPP Planning; |
| **Licenses** | EC Civil Engineer; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN SUBCONTINENT |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 4952 |
| **Firm/DBA Name** | FINE GRADE EQUIPMENT, INC. |
| **Address Line1** | 41729 CIELO VISTA DR |
| **Address Line2** | |
| **City** | PALMDALE |
| **State** | CA |
| **Zip Code1** | 93551 |
| **Zip Code2** | |
| **Mailing Address Line1** | P.O. BOX 2798 |
| **Mailing Address Line2** | |
| **Mailing City** | LANCASTER |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 93539 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | judy@finegradeinc.com |
| **Contact Name** | JUDY JOHNSTON |
| **Area Code** | ( 661 ) |
| **Phone Number** | 949-8788 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 661 ) |
| **Fax Phone Number** | 722-8900 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 237310; |

items 40-42

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1901 ROADWAY EXCAVATION; C1910 GRADING; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C9908 HEAVY EQUIPMENT RENTAL (OWNED EQUP ONLY); |
| **Licenses** | C12 Earthwork and Paving Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 39950 |
| **Firm/DBA Name** | FLASH TRAFFIC, INC. ✓ |
| **Address Line1** | 28420 N. HERRERA STREET |
| **Address Line2** | |
| **City** | VALENCIA |
| **State** | CA |
| **Zip Code1** | 91354 |
| **Zip Code2** | |
| **Mailing Address Line1** | PO BOX 801360 |
| **Mailing Address Line2** | |
| **Mailing City** | SANTA CLARITA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91380 |
| **Mailing Zip Code2** | 1360 |
| **Certification Type** | DBE |
| **EMail** | flashwbe@outlook.com |
| **Contact Name** | NATALIE MILLER |
| **Area Code** | ( 661 ) |
| **Phone Number** | 262-6003 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 661 ) |
| **Fax Phone Number** | 262-6099 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 10; 13; 15; 19; 30; 33; 36; 37; 42; 43; 56; |
| **Districts** | 04; 05; 06; 07; 08; 11; 12; |
| **DBE NAICS** | 561990; |

items 4, 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1210 Traffic Count; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42834 |
| **Firm/DBA Name** | FMF PANDION ✓ |
| **Address Line1** | 721 SNAPDRAGON STREET |
| **Address Line2** | |
| **City** | ENCINITAS |
| **State** | CA |
| **Zip Code1** | 92024 |
| **Zip Code2** | |
| **Mailing Address Line1** | 721 SNAPDRAGON STREET |
| **Mailing Address Line2** | |
| **Mailing City** | ENCINITAS |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92024 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | admin@fmfpandion.com |
| **Contact Name** | TOMMY WELLS |
| **Area Code** | ( 760 ) |
| **Phone Number** | 405-6805 |
| **Alt Area Code** | ( 760 ) |
| **Alt Phone Number** | 212-9120 |
| **Fax Area Code** | ( ) |
| **Fax Phone Number** | |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 19; 30; 33; 36; 37; 42; 56; |
| **Districts** | 05; 07; 08; 11; 12; |
| **DBE NAICS** | 541620; 541690; |

items 13-14

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8713 CONSULTANT, ENVIRONMENTAL; C8730 SAFETY STUDIES; C8793 Environmental - Environmental Impact |

| | |
|---|---|
| | Assessment; C8852 SWPPP Planning; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 29335 |
| **Firm/DBA Name** | FORCE TRAFFIC CONTROL, INC. ✓ |
| **Address Line1** | 1478-B NORTH BELMONT RD |
| **Address Line2** | |
| **City** | EXETER |
| **State** | CA |
| **Zip Code1** | 93221 |
| **Zip Code2** | |
| **Mailing Address Line1** | P.O. BOX 1107 |
| **Mailing Address Line2** | |
| **Mailing City** | EXETER |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 93221 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | forcetraffic@earthlink.net |
| **Contact Name** | ROSEMARY STIMPEL |
| **Area Code** | ( 559 ) |
| **Phone Number** | 594-1062 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 559 ) |
| **Fax Phone Number** | 594-1056 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 31; 32; 33; 34; 35; 36; 37; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; |
| **DBE NAICS** | 238990; |

items 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 35742 |
| **Firm/DBA Name** | FULL TRAFFIC MAINTENANCE, INC. ✓ |
| **Address Line1** | 217 LEWIS COURT |
| **Address Line2** | |
| **City** | CORONA |
| **State** | CA |
| **Zip Code1** | 92882 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | sammysalgado@sbcglobal.net |
| **Contact Name** | SAMUEL J. SALGADO |
| **Area Code** | ( 951 ) |
| **Phone Number** | 520-9990 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 951 ) |
| **Fax Phone Number** | 520-9980 |
| **Agency Name** | CITY OF LOS ANGELES |

items 4, 5, 7, 9, 11, 12, 46-47, 48

| | |
|---|---|
| **Counties** | 19; 30; 33; 36; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 561990; |
| **ACDBE NAICS** | |
| **Work Codes** | C0612 SAFETY EQUIPMENT SUPPLIER; C0800 Traffic Striping, Marking and Traffic Control Materials Supplier; C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; |
| **Licenses** | A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor; C61 Limited Specialty Contractor; D42 Sign Installation; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 41700 |
| **Firm/DBA Name** | G & G ELECTRIC INC ✓ |
| **Address Line1** | 4229 GILES COURT |
| **Address Line2** | |
| **City** | RIVERSIDE |
| **State** | CA |
| **Zip Code1** | 92503 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | chvz_glbrt@yahoo.com |
| **Contact Name** | GILBERTO CHAVEZ |
| **Area Code** | ( 951 ) |
| **Phone Number** | 572-0196 |
| **Alt Area Code** | ( 562 ) |
| **Alt Phone Number** | 755-7297 |
| **Fax Area Code** | ( 951 ) |
| **Fax Phone Number** | 689-2694 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 36; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 238210; |
| **ACDBE NAICS** | |
| **Work Codes** | C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8604 LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8903 ELECTRICAL; C9859 Commercial Electrical; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

item 48

---

| | |
|---|---|
| **Firm ID** | 37053 |
| **Firm/DBA Name** | GATES ENTERPRISES, INC ✓ |
| **Address Line1** | 6 HUTTON CENTRE DRIVE, SUITE 600 |
| **Address Line2** | |
| **City** | SANTA ANA |
| **State** | CA |
| **Zip Code1** | 92707 |
| **Zip Code2** | |
| **Mailing Address Line1** | 6 HUTTON CENTRE DRIVE, SUITE 600 |
| **Mailing Address Line2** | SOUTH METRO AREA |
| **Mailing City** | SANTA ANA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92707 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |

items 40-42

| | |
|---|---|
| **EMail** | jgates.gei@gmail.com |
| **Contact Name** | JOE GATES |
| **Area Code** | ( 714 ) |
| **Phone Number** | 382-6707 |
| **Alt Area Code** | ( 310 ) |
| **Alt Phone Number** | 592-5810 |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 382-6801 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 237310; 238910; 532412; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1901 ROADWAY EXCAVATION; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C8700 CONSULTANT, NON ENGINEERING; C9771 TRUCK BROKER; |
| **Licenses** | C12 Earthwork and Paving Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 31176 |
| **Firm/DBA Name** | GLOBAL ROAD SEALING, INC ✓ |
| **Address Line1** | 10832 DOROTHY AVE |
| **Address Line2** | |
| **City** | GARDEN GROVE |
| **State** | CA |
| **Zip Code1** | 92843 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | grs@globalroadsealing.com |
| **Contact Name** | TRI LA |
| **Area Code** | ( 714 ) |
| **Phone Number** | 893-0845 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 893-0945 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238210; 238910; |

items 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C3701 SEAL COAT; C4040 CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; C4101 PAVEMENT SUBSEALING & JACKING; C8501 PAVEMENT MARKING; C8608 DETECTOR; C8611 RAMP METERING SYSTEM; C9858 RESIDENTIAL ELECTRICAL; C9980 DEMOLITION; |
| **Licenses** | A General Engineering Contractor; C10 Electrical Contractor; C32 Parking and Highway Improvement Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42780 |
| **Firm/DBA Name** | HEIR & SON CONSTRUCTION, INC ✓ |
| **Address Line1** | 1180 SANBORN ROAD |
| **Address Line2** | |
| **City** | YUBA CITY |

item 4

| | |
|---|---|
| **State** | CA |
| **Zip Code1** | 95993 |
| **Zip Code2** | |
| **Mailing Address Line1** | 1040 LINCOLN ROAD #160 |
| **Mailing Address Line2** | |
| **Mailing City** | YUBA CITY |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 95991 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | Heirandson@comcast.net |
| **Contact Name** | SUKHDEV SINGH HEIR |
| **Area Code** | ( 530 ) |
| **Phone Number** | 415-4777 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 916 ) |
| **Fax Phone Number** | 463-9041 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 237310; 488490; |
| **ACDBE NAICS** | |
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1211 TRAFFIC FLAGGERS; C1901 ROADWAY EXCAVATION; C2201 FINISHING ROADWAY; C4040 CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; C4201 GROOVE & GRIND PAVEMENT; C5110 CONCRETE SURFACE FINISH; C5111 CONCRETE OVERLAY, DRILL & BOND; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN SUBCONTINENT |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42048 |
| **Firm/DBA Name** | HILLSIDE DRILLING, INC. |
| **Address Line1** | 539 S. 11TH STREET |
| **Address Line2** | |
| **City** | RICHMOND |
| **State** | CA |
| **Zip Code1** | 94804 |
| **Zip Code2** | |
| **Mailing Address Line1** | P.O. BOX 70130 |
| **Mailing Address Line2** | |
| **Mailing City** | PT. RICHMOND |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 94807 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | cheryl@hillsidedrilling.com |
| **Contact Name** | CHERYL WALSH |
| **Area Code** | ( 510 ) |
| **Phone Number** | 234-6532 |
| **Alt Area Code** | ( 530 ) |
| **Alt Phone Number** | 209-9931 |
| **Fax Area Code** | ( 510 ) |
| **Fax Phone Number** | 234-3131 |
| **Agency Name** | CENTRAL CONTRA COSTA TRANSIT AUTHORITY (CCCTA) |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 20; 21; 23; 27; 28; 29; 31; 32; 34; 38; 39; 41; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 09; 10; 11; |
| **DBE NAICS** | 237310; 237990; 238110; 238910; 238990; |
| **ACDBE NAICS** | |
| **Work Codes** | C0653 STEEL SOLDIER PILES; C0654 TIMBER LAGGING; C4901 FURNISH & DRIVE PILING; C4905 SOIL STABILIZATION; C4906 CAST-IN-DRILLED-HOLE CONCRETE PILING; |

item 45

| | |
|---|---|
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 14089 |
| **Firm/DBA Name** | IN-LINE FENCE & RAILING CO., INC ✓ |
| **Address Line1** | 1307 WALNUT STREET |
| **Address Line2** | |
| **City** | RAMONA |
| **State** | CA |
| **Zip Code1** | 92065 |
| **Zip Code2** | |
| **Mailing Address Line1** | P.O. BOX 2637 |
| **Mailing Address Line2** | |
| **Mailing City** | RAMONA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92065 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | julie@inlinerail.com |
| **Contact Name** | DAVID ORTIZ |
| **Area Code** | ( 760 ) |
| **Phone Number** | 789-0282 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 760 ) |
| **Fax Phone Number** | 789-0689 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 30; 33; 36; 37; |
| **Districts** | 08; 11; 12; |
| **DBE NAICS** | 238990; |

items 19, 20, 49-51, 56, 57

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8000 FENCING CONTRACTOR; C8320 METAL BEAM GUARD RAILING; C8501 PAVEMENT MARKING; |
| **Licenses** | C13 Fencing Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 33587 |
| **Firm/DBA Name** | INDUSTRIAL BATTERY SERVICES ✓ |
| **Address Line1** | 673 ERLANDSON STREET |
| **Address Line2** | |
| **City** | RICHMOND |
| **State** | CA |
| **Zip Code1** | 94804 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | ibsrecoder@aol.com |
| **Contact Name** | ELIZABETH RECORDER |
| **Area Code** | ( 510 ) |
| **Phone Number** | 222-7719 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 510 ) |
| **Fax Phone Number** | 412-5988 |
| **Agency Name** | BAY AREA RAPID TRANSIT DISTRICT (BART) |

items 5, 7, 9, 11, 12

| | |
|---|---|
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238210; 441310; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C8906 AUTO SERVICE; C9858 RESIDENTIAL ELECTRICAL; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 43169 |
| **Firm/DBA Name** | JAHN ENGINEERING, INC ✓ |
| **Address Line1** | 32 WEST SOUTHWOOD DRIVE |
| **Address Line2** | |
| **City** | WOODLAND |
| **State** | CA |
| **Zip Code1** | 95695 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | jahnengineering@gmail.com |
| **Contact Name** | ALICE AMES JAHN |
| **Area Code** | ( 916 ) |
| **Phone Number** | 599-2379 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 916 ) |
| **Fax Phone Number** | 596-4075 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 541330; 541620; |

items 13-14

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8720 CIVIL ENGINEERING; C8852 SWPPP Planning; |
| **Licenses** | EC Civil Engineer; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 32278 |
| **Firm/DBA Name** | JESMAR CONSTRUCTION ✓ |
| **Address Line1** | 2528 OAKMOUNT AVENUE |
| **Address Line2** | |
| **City** | SANTA ANA |
| **State** | CA |
| **Zip Code1** | 92706 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | jesmarboring@sbcglobal.net |

items 60-64

| | |
|---|---|
| **Contact Name** | JESUS HERNANDEZ |
| **Area Code** | ( 714 ) |
| **Phone Number** | 972-2665 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 972-9331 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 19; 30; 33; 36; 37; 42; 56; |
| **Districts** | 05; 07; 08; 11; 12; |
| **DBE NAICS** | 237110; 237990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C7601 DIRECTIONAL BORING/DRILLING; E4940 WATER SUPPLY; E4970 IRRIGATION SYSTEMS; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 37409 |
| **Firm/DBA Name** | JL STORMWATER CONSULTANTS, INC ✓ |
| **Address Line1** | 1720 BRIDGEHAMPTON PLACE |
| **Address Line2** | |
| **City** | EL CAJON |
| **State** | CA |
| **Zip Code1** | 92019 |
| **Zip Code2** | |
| **Mailing Address Line1** | PMB 127 , 2650 JAMACHA RD., STE 147 |
| **Mailing Address Line2** | |
| **Mailing City** | EL CAJON |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92019 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | jane@jlstormwater.com |
| **Contact Name** | JANE LEDFORD |
| **Area Code** | ( 619 ) |
| **Phone Number** | 938-2420 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 334-6750 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 541620; |

items 13-14

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8700 CONSULTANT, NON ENGINEERING; C8852 SWPPP Planning; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 447 |
| **Firm/DBA Name** | K R C SAFETY CO. INC. ✓ |
| **Address Line1** | 7821 WEST SUNNYVIEW |
| **Address Line2** | |
| **City** | VISALIA |
| **State** | CA |
| **Zip Code1** | 93291 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |

items 4,5,7,9,11,12
15-18,45,46,47
19,20,49-51
53-55 6,22,52,
56-57

| | |
|---|---|
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | garyc@krcsafety.com |
| **Contact Name** | GARY CASTRO |
| **Area Code** | ( 559 ) |
| **Phone Number** | 732-0393 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 559 ) |
| **Fax Phone Number** | 732-2684 |
| **Agency Name** | CITY OF FRESNO |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 237310; 238110; 238990; 339950; 423390; 423810; 423830; 423990; 484110; 532412; 541430; 541490; 541850; 541890; |
| **ACDBE NAICS** | |
| **Work Codes** | C0612 SAFETY EQUIPMENT SUPPLIER; C0683 GUARD RAILINGS & BARRIERS SUPPLIER; C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1290 TEMPORARY RAILING (TYPE K); C1522 RESET, ADJUST ROADWAY ITEMS; C2030 EROSION CONTROL; C2066 TEMPORARY EROSION CONTROL; C3930 PAVEMENT REINFORCING FABRIC; C4906 CAST-IN-DRILLED-HOLE CONCRETE PILING; C5100 CONCRETE STRUCTURE; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8101 SURVEY OR HISTORICAL MONUMENT; C8201 OBJECT MARKER; C8320 METAL BEAM GUARD RAILING; C8331 CONCRETE BARRIER; C8405 THERMOPLASTIC TRAFFIC STRIPING & MARKING; C8406 PAINTED TRAFFIC STRIPING & MARKING; C8501 PAVEMENT MARKING; C9605 FLAT BED TRUCKING; C9774 TRUCKER; C9907 CONSTRUCTION EQUIPMENT RENTAL; |
| **Licenses** | A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 38347 |
| **Firm/DBA Name** | KAYLEN ENGINEERING, INC. DBA KAYLEN TRAFFIC CONTROL ✓ |
| **Address Line1** | 22140 FRONTIER ROAD |
| **Address Line2** | |
| **City** | CLOVIS |
| **State** | CA |
| **Zip Code1** | 93619 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | karen@imaginationmetals.com |
| **Contact Name** | KAREN JOHNSTON |
| **Area Code** | ( 559 ) |
| **Phone Number** | 299-2899 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( ) |
| **Fax Phone Number** | |
| **Agency Name** | CITY OF FRESNO |
| **Counties** | 10; 15; 16; 20; 24; 33; 34; 36; 37; 39; 49; 50; 54; |
| **Districts** | 03; 04; 06; 08; 10; 11; |
| **DBE NAICS** | 237110; 238990; 332322; 332323; 423390; 425120; |
| **ACDBE NAICS** | |
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C5105 MINOR CONCRETE STRUCTURE; C6200 ALTERNATIVE PIPE CULVERT; C6301 CAST-IN-PLACE CONCRETE PIPE; C6500 REINFORCED CONCRETE PIPE; C6650 CORRUGATED METAL PIPE (CSP); D3470 METAL MANUFACTURING; D3490 FABRICATED METAL PRODUCTS; |
| **Licenses** | A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor; |

items 4, 5, 7, 9, 11, 12

| | |
|---|---|
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 30847 |
| **Firm/DBA Name** | KERN COUNTY CUSTOM CONCRETE |
| **Address Line1** | 4916 COLLEGE AVE |
| **Address Line2** | |
| **City** | BAKERSFIELD |
| **State** | CA |
| **Zip Code1** | 93306 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | JerryKCCC@yahoo.com |
| **Contact Name** | MR. JERRY M. FUENTEZ |
| **Area Code** | ( 661 ) |
| **Phone Number** | 872-4602 |
| **Alt Area Code** | ( 661 ) |
| **Alt Phone Number** | 865-7465 |
| **Fax Area Code** | ( 661 ) |
| **Fax Phone Number** | 325-5590 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238110; 238120; 238990; 327390; |
| **ACDBE NAICS** | |
| **Work Codes** | C2800 CONCRETE BASE; C4906 CAST-IN-DRILLED-HOLE CONCRETE PILING; C5000 PRESTRESSING CONCRETE CAST-IN-PLACE; C5100 CONCRETE STRUCTURE; C5105 MINOR CONCRETE STRUCTURE; C5110 CONCRETE SURFACE FINISH; C5120 FURNISH PRECAST CONCRETE DECK UNIT; C5124 ERECT PRECAST CONCRETE; C5136 REINFORCED CONCRETE CRIB WALL; C5501 STEEL STRUCTURES; C5570 STEEL CRIB WALL; C7301 CONCRETE CURB & SIDEWALK - MISC; C8331 CONCRETE BARRIER; D3460 METAL FORGINGS & STAMPINGS; |
| **Licenses** | C08 Concrete Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

item 45

---

| | |
|---|---|
| **Firm ID** | 20499 |
| **Firm/DBA Name** | L C PAVING & SEALING, INC. |
| **Address Line1** | 996 BORDEN RD. |
| **Address Line2** | |
| **City** | SAN MARCOS |
| **State** | CA |
| **Zip Code1** | 92069 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | marisa@lcpaving.com |
| **Contact Name** | JOSE SALINAS |
| **Area Code** | ( 760 ) |
| **Phone Number** | 752-1743 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 760 ) |

item 40-42

| | |
|---|---|
| **Fax Phone Number** | 752-1674 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 36; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 238110; 238120; 238990; |
| **ACDBE NAICS** | |
| **Work Codes** | C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C3930 PAVEMENT REINFORCING FABRIC; C4101 PAVEMENT SUBSEALING & JACKING; |
| **Licenses** | A General Engineering Contractor; B General Building Contractor; C12 Earthwork and Paving Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 39322 |
| **Firm/DBA Name** | LA FIRMA INC. |
| **Address Line1** | 715 RIDGE ROAD |
| **Address Line2** | |
| **City** | NIPOMO |
| **State** | CA |
| **Zip Code1** | 93444 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | estimating@theswpppfirm.com |
| **Contact Name** | VICENTE CHAVEZ BRAVO |
| **Area Code** | ( 805 ) |
| **Phone Number** | 748-8576 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 805 ) |
| **Fax Phone Number** | 929-0501 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 238990; 541620; |
| **ACDBE NAICS** | |
| **Work Codes** | C2021 HYDROSEEDING; C2030 EROSION CONTROL; C8700 CONSULTANT, NON ENGINEERING; C8852 SWPPP Planning; |
| **Licenses** | B General Building Contractor; D64 Nonspecialized; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

items 13-14

---

| | |
|---|---|
| **Firm ID** | 40561 |
| **Firm/DBA Name** | LMN CONCRETE & GRINDING |
| **Address Line1** | 2751 AVALON ST |
| **Address Line2** | |
| **City** | JURUPA VALLEY |
| **State** | CA |
| **Zip Code1** | 92509 |
| **Zip Code2** | |
| **Mailing Address Line1** | 2751 AVALON ST |
| **Mailing Address Line2** | |
| **Mailing City** | JURUPA VALLEY |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92509 |

item 24

| | |
|---|---|
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | orders@lmncoldmilling.com |
| **Contact Name** | ANTHONY STEEN |
| **Area Code** | ( 951 ) |
| **Phone Number** | 616-3828 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 951 ) |
| **Fax Phone Number** | 685-1862 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 36; 37; 42; |
| **Districts** | 05; 07; 08; 11; 12; |
| **DBE NAICS** | 238990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1531 PLANE ASPHALT CONCRETE; C4040 CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; |
| **Licenses** | D06 Concrete Related Services; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 31286 |
| **Firm/DBA Name** | LNA CONCRETE STRUCTURES, INC. ✓ |
| **Address Line1** | 15455 TERN STREET |
| **Address Line2** | |
| **City** | CHINO HILLS |
| **State** | CA |
| **Zip Code1** | 91709 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | agarcialna@aol.com |
| **Contact Name** | HELIODORO GARCIA |
| **Area Code** | ( 909 ) |
| **Phone Number** | 393-1493 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 909 ) |
| **Fax Phone Number** | 393-9363 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 237310; 238110; 238120; 238990; |

items 40-42

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1575 REMOVE BRIDGE ITEM; C1580 MODIFY BRIDGE ITEM; C1910 GRADING; C2201 FINISHING ROADWAY; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 38078 |
| **Firm/DBA Name** | MANERI TRAFFIC CONTROL ✓ |
| **Address Line1** | 47423 RAINBOW CANYON RD |
| **Address Line2** | |
| **City** | TEMECULA |
| **State** | CA |

items 4, 5, 7, 9, 11, 12

| | |
|---|---|
| **Zip Code1** | 92592 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | mariamaneri@yahoo.com |
| **Contact Name** | MARIA MANERI |
| **Area Code** | ( 951 ) |
| **Phone Number** | 695-5104 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 951 ) |
| **Fax Phone Number** | 695-5105 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 13; 19; 30; 33; 36; 37; 40; 42; 56; |
| **Districts** | 04; 05; 07; 08; 11; 12; |
| **DBE NAICS** | 561990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1210 Traffic Count; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; D42 Sign Installation; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 15032 |
| **Firm/DBA Name** | MATZENAUER ELECTRIC, INC ✓ |
| **Address Line1** | 12115 LAKESIDE AVE |
| **Address Line2** | |
| **City** | LAKESIDE |
| **State** | CA |
| **Zip Code1** | 92040 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | diana@matzenauer.com |
| **Contact Name** | DIANA TOWNE |
| **Area Code** | ( 619 ) |
| **Phone Number** | 390-4570 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 390-4559 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 238210; |

items 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C9858 RESIDENTIAL ELECTRICAL; |
| **Licenses** | C10 Electrical Contractor; D34 Prefabricated Equipment; D50 Suspended Ceilings; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 27969 |
| **Firm/DBA Name** | MC CULLOUGH CONSTRUCTION INC |
| **Address Line1** | 57 ALDER GROVE ROAD |
| **Address Line2** | |
| **City** | ARCATA |
| **State** | CA |
| **Zip Code1** | 95521 |
| **Zip Code2** | |
| **Mailing Address Line1** | 57 ALDER GROVE RD |
| **Mailing Address Line2** | |
| **Mailing City** | ARCATA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 95521 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | denamccullough@mccullughconstructioninc.com |
| **Contact Name** | MACKY MCCULLOUGH |
| **Area Code** | ( 707 ) |
| **Phone Number** | 825-1014 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 707 ) |
| **Fax Phone Number** | 825-1769 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 212321; 221310; 237310; 237990; 238120; 238910; 541330; |
| **ACDBE NAICS** | |
| **Work Codes** | B1440 SAND & GRAVEL; C1201 TRAFFIC CONTROL SYSTEM; C1575 REMOVE BRIDGE ITEM; C1580 MODIFY BRIDGE ITEM; C1601 CLEARING & GRUBBING; C1701 DEVELOP WATER SUPPLY; C1901 ROADWAY EXCAVATION; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C5501 STEEL STRUCTURES; C5570 STEEL CRIB WALL; C9907 CONSTRUCTION EQUIPMENT RENTAL; C9908 HEAVY EQUIPMENT RENTAL (OWNED EQUP ONLY); C9980 DEMOLITION; E4940 WATER SUPPLY; E4970 IRRIGATION SYSTEMS; |
| **Licenses** | A General Engineering Contractor; C27 Landscaping Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

items 5, 7, 9, 11, 12

---

| | |
|---|---|
| **Firm ID** | 14906 |
| **Firm/DBA Name** | METCO |
| **Address Line1** | 2165 FRANCISCO BOULEVARD, #AI |
| **Address Line2** | |
| **City** | SAN RAFAEL |
| **State** | CA |
| **Zip Code1** | 94901 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | c.martinez@metco-usa.com |
| **Contact Name** | CHRISTOPHER MARTINEZ |
| **Area Code** | ( 415 ) |
| **Phone Number** | 455-9922 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 415 ) |
| **Fax Phone Number** | 455-9960 |
| **Agency Name** | SAN FRANCISCO MUNICIPAL TRANSPORTATION AGENCY |
| **Counties** | 00; |
| **Districts** | 00; |
| | 221119; 238210; 238990; 423610; 561621; |

items 5, 7, 9, 11, 12

**DBE NAICS**

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C0686 ELECTRICAL & SIGNALS SUPPLIER; C1201 TRAFFIC CONTROL SYSTEM; C8700 CONSULTANT, NON ENGINEERING; C8701 BUSINESS ADMINISTRATION; C8702 MANAGEMENT INFORMATION SYSTEMS; C8703 TRAFFIC ENGINEER; C8707 FEASIBILITY STUDIES; C8716 ARCHITECTURAL ENGINEER; C8720 CIVIL ENGINEERING; C8730 SAFETY STUDIES; C8742 MECHANICAL ENGINEERS; C8903 ELECTRICAL; C9858 RESIDENTIAL ELECTRICAL; E4810 TELEPHONE COMMUNICATIONS; E4820 TELEGRAPH & OTHER COMMUNICATIONS; E4910 ELECTRIC SERVICES; E4930 COMBINATION UTILITY SERVICES; F5060 ELECTRICAL GOODS; F5085 COMPUTER EQUIPMENT & SUPPLIES; I7370 COMPUTER & DATA PROCESSING SERVICES; I7371 COMPUTER PROGRAMMING; I7382 SECURITY SYSTEMS SERVICES; I8740 MANAGEMENT & PUBLIC RELATIONS; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 36979 |
| **Firm/DBA Name** | MONTGOMERY CONSTRUCTION SERVICES, INC. ✓ |
| **Address Line1** | 7084 SPRINGFORD |
| **Address Line2** | |
| **City** | SAN DIEGO |
| **State** | CA |
| **Zip Code1** | 92114 item 39 |
| **Zip Code2** | |
| **Mailing Address Line1** | 123 WORTHINGTON STREET, SUITE 205 |
| **Mailing Address Line2** | |
| **Mailing City** | SPRING VALLEY |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91977 |
| **Mailing Zip Code2** | 6106 |
| **Certification Type** | DBE |
| **EMail** | estimating@montcsi.com |
| **Contact Name** | CLIFFORD K. MONTGOMERY |
| **Area Code** | ( 619 ) |
| **Phone Number** | 578-2538 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 546-8482 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 02; 08; 13; 19; 28; 29; 30; 33; 36; 40; 42; 43; |
| **Districts** | 01; 03; 04; 05; 07; 08; 10; 11; 12; |
| **DBE NAICS** | 236115; 236116; 236117; 236118; 237110; 237130; 237210; 237310; 237990; 238110; 238140; 238190; 238910; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1970 EMBANKMENT CONSTRUCTION; C2602 AGGREGATE BASE; C4010 PORTLAND CEMENT & CONCRETE PAVEMENT; C8770 CONSTRUCTION MANAGEMENT; C8771 Construction Management - Commercial and Institutional Building Construction; C8772 Construction Management - Institutional Building Construction; C8774 Construction Management - Land Subdivision; C8776 Construction Management - Other Heavy and Civil Construction; C9801 BUILDING CONSTRUCTION; C9810 SMALL STRUCTURES; C9846 ADDITIONS, ALTERATIONS OR REPAIRS; |
| **Licenses** | A General Engineering Contractor; B General Building Contractor; C12 Earthwork and Paving Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 41765 |
| **Firm/DBA Name** | NATURAL INVESTIGATIONS COMPANY, INCORPORATED ✓ |
| **Address Line1** | 6124 SHADOW LANE items 13-14 |
| **Address Line2** | |
| **City** | CITRUS HEIGHTS |
| **State** | CA |
| **Zip Code1** | 95621 |
| **Zip Code2** | |
| **Mailing Address Line1** | |

| | |
|---|---|
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | cindy@naturalinvestigations.com |
| **Contact Name** | CINDY J. ARRINGTON |
| **Area Code** | ( 916 ) |
| **Phone Number** | 765-9381 |
| **Alt Area Code** | ( 916 ) |
| **Alt Phone Number** | 452-5442 |
| **Fax Area Code** | ( ) |
| **Fax Phone Number** | |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 541620; 541690; |
| **ACDBE NAICS** | |
| **Work Codes** | C8700 CONSULTANT, NON ENGINEERING; C8713 CONSULTANT, ENVIRONMENTAL; C8792 Environmental - Biological Studies; C8835 ARCHEOLOGY & ARCHAEOLOGICAL SURVEY REPORT; C8852 SWPPP Planning; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 40834 |
| **Firm/DBA Name** | NUNO IRON & MFG, INC |
| **Address Line1** | 315 BITTERWATER RD. |
| **Address Line2** | |
| **City** | KING CITY |
| **State** | CA |
| **Zip Code1** | 93930 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | bpantoja@nunoiron.com |
| **Contact Name** | MARCELINO NUNO II |
| **Area Code** | ( 831 ) |
| **Phone Number** | 386-0513 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 831 ) |
| **Fax Phone Number** | 386-9976 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 238120; 332322; 332323; 332710; 332996; 339950; |
| **ACDBE NAICS** | |
| **Work Codes** | C5501 STEEL STRUCTURES; C5570 STEEL CRIB WALL; C5601 SIGN STRUCTURE; C7500 MISC IRON & STEEL FRAME, COVER & GRATE; D3440 FABRICATED STRUCTURAL METAL PRODUCTS; D3490 FABRICATED METAL PRODUCTS; D3590 INDUSTRIAL MACHINERY MANUFACTURING; D3990 MISC MANUFACTURES; |
| **Licenses** | B General Building Contractor; C23 Ornamental Metal Contractor; C51 Structural Steel Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

items 46-47

| | |
|---|---|
| **Firm ID** | 34790 |
| **Firm/DBA Name** | ORTIZ ASPHALT PAVING, INC |
| **Address Line1** | 382 EAST ORANGE SHOW ROAD |
| **Address Line2** | |
| **City** | SAN BERNARDINO |
| **State** | CA |
| **Zip Code1** | 92408 |
| **Zip Code2** | |
| **Mailing Address Line1** | P O BOX 401370 |
| **Mailing Address Line2** | |
| **Mailing City** | HESPERIA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92340 |
| **Mailing Zip Code2** | 1370 |
| **Certification Type** | DBE |
| **EMail** | bruceatortiz@aol.com |
| **Contact Name** | BRUCE KEVIN ORTIZ |
| **Area Code** | ( 951 ) |
| **Phone Number** | 966-7060 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 760 ) |
| **Fax Phone Number** | 995-4443 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 10; 13; 14; 15; 19; 30; 33; 36; 37; 56; |
| **Districts** | 06; 07; 08; 09; 11; 12; |
| **DBE NAICS** | 237310; |

items 40-42 43-44

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C0639 ASPHALT SUPPLIER; C1910 GRADING; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C3930 PAVEMENT REINFORCING FABRIC; C3940 PLACE ASPHALT CONCRETE DIKE & MISC; |
| **Licenses** | NL CAUTION:FIRM NOT LICENSED IN CALIFORNIA; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 102 |
| **Firm/DBA Name** | PAYCO SPECIALTIES, INCORPORATED |
| **Address Line1** | 120 NORTH SECOND AVE. |
| **Address Line2** | |
| **City** | CHULA VISTA |
| **State** | CA |
| **Zip Code1** | 91910 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | rebecca@payco.biz |
| **Contact Name** | REBECCA LLEWELLYN |
| **Area Code** | ( 619 ) |
| **Phone Number** | 422-9204 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 427-1620 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 02; 13; 19; 30; 33; 37; |
| **Districts** | 07; 08; 10; 11; 12; |
| **DBE NAICS** | 237310; 238990; |

items 12
5, 7, 9, 11, 12
53-55
6, 22, 52
56-57

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8201 OBJECT MARKER; C8405 THERMOPLASTIC TRAFFIC STRIPING & MARKING; C8406 PAINTED TRAFFIC STRIPING & MARKING; C8501 PAVEMENT MARKING; C9906 SANDBLASTING; |
| **Licenses** | B General Building Contractor; C32 Parking and Highway Improvement Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 39787 |
| **Firm/DBA Name** | QUALITY EQUIPMENT RENTAL ✓ |
| **Address Line1** | 13940 ROSE AVENUE |
| **Address Line2** | |
| **City** | FONTANA |
| **State** | CA |
| **Zip Code1** | 92337 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | qualityequipmentrental@yahoo.com |
| **Contact Name** | JOSE LUIS SEGURA II |
| **Area Code** | ( 909 ) |
| **Phone Number** | 276-5582 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 888 ) |
| **Fax Phone Number** | 839-9857 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 36; 37; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 532490; |

item 4

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; I7350 MISC EQUIPMENT RENTAL & LEASING; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 5616 |
| **Firm/DBA Name** | QUALITY HYDROSEEDING & RESTORATION ✓ |
| **Address Line1** | 2013 ORANGE AVE |
| **Address Line2** | |
| **City** | RAMONA |
| **State** | CA |
| **Zip Code1** | 92065 |
| **Zip Code2** | 5550 |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | poundstone@live.com |
| **Contact Name** | CYNTHIA D POUNDSTONE |
| **Area Code** | ( 760 ) |
| **Phone Number** | 789-8040 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 760 ) |
| **Fax Phone Number** | 789-5168 |

items 15-18

| | |
|---|---|
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 561730; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C0620 LANDSCAPING & NURSERY SUPPLIER; C2030 EROSION CONTROL; C2066 TEMPORARY EROSION CONTROL; |
| **Licenses** | C27 Landscaping Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42283 |
| **Firm/DBA Name** | QUALITY TRAFFIC CONTROL ✓ |
| **Address Line1** | 13940 ROSE AVENUE |
| **Address Line2** | |
| **City** | FONTANA |
| **State** | CA |
| **Zip Code1** | 92337 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | Qualitytrafficcontrol@gmail.com |
| **Contact Name** | JOSE SEGURA |
| **Area Code** | ( 909 ) |
| **Phone Number** | 276-5582 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 888 ) |
| **Fax Phone Number** | 839-9857 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 30; 33; 36; 37; |
| **Districts** | 08; 11; 12; |
| **DBE NAICS** | 561990; |

items 4, 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 40569 |
| **Firm/DBA Name** | RAP ENGINEERING, INC ✓ |
| **Address Line1** | 503 E MISSION ROAD |
| **Address Line2** | |
| **City** | SAN MARCOS |
| **State** | CA |
| **Zip Code1** | 92069 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |

items 40-42

| | |
|---|---|
| **EMail** | rperez@rapenginc.com |
| **Contact Name** | ROBERT PEREZ |
| **Area Code** | ( 760 ) |
| **Phone Number** | 233-2980 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 760 ) |
| **Fax Phone Number** | 233-2984 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 37; |
| **Districts** | 11; |
| **DBE NAICS** | 237310; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1910 GRADING; C3910 PAVING ASPHALT (ASPHALT CONCRETE); |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 40820 |
| **Firm/DBA Name** | RAYMOND TORRES AND DAUGHTER LANDSCAPING |
| **Address Line1** | 3162 DOVECREST CT |
| **Address Line2** | |
| **City** | SPRING VALLEY |
| **State** | CA |
| **Zip Code1** | 91977 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | rtorreslandscaping@gmail.com |
| **Contact Name** | RAYMOND TORRES |
| **Area Code** | ( 619 ) |
| **Phone Number** | 462-7751 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 923-2510 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 37; |
| **Districts** | 11; |
| **DBE NAICS** | 561730; |

items 21, 26-38
15-18

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C2030 EROSION CONTROL; C2065 IRRIGATION SYSTEM; C2066 TEMPORARY EROSION CONTROL; |
| **Licenses** | C27 Landscaping Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 2275 |
| **Firm/DBA Name** | REBEL CONCRETE BREAKING SERVICE |
| **Address Line1** | 1618 E. 87 PL. |
| **Address Line2** | |
| **City** | LOS ANGELES |
| **State** | CA |

items 40-42

| | |
|---|---|
| **Zip Code1** | 90002 |
| **Zip Code2** | 2002 |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | rebelconcretebreaking@yahoo.com |
| **Contact Name** | JAMES E. HINES |
| **Area Code** | ( 323 ) |
| **Phone Number** | 574-9774 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 323 ) |
| **Fax Phone Number** | 563-8311 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 37; 42; |
| **Districts** | 05; 07; 08; 11; 12; |
| **DBE NAICS** | 238910; 238990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1940 DITCHES EXCAVATION; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C9980 DEMOLITION; C9981 BUILDING MOVER; |
| **Licenses** | C12 Earthwork and Paving Contractor; C21 Building Moving / Demolition Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 41944 |
| **Firm/DBA Name** | ROC EQUIPMENT LLC |
| **Address Line1** | 2065 WEST PARKWAY BLVD |
| **Address Line2** | |
| **City** | SALT LAKE CITY |
| **State** | UT |
| **Zip Code1** | 84119 |
| **Zip Code2** | |
| **Mailing Address Line1** | P O BOX 3143 |
| **Mailing Address Line2** | |
| **Mailing City** | SALT LAKE CITY |
| **Mailing State** | UT |
| **Mailing Zip Code1** | 84110 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | vanessa@rocequipment.com |
| **Contact Name** | VANESSA LUCIDO |
| **Area Code** | ( 801 ) |
| **Phone Number** | 214-6126 |
| **Alt Area Code** | ( 801 ) |
| **Alt Phone Number** | 913-2834 |
| **Fax Area Code** | ( 801 ) |
| **Fax Phone Number** | 214-6144 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 10; 19; 30; 33; 37; 38; 56; |
| **Districts** | 04; 06; 07; 08; 11; 12; |
| **DBE NAICS** | 238910; 423810; 423830; 532412; 532490; 811310; |

item 45

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C4901 FURNISH & DRIVE PILING; C4906 CAST-IN-DRILLED-HOLE CONCRETE PILING; I7350 MISC EQUIPMENT RENTAL & LEASING; |
| **Licenses** | D30 Pile Driving / Pressure Foundation Jacking; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |

| | |
|---|---|
| **Firm Type** | DBE |

| | |
|---|---|
| **Firm ID** | 37219 |
| **Firm/DBA Name** | RUSSELL CRESS CO., INC. ✓ |
| **Address Line1** | 127 HIGHLAND AVENUE |
| **Address Line2** | |
| **City** | MONROE |
| **State** | NY |
| **Zip Code1** | 10950 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | rdcress@frontiernet.net |
| **Contact Name** | RUSSELL CRESS |
| **Area Code** | ( 201 ) |
| **Phone Number** | 488-7111 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 201 ) |
| **Fax Phone Number** | 488-7411 |
| **Agency Name** | BAY AREA RAPID TRANSIT DISTRICT (BART) |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 339950; 541850; |

items 4, 46-47

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C5601 SIGN STRUCTURE; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

| | |
|---|---|
| **Firm ID** | 23909 |
| **Firm/DBA Name** | SAN DIEGO BAY AREA ELECTRIC, INC. |
| **Address Line1** | 13100 KIRKHAM WAY, SUITE 205 |
| **Address Line2** | |
| **City** | POWAY |
| **State** | CA |
| **Zip Code1** | 92064 |
| **Zip Code2** | 7128 |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | bev@bayareaelectric.com |
| **Contact Name** | DENNIS P. PHILLIPS |
| **Area Code** | ( 858 ) |
| **Phone Number** | 748-2060 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 858 ) |
| **Fax Phone Number** | 748-6012 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 07; 37; 39; 41; 43; |
| **Districts** | 04; 10; 11; |
| **DBE NAICS** | 238210; 238990; |

items 5, 7, 9, 11, 12

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C9858 RESIDENTIAL ELECTRICAL; |
| **Licenses** | B General Building Contractor; C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42984 |
| **Firm/DBA Name** | SEALRIGHT PAVING |
| **Address Line1** | 9053 OLIVE DRIVE |
| **Address Line2** | |
| **City** | SPRING VALLEY |
| **State** | CA |
| **Zip Code1** | 91977 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | srpestimating@sbcglobal.net |
| **Contact Name** | FRANK T. VASQUEZ |
| **Area Code** | ( 619 ) |
| **Phone Number** | 465-7411 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 465-7490 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 19; 30; 33; 36; 37; 56; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 237310; 238990; |

items 39
40-42
43-44

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C2201 FINISHING ROADWAY; C2602 AGGREGATE BASE; C3701 SEAL COAT; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C3930 PAVEMENT REINFORCING FABRIC; C3940 PLACE ASPHALT CONCRETE DIKE & MISC; |
| **Licenses** | C12 Earthwork and Paving Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 41010 |
| **Firm/DBA Name** | SO. CAL TRAFFIC INC |
| **Address Line1** | 1358 LA MIRADA DRIVE |
| **Address Line2** | |
| **City** | SAN MARCOS |
| **State** | CA |
| **Zip Code1** | 92078 |
| **Zip Code2** | |
| **Mailing Address Line1** | 1358 LA MIRADA DRIVE |
| **Mailing Address Line2** | |
| **Mailing City** | SAN MARCOS |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92078 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | cecilia@socaltraffic.net |
| **Contact Name** | CECILIA KATHLEEN OSTLUND |
| **Area Code** | ( 858 ) |
| **Phone Number** | 720-0179 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |

duplicate cecilia safety service

| | |
|---|---|
| **Fax Area Code** | ( 858 ) |
| **Fax Phone Number** | 793-4495 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 10; 13; 14; 15; 19; 30; 33; 34; 36; 37; 40; 42; |
| **Districts** | 03; 05; 06; 07; 08; 09; 11; 12; |
| **DBE NAICS** | 238990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C8850 Traffic Management / Operations; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; D42 Sign Installation; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 41790 |
| **Firm/DBA Name** | SOUTHWEST CONTRACTING AND ELECTRIC INC ✓ |
| **Address Line1** | 210 S HELIX AVE, APT L |
| **Address Line2** | |
| **City** | SOLANA BEACH |
| **State** | CA |
| **Zip Code1** | 92075 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | danielancona@yahoo.com |
| **Contact Name** | DANIEL ANCONA |
| **Area Code** | ( 858 ) |
| **Phone Number** | 752-9197 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( ) |
| **Fax Phone Number** | |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 02; 13; 19; 30; 33; 36; 37; 42; |
| **Districts** | 05; 07; 08; 10; 11; 12; |
| **DBE NAICS** | 238210; |

item 48

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C9857 Low Voltage Electrical Systems; C9858 RESIDENTIAL ELECTRICAL; C9859 Commercial Electrical; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 32232 |
| **Firm/DBA Name** | STATEWIDE STRIPES, INC ✓ |
| **Address Line1** | 7320 MISSION GORGE ROAD |
| **Address Line2** | |
| **City** | SAN DIEGO |
| **State** | CA |
| **Zip Code1** | 92120 |
| **Zip Code2** | |
| **Mailing Address Line1** | P.O. BOX 600710 |
| **Mailing Address Line2** | |
| **Mailing City** | SAN DIEGO |
| **Mailing State** | CA |

items 53-55
6, 22, 52

| | |
|---|---|
| **Mailing Zip Code1** | 92160 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | dawn@statewidestripes.com |
| **Contact Name** | DAVID BRILHANTE |
| **Area Code** | ( 858 ) |
| **Phone Number** | 560-6887 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 858 ) |
| **Fax Phone Number** | 560-0158 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238320; 238990; 561990; |
| **ACDBE NAICS** | |
| **Work Codes** | C1522 RESET, ADJUST ROADWAY ITEMS; C5900 CLEAN & PAINT STEEL; C8405 THERMOPLASTIC TRAFFIC STRIPING & MARKING; C8406 PAINTED TRAFFIC STRIPING & MARKING; C9854 PAINTING STRUCTURES; C9906 SANDBLASTING; |
| **Licenses** | C32 Parking and Highway Improvement Contractor; C33 Painting and Decorating Contractor; D38 Sand and Water Blasting; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42910 |
| **Firm/DBA Name** | STRAIGHT STRIPE PAINTING INC ✓ |
| **Address Line1** | 1812 WEST SUNSET #1-525 |
| **Address Line2** | |
| **City** | ST. GEORGE |
| **State** | UT |
| **Zip Code1** | 84770 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | cheever@straightstripe.com |
| **Contact Name** | KAREN J CHEEVER |
| **Area Code** | ( 435 ) |
| **Phone Number** | 656-0930 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 435 ) |
| **Fax Phone Number** | 634-0580 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 237310; 238990; |
| **ACDBE NAICS** | |
| **Work Codes** | C8406 PAINTED TRAFFIC STRIPING & MARKING; C8501 PAVEMENT MARKING; |
| **Licenses** | NL CAUTION:FIRM NOT LICENSED IN CALIFORNIA; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

items 6, 22, 52 56-57

---

| | |
|---|---|
| **Firm ID** | 2003 |
| **Firm/DBA Name** | SUPER SEAL & STRIPE, INC ✓ |
| **Address Line1** | 310 A STREET |

items 46-47 53-55 6, 22, 52 56-57

| | |
|---|---|
| **Address Line2** | |
| **City** | FILLMORE |
| **State** | CA |
| **Zip Code1** | 93015 |
| **Zip Code2** | |
| **Mailing Address Line1** | PO BOX 755 |
| **Mailing Address Line2** | |
| **Mailing City** | FILLMORE |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 93016 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | brenda@supersealandstripe.com |
| **Contact Name** | BRENDA HAMPTON-ORTIZ |
| **Area Code** | ( 805 ) |
| **Phone Number** | 524-7345 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 805 ) |
| **Fax Phone Number** | 524-7428 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 19; 30; 33; 36; 37; 40; 42; 56; |
| **Districts** | 05; 07; 08; 11; 12; |
| **DBE NAICS** | 237310; 238110; 238120; 238990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C3701 SEAL COAT; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8201 OBJECT MARKER; C8405 THERMOPLASTIC TRAFFIC STRIPING & MARKING; C8406 PAINTED TRAFFIC STRIPING & MARKING; C8501 PAVEMENT MARKING; C9906 SANDBLASTING; |
| **Licenses** | C32 Parking and Highway Improvement Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | CAUCASIAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 36931 |
| **Firm/DBA Name** | TERRA WEST, INC |
| **Address Line1** | 1061 TIERRA DEL REY, STE 204 |
| **Address Line2** | |
| **City** | CHULA VISTA |
| **State** | CA |
| **Zip Code1** | 91910 |
| **Zip Code2** | |
| **Mailing Address Line1** | 1061 TIERRA DEL REY, STE 204 |
| **Mailing Address Line2** | |
| **Mailing City** | CHULA VISTA |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 91910 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | roberto@terrawestinc.com |
| **Contact Name** | ROBERTO TESSADA |
| **Area Code** | ( 619 ) |
| **Phone Number** | 591-1007 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 619 ) |
| **Fax Phone Number** | 568-3475 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 19; 30; 37; |
| **Districts** | 07; 11; 12; |
| **DBE NAICS** | 541340; 541380; 541620; |

items 13-14

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C2030 EROSION CONTROL; C8713 CONSULTANT, ENVIRONMENTAL; C8765 DRAFTING; C8852 SWPPP Planning; I8734 LABORATORY TESTING AND ANALYSIS; |
| **Licenses** | |

| | |
|---|---|
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 36927 |
| **Firm/DBA Name** | TERRADYNE LAX, INC ✓ |
| **Address Line1** | 24881 ALICIA PARKWAY, STE E-327 |
| **Address Line2** | |
| **City** | LAGUNA HILLS |
| **State** | CA |
| **Zip Code1** | 92653 |
| **Zip Code2** | |
| **Mailing Address Line1** | 24881 ALICIA PARKWAY, STE E327 |
| **Mailing Address Line2** | |
| **Mailing City** | LAGUNA HILLS |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92653 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | APALANIAPPAN@TERRADYNE.COM |
| **Contact Name** | A.KUMAR PALANIAPPAN |
| **Area Code** | ( 949 ) |
| **Phone Number** | 557-3200 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 949 ) |
| **Fax Phone Number** | 231-1700 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 19; 30; 33; 36; 37; 56; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 541330; 541380; 541620; 562910; |
| **ACDBE NAICS** | |
| **Work Codes** | C8710 ENGINEERING; C8713 CONSULTANT, ENVIRONMENTAL; C8715 CONSULTANT, ENGINEERING; C8723 MATERIALS TESTING SERVICES; C8730 SAFETY STUDIES; C8852 SWPPP Planning; I8734 LABORATORY TESTING AND ANALYSIS; J9510 ENVIRONMENTAL QUALITY; |
| **Licenses** | EC Civil Engineer; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN SUBCONTINENT |
| **Firm Type** | DBE |

items 13-14

---

| | |
|---|---|
| **Firm ID** | 42433 ✓ |
| **Firm/DBA Name** | TRAFFIC CONTROL PROS |
| **Address Line1** | 2440 STANWELL DRIVE, SUITE A |
| **Address Line2** | |
| **City** | CONCORD |
| **State** | CA |
| **Zip Code1** | 94520 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | estimating@tcpros.net |
| **Contact Name** | JEFFREY PIKE |
| **Area Code** | ( 925 ) |
| **Phone Number** | 270-4580 |
| **Alt Area Code** | ( 925 ) |
| **Alt Phone Number** | 522-3723 |
| **Fax Area Code** | ( 925 ) |
| **Fax Phone Number** | 405-3833 |
| **Agency Name** | CITY OF FRESNO |
| | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 20; 21; 22; 23; 24; 27; 28; 29; 31; 32; 34; 35; |

items 4, 5, 7, 9, 11, 12

| | |
|---|---|
| **Counties** | 38; 39; 41; 43; 44; 45; 46; 47; 48; 50; 51; 53; 54; 55; 57; |
| **Districts** | 01; 02; 03; 04; 05; 06; 09; 10; 11; |
| **DBE NAICS** | 238990; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1211 TRAFFIC FLAGGERS; |
| **Licenses** | C31 Construction Zone Traffic Control Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | NATIVE AMERICAN |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 40928 |
| **Firm/DBA Name** | TRAFFIC ENFORCEMENT SOLUTIONS ✓ |
| **Address Line1** | 213 WARWICK |
| **Address Line2** | |
| **City** | CLOVIS |
| **State** | CA |
| **Zip Code1** | 93619 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | trafficenforcementsolutions@gmail.com |
| **Contact Name** | BRENDA CRUZ |
| **Area Code** | ( 559 ) |
| **Phone Number** | 392-6050 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 559 ) |
| **Fax Phone Number** | 323-4269 |
| **Agency Name** | CITY OF FRESNO |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 424990; |

items 5, 7, 9, 11, 12, 48

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C0612 SAFETY EQUIPMENT SUPPLIER; C1201 TRAFFIC CONTROL SYSTEM; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8610 SPEED MONITORING STATION; |
| **Licenses** | |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 38033 |
| **Firm/DBA Name** | TRAFFIC LOOPS CRACKFILLING, INC ✓ |
| **Address Line1** | 1915 W BALL RD. |
| **Address Line2** | |
| **City** | ANAHEIM |
| **State** | CA |
| **Zip Code1** | 92804 |
| **Zip Code2** | |
| **Mailing Address Line1** | 946 S. EMERALD ST |
| **Mailing Address Line2** | |
| **Mailing City** | ANAHEIM |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 92804 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | trafficloops@sbcglobal.net |
| | MAI-LAN NGUYEN |

items 56-57

| | |
|---|---|
| **Contact Name** | |
| **Area Code** | ( 714 ) |
| **Phone Number** | 520-4026 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 520-4027 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238210; 238990; |
| **ACDBE NAICS** | |
| **Work Codes** | C4040 CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; C8501 PAVEMENT MARKING; C8608 DETECTOR; C8611 RAMP METERING SYSTEM; C8903 ELECTRICAL; C9858 RESIDENTIAL ELECTRICAL; |
| **Licenses** | C10 Electrical Contractor; C32 Parking and Highway Improvement Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 27723 |
| **Firm/DBA Name** | TUCKER TECHNOLOGY INC |
| **Address Line1** | 300 FRANK OGAWA PLAZA, STE 235 |
| **Address Line2** | |
| **City** | OAKLAND |
| **State** | CA |
| **Zip Code1** | 94612 |
| **Zip Code2** | 2703 |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | frank@tuckertech.com |
| **Contact Name** | FRANK TUCKER |
| **Area Code** | ( 510 ) |
| **Phone Number** | 836-0422 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 510 ) |
| **Fax Phone Number** | 836-2625 |
| **Agency Name** | BAY AREA RAPID TRANSIT DISTRICT (BART) |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 238210; 517110; 518111; 518210; 532310; 532420; 541511; 541519; 541618; 561499; 811212; |
| **ACDBE NAICS** | |
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C8700 CONSULTANT, NON ENGINEERING; C8701 BUSINESS ADMINISTRATION; C8702 MANAGEMENT INFORMATION SYSTEMS; C9858 RESIDENTIAL ELECTRICAL; E4810 TELEPHONE COMMUNICATIONS; E4820 TELEGRAPH & OTHER COMMUNICATIONS; I7350 MISC EQUIPMENT RENTAL & LEASING; I7370 COMPUTER & DATA PROCESSING SERVICES; I7371 COMPUTER PROGRAMMING; I7375 INFORMATION RETRIEVAL SYSTEMS; I7377 COMPUTER RENTAL AND LEASING; I7378 COMPUTER MAINTENANCE & REPAIR; I7380 MISC BUSINESS SERVICES; I8740 MANAGEMENT & PUBLIC RELATIONS; |
| **Licenses** | C07 Low Voltage Systems Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

items 5, 7, 9, 11, 12

---

| | |
|---|---|
| **Firm ID** | 38300 |
| **Firm/DBA Name** | TULLY CONSULTING GROUP |
| **Address Line1** | 580 WIEGAND WAY |
| **Address Line2** | |
| **City** | DIXON |

items 13-14

| | |
|---|---|
| **State** | CA |
| **Zip Code1** | 95620 |
| **Zip Code2** | |
| **Mailing Address Line1** | 1650 N LINCOLN ST, SUITE A |
| **Mailing Address Line2** | |
| **Mailing City** | DIXON |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 95620 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | robin@tullygroup.com |
| **Contact Name** | ROBIN TULLY |
| **Area Code** | ( 707 ) |
| **Phone Number** | 693-1926 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 707 ) |
| **Fax Phone Number** | 471-0318 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 541330; 541340; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8720 CIVIL ENGINEERING; C8722 ENVIRONMENTAL ENGINEER; C8765 DRAFTING; C8852 SWPPP Planning; |
| **Licenses** | EC Civil Engineer; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 38294 |
| **Firm/DBA Name** | U.S. CONCRETE CONSTRUCTION, INC ✓ |
| **Address Line1** | 30634 HASLEY CANYON ROAD |
| **Address Line2** | |
| **City** | CASTAIC |
| **State** | CA |
| **Zip Code1** | 91384 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | les@us-concrete.net |
| **Contact Name** | ULISES SALAZAR |
| **Area Code** | ( 661 ) |
| **Phone Number** | 259-3522 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 661 ) |
| **Fax Phone Number** | 799-1038 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 238110; |

item 39

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C2501 AGGREGATE SUBBASE; C2602 AGGREGATE BASE; C2700 CEMENT TREATED BASE; C2800 CONCRETE BASE; C3901 ASPHALT CONCRETE; C5100 CONCRETE STRUCTURE; C5105 MINOR CONCRETE STRUCTURE; C5110 CONCRETE SURFACE FINISH; C5111 CONCRETE OVERLAY, DRILL & BOND; C5135 CONCRETE BLOCK & MASONRY RETAINING WALL; C5136 REINFORCED CONCRETE CRIB WALL; C5180 SOUND WALL (MASONRY BLOCK - CONCRETE); |

| | |
|---|---|
| **Licenses** | B General Building Contractor; C08 Concrete Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 32609 |
| **Firm/DBA Name** | UGE & ECS, INC. ✓ |
| **Address Line1** | 550 N. FIGUEROA ST., UNIT 6036 |
| **Address Line2** | |
| **City** | LOS ANGELES |
| **State** | CA |
| **Zip Code1** | 90012 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | nancy@ugeecs.com |
| **Contact Name** | NANCY ESPIE-UNDERWOOD |
| **Area Code** | ( 213 ) |
| **Phone Number** | 625-1016 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 310 ) |
| **Fax Phone Number** | 862-6879 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 541330; 541620; 541690; 562910; |

items 1, 25
13, 14

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8700 CONSULTANT, NON ENGINEERING; C8851 Lead Compliance; C8852 SWPPP Planning; C9801 BUILDING CONSTRUCTION; C9903 CONSTRUCTION CLEAN UP; |
| **Licenses** | A General Engineering Contractor; ASB Asbestos; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | BLACK |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 33824 |
| **Firm/DBA Name** | UNITED TRAFFIC SERVICES & SUPPLY, INC. |
| **Address Line1** | 14000 E. VALLEY BLVD. |
| **Address Line2** | |
| **City** | CITY OF INDUSTRY |
| **State** | CA |
| **Zip Code1** | 91746 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | dora@unitedtraffic.net |
| **Contact Name** | DORA PINA |
| **Area Code** | ( 626 ) |
| **Phone Number** | 961-5736 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 818 ) |
| **Fax Phone Number** | 961-4746 |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |

items 46-47

07; 10; 13; 19; 21; 27; 28; 30; 31; 33; 34; 36; 37; 39; 40; 41; 42; 43; 44; 48; 54; 56;

| | |
|---|---|
| **Counties** | |
| **Districts** | 03; 04; 05; 06; 07; 08; 10; 11; 12; |
| **DBE NAICS** | 238910; 238990; 339950; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1601 CLEARING & GRUBBING; C5601 SIGN STRUCTURE; C9980 DEMOLITION; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 39166 |
| **Firm/DBA Name** | V A P CONSTRUCTION INC. |
| **Address Line1** | 15705 BIRCHWOOD ST |
| **Address Line2** | |
| **City** | LA MIRADA |
| **State** | CA |
| **Zip Code1** | 90638 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | arvind@vapci.com |
| **Contact Name** | ARVIND PRASAD |
| **Area Code** | ( 714 ) |
| **Phone Number** | 253-3270 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 714 ) |
| **Fax Phone Number** | 551-9420 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 237110; 237310; 237990; 238110; |

items 4, 5, 7, 9, 11, 12
24, ~~40,42~~ 40-42

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1531 PLANE ASPHALT CONCRETE; C1601 CLEARING & GRUBBING; C1701 DEVELOP WATER SUPPLY; C1901 ROADWAY EXCAVATION; C2065 IRRIGATION SYSTEM; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C5105 MINOR CONCRETE STRUCTURE; C6200 ALTERNATIVE PIPE CULVERT; C7301 CONCRETE CURB & SIDEWALK - MISC; C8000 FENCING CONTRACTOR; C8331 CONCRETE BARRIER; |
| **Licenses** | A General Engineering Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN SUBCONTINENT |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 30543 |
| **Firm/DBA Name** | VERDUZCO ELECTRIC, INC. |
| **Address Line1** | 829 W. COMPTON BLVD. |
| **Address Line2** | |
| **City** | COMPTON |
| **State** | CA |
| **Zip Code1** | 90220 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |

items 5, 7, 9, 11, 12

| | |
|---|---|
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | verduzcoelectric@aol.com |
| **Contact Name** | CARLOS VERDUZCO |
| **Area Code** | ( 310 ) |
| **Phone Number** | 886-3068 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 310 ) |
| **Fax Phone Number** | 886-3958 |
| **Agency Name** | LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA) |
| **Counties** | 15; 19; 33; 36; 37; 42; 56; |
| **Districts** | 05; 06; 07; 08; 11; |
| **DBE NAICS** | 238210; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C9858 RESIDENTIAL ELECTRICAL; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 30828 |
| **Firm/DBA Name** | VT ELECTRIC, INC. |
| **Address Line1** | 10825 VERNON AVE |
| **Address Line2** | |
| **City** | ONTARIO |
| **State** | CA |
| **Zip Code1** | 91762 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | tony@vtelectric.net |
| **Contact Name** | TONY T. TRAN |
| **Area Code** | ( 909 ) |
| **Phone Number** | 985-1755 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 909 ) |
| **Fax Phone Number** | 985-8186 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 13; 19; 29; 30; 33; 36; 37; 39; 42; 43; 56; |
| **Districts** | 03; 04; 05; 07; 08; 10; 11; 12; |
| **DBE NAICS** | 238210; |

Do not solicit competitor

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C1201 TRAFFIC CONTROL SYSTEM; C8602 SIGNAL & LIGHTING; C9858 RESIDENTIAL ELECTRICAL; C9859 Commercial Electrical; |
| **Licenses** | C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 42783 |
| **Firm/DBA Name** | WEST PACIFIC ELECTRIC COMPANY ✓ |
| **Address Line1** | 20071 W GLENDALE AVENUE |
| **Address Line2** | |
| **City** | LEMOORE |
| **State** | CA |

item 48

| | |
|---|---|
| **Zip Code1** | 93245 |
| **Zip Code2** | |
| **Mailing Address Line1** | P.O. BOX 368 |
| **Mailing Address Line2** | |
| **Mailing City** | LEMOORE |
| **Mailing State** | CA |
| **Mailing Zip Code1** | 93245 |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | westpacificelectricco@gmail.com |
| **Contact Name** | VIRGINIA ANN VILLA |
| **Area Code** | ( 559 ) |
| **Phone Number** | 924-6422 |
| **Alt Area Code** | ( 559 ) |
| **Alt Phone Number** | 469-4729 |
| **Fax Area Code** | ( 559 ) |
| **Fax Phone Number** | 924-4826 |
| **Agency Name** | DEPARTMENT OF TRANSPORTATION |
| **Counties** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58; |
| **Districts** | 01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; |
| **DBE NAICS** | 221122; 238210; |

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8602 SIGNAL & LIGHTING; C8604 LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C9859 Commercial Electrical; E4910 ELECTRIC SERVICES; |
| **Licenses** | A General Engineering Contractor; B General Building Contractor; C10 Electrical Contractor; C46 Solar Contractor; |
| **Trucks** | |
| **Gender** | F |
| **Ethnicity** | HISPANIC |
| **Firm Type** | DBE |

---

| | |
|---|---|
| **Firm ID** | 33077 |
| **Firm/DBA Name** | WIRENET COMMUNICATIONS, INC |
| **Address Line1** | 4355 E. AIRPORT DRIVE, STE 104 |
| **Address Line2** | |
| **City** | ONTARIO |
| **State** | CA |
| **Zip Code1** | 91761 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | garreola@wirenetcomm.com |
| **Contact Name** | ROBERT GABRIEL ARREOLA |
| **Area Code** | ( 909 ) |
| **Phone Number** | 986-3290 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 909 ) |
| **Fax Phone Number** | 986-6490 |
| **Agency Name** | CITY OF LOS ANGELES |
| **Counties** | 19; 30; 33; 36; 37; 56; |
| **Districts** | 07; 08; 11; 12; |
| **DBE NAICS** | 238210; |

item 48

**ACDBE NAICS**

| | |
|---|---|
| **Work Codes** | C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8604 LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; |
| **Licenses** | C07 Low Voltage Systems Contractor; C10 Electrical Contractor; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | HISPANIC |

| | |
|---|---|
| **Firm Type** | DBE |

| | |
|---|---|
| **Firm ID** | 30066 |
| **Firm/DBA Name** | WRECO ✓ |
| **Address Line1** | 1243 ALPINE ROAD SUITE 108 |
| **Address Line2** | |
| **City** | WALNUT CREEK |
| **State** | CA |
| **Zip Code1** | 94596 |
| **Zip Code2** | |
| **Mailing Address Line1** | |
| **Mailing Address Line2** | |
| **Mailing City** | |
| **Mailing State** | |
| **Mailing Zip Code1** | |
| **Mailing Zip Code2** | |
| **Certification Type** | DBE |
| **EMail** | info@wreco.com; hanbin_liang@wreco.com |
| **Contact Name** | HAN-BIN LIANG |
| **Area Code** | ( 925 ) |
| **Phone Number** | 941-0017 |
| **Alt Area Code** | ( ) |
| **Alt Phone Number** | |
| **Fax Area Code** | ( 925 ) |
| **Fax Phone Number** | 941-0018 |
| **Agency Name** | BAY AREA RAPID TRANSIT DISTRICT (BART) |
| **Counties** | 00; |
| **Districts** | 00; |
| **DBE NAICS** | 541330; 541340; 541380; 541490; 541512; 541519; 541618; 541620; 541690; |
| **ACDBE NAICS** | |
| **Work Codes** | A0780 LANDSCAPE & HORTICULTURAL SERVICES; C0612 SAFETY EQUIPMENT SUPPLIER; C8700 CONSULTANT, NON ENGINEERING; C8701 BUSINESS ADMINISTRATION; C8702 MANAGEMENT INFORMATION SYSTEMS; C8703 TRAFFIC ENGINEER; C8704 ARCHITECT; C8705 DESIGN; C8706 DESIGN BRIDGES; C8707 FEASIBILITY STUDIES; C8710 ENGINEERING; C8715 CONSULTANT, ENGINEERING; C8716 ARCHITECTURAL ENGINEER; C8720 CIVIL ENGINEERING; C8722 ENVIRONMENTAL ENGINEER; C8723 MATERIALS TESTING SERVICES; C8730 SAFETY STUDIES; C8742 MECHANICAL ENGINEERS; C8765 DRAFTING; C8770 CONSTRUCTION MANAGEMENT; C8771 Construction Management - Commercial and Institutional Building Construction; C8772 Construction Management - Institutional Building Construction; C8773 Construction Management - Highway, Street and Bridge Construction; C8774 Construction Management - Land Subdivision; C8775 Construction Management - Oil and Gas Pipeline and Releted Structure Construction; C8776 Construction Management - Other Heavy and Civil Construction; C8777 Construction Management - Power and Communication Line and Related Structure Construction; C8778 Construction Management - Water and Sewer Line and Related Structure Construction; C8780 Engineering - Geotechnical; C8781 Engineering - Hydrology; C8792 Environmental - Biological Studies; C8794 Environmental - Water Quality; C8836 Geologist; C8852 SWPPP Planning; I7373 INTEGRATED SYSTEMS & CAD/CAM SYSTEMS; I8740 MANAGEMENT & PUBLIC RELATIONS; I8990 SERVICES, NEC; |
| **Licenses** | EC Civil Engineer; |
| **Trucks** | |
| **Gender** | M |
| **Ethnicity** | ASIAN PACIFIC |
| **Firm Type** | DBE |

item 13-14

Back To Query Form

**dbxinc@hotmail.com**

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Weekly Bid Flash DBE Ad Affidavit - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile We

# Proof of Publishing Affidavit

To Whom It May Concern:

Be it known that this is a sworn affidavit that **DBX, Inc.** did place an advertisement we published on **7/13/2016** in our nationwide publications, Construction Star, Inc. and The Weekly Bid Flash, seeking Certified Disadvantaged subcontractors and/or material suppliers for the project **Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing**.

A copy of the advertisement is below:

Date Of Advertisement Placement: 7/12/2016 12:46:05 PM

DBX, Inc.
An Equal Opportunity Employer,
is requesting quotations from all qualified
**DBE**
sub-contractors and material suppliers for the following project:

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

City/Location: **La Mesa and Near El Cajon**
County: **San Diego**

Owner: **State of California Department of Transportation**

Bid Date: Tuesday 8/16/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Bid documents can be viewed at or obtained from:
Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

DBX, Inc. is an Equal Opportunity Employer. If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
**Phone:** (951) 296-9909 **Fax:** (951) 296-9978
Charles Perry
dbxinc@hotmail.com

Published on 7/13/2016 1:00:00 AM
by The Weekly Bid Flash and The Construction Star
Trade and Focus Publications
located at www.theweeklybidflash.com and www.constar1.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

Our publication is a listed approved source by the State of CA , Dept. of General Services, Office of Small Business Certification & Resources, in its Resource Packet.

Since, 1989 our firm has been proud to help businesses reach Certified Disadvantaged firms statewide.

If you should need any further information, please do not hesitate to contact us at 800-479-5314.

Thank you again!

Construction Bidboard Inc.
11622 El Camino Real, Suite 100
San Diego, CA 92130
www.theweeklybidflash.com 800-479-5314



## dbxinc@hotmail.com

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Weekly Bid Flash DBE Ad Subscription Invoice - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to

Dear Charles Perry,

Thank you for placing your advertisement at Construction Star, Inc. and The Weekly Bid Flash!

Please SAVE this email so you can **Click HERE to Edit your Ad** at any time in the future!

**Your advertisement will be processed as soon as we confirm the payment has been received.**
**If your ad needs to be advertised immediately please call 800-479-5314 or email invoicing@ebidboard.com to take care of this by credit card.**

To assist in your good faith effort, we will be sending you additional emails that will include your affidavit of publication and a copy of your advertisement. Visit www.ebidboard.com to learn more about the most effective and efficient tool ever designed to get Certified Disadvantage firms to bid your projects.

**Contact Information:**
DBX, Inc.
Charles Perry
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
(951) 296-9909
Fax: (951) 296-9978

dbxinc@hotmail.com

**Bill To:**

, CA

**P.O. Number:**
n/a

Sales Code: Company

| DBE Ad Displayed On | Price | Total |
|---|---|---|
| Construction Star, Inc. and The Weekly Bid Flash | $45 | $45 |
| **Discount:** | | $0 |
| **Sales Tax:** | | $0 |
| **Grand Total:** | | $45 |
| **checks should be made payable to CBI** | | |

If you have questions about your advertisement, send an e-mail to info@theweeklybidflash.com or call 800-479-5314. In your e-mail, please include your advertisement reference number.

Thank you again!

Construction Bidboard Inc.
11622 El Camino Real
Suite 100
San Diego, CA 92130
www.theweeklybidflash.com
800-479-5314

**dbxinc@hotmail.com**

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Copy of your DBE Ad - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jen

Date Of Advertisement Placement: 7/12/2016 12:46:05 PM

DBX, Inc.
An Equal Opportunity Employer,
is requesting quotations from all qualified
**DBE**
sub-contractors and material suppliers for the following project:

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

City/Location: **La Mesa and Near El Cajon**
County: **San Diego**

Owner: **State of California Department of Transportation**

Bid Date: Tuesday 8/16/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL

CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Bid documents can be viewed at or obtained from:
Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

DBX, Inc. is an Equal Opportunity Employer. If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
**Phone:** (951) 296-9909 **Fax:** (951) 296-9978
Charles Perry
dbxinc@hotmail.com

Published on 7/13/2016 1:00:00 AM
by The Weekly Bid Flash and The Construction Star
Trade and Focus Publications
located at www.theweeklybidflash.com and www.constar1.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

Home » Construction Contract Awards » **Advertised Projects This Week**

Listing for all primes seeking assistance with project 11-237964. 1 results found.

---

**Contractor:** DBX, INC. **Contact:** JAMES C. PERRY
**Address:** 42024 AVENIDA ALVARADO, SUITE A TEMECULA, CA 92590
**Phone:** 951-296-9909 **Fax:** 951-296-9978 **Email:** dbxinc@hotmail.com
**Services needed:** DBX, Inc. is requesting quotes from qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 1/4", 1 1/2", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING
**Requirements:** DBX, Inc. is an Equal Opportunity Employer. If you have any questions or need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services, please contact our office. Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation. Plans and specifications can be viewed in our office between 8:00 am and 4:00 pm Monday - Friday or they can be accessed from the Owner's website at:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964
**Date posted:** 07/12/2016

20YEARS
SAN DIEGO PTAC
Contracting Opportunities Center

One on One Counseling | Contract Opportunities | Training and Workshops

# Post Bid Opportunities

e-mail updates

Agencies and Prime Contractors are welcome to post bidding opportunities/requests for subs/suppliers by completing the listing below. San Diego Contracting Opportunities Center can only provide a list of contractors/subcontractors/suppliers to program sponsors. If you are not a program sponsor, we will process your request and distribute to the applicable trades you're looking for. If interested, they will contact you directly. To satisfy your request, please submit this listing two (2) weeks prior to due date if possible.

## Submit A Listing

### 3 - Submission Received

Your listing has been submitted.

Return to directory.

### Client Success

**SDCOC has assisted clients in obtaining over $925 Million in contracts!**

View some of our client success stories at: SDCOC Success Stories

### SDCOC Sponsors

SAN DIEGO UNIFIED SCHOOL DISTRICT


Copyright 2015

619.285.7020 | sdcoc@ptac-sandiego.org

# Directory of Bids

e-mail updates

← Back to Directory

## Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and Near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Pkwy Overcrossing and from Los Coches Rd Undercrossing to 0.2 Mile West of Lake Jennings Park Road Uncercrossing

**Category:** Agency Contracting Opportunities, Construction

**Project Agency Owner:** State of California Dept. of Transportation

**Name of Prime Contractor:** DBX, Inc.

**Opportunity Description:** DBX, Inc. is an Equal Opportunity Employer. We are requesting quotes from qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT

(TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING.

If you have any questions or need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services, please contact our office.
Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.
We will work with interested subs/suppliers to identify opportunities to break down items into

Client Success

**SDCOC has assisted clients in obtaining over $925 Million in contracts!**

View some of our client success stories at: SDCOC Success Stories

SDCOC Sponsors

economically feasible units to facilitate DBE participation.

Plans and specifications can be viewed in our office between 8am and 4pm Monday -Friday or they can be accessed from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

**Bid Due Date:**
08/16/2016

**Time Bid is Due:** 2:00 pm

**Contact Name:** Charles Perry

**Contact Address:** 42024 Avenida Alvarado, Suite A, Temecula, CA 92590

**Contact Phone Number:** 951-296-9909

**Contact Fax:** 951-296-9978

**Contact Email:** dbxinc@hotmail.com

**Website Address:** http://www.dbxincorporated.com

A Program of:

SWC SOUTHWESTERN COLLEGE

San Diego Contracting Opportunities Center (SDCOC)
4007 Camino del Rio South, Suite 210
San Diego, CA 92108-4189
Copyright 2015
619.285.7020 | sdcoc@ptac-sandiego.org

Website Design By:

ITegrity Logo

# Opt-in Records

## Search Results: Opt-in's on 11-237964

**8 Opt-in records found.**

| | | |
|---|---|---|
| 11-237964 | A.C. DIKE CO | |
| | 2788 VENTURE DR LINCOLN, CA, 95648 | |
| | Phone: 9163-645-7747 | Fax Number: 916-645-9618 |
| | Disadvantaged status: | |
| | Services offered: Place asphalt dike. | |

Faxed 7/15/16
responded by fax on 7/15/16 - yes bidding

| | | |
|---|---|---|
| 11-237964 | Full Traffic Maintenance, Inc | |
| | 217 Lewis Court Corona | |
| | Phone: (951) 520-9990 | Fax Number: (951) 520-9980 |
| | Disadvantaged status: DBE SBE | |
| | Services offered: Traffic Control Services: Lane Closures for highways, streets and special events. We also offer hi-way safety rental and sale products Rental Products: Arrowboards, Attenuator Trucks, Light Towers, Message Boards, Day & Night Cones, Delineators, Barricades I - II - III, K-Rail, Signs (Aluminum & Roll Up) Sale Products: Day & Night Cones, 8lb & 12Ib Delineators, Type I, II, III Barricades, Delineator Drums, Crash Barrels, Arrow Boards, Message Boards, Round Posts, Square Posts, U-Channel Posts, Complete Line Hardware, 4FT & 6FT Car Stops, GNR-Recycled Speed Bumps, GNR-Recycled Car Stops, 1 & 5 Gallon Striping Paint, Glass Beads, Striping Paint, Marking Paint, Chalk, Snap Line, Flagging Ribbon, Marking Tape, Street Tape, Class II, III Vests, Safety Glasses, Aluminum Signs, Plastic Signs, Cardboard Signs, Refl Roll Up & Mesh Signs. We also offer custom signs. FULL TRAFFIC MAINTENANCE INC is certified DBE and SBE. Any questions email: jsanchez_81@sbcglobal.net. |

emailed 7/12/16
Faxed 7/27/16
responded by fax on 7/28/16 yes bidding

| | | |
|---|---|---|
| 11-237964 | AESCO | |
| | 17782 Georgetown Lane Huntington Beach, CA 92647 | |
| | Phone: 7143753830 | Fax Number: 7143753831 |
| | Disadvantaged status: DBE SBE | |
| | Services offered: AESCO is interested in performing the material testing and inspection services for this project. AESCO, an SBE and DBE firm, has provided geotechnical engineering, construction quality control and quality assurance services on roadways, grade separations, freeways, and rail projects throughout California. AESCO employees are experienced professionals consisting of geotechnical engineers, engineering geologists, deputy inspectors, laboratory and field technicians, and quality control professionals. ? AESCO is SBE, DBE/UDBE, WBE, and CBE certified. ? Laboratory is DSA, Caltrans and City of Los Angeles certified. ? Member of the Independent Assurance Program with Caltrans, CCRL, and AMRL. ? Materials testing and inspection services including concrete, soil and asphalt. |

Faxed 7/15/16

| | | |
|---|---|---|
| 11-237964 | Anderson Paint Store LLC - DBE www.andersonpaintstore.com | |
| | 18429 West 8 Mile RD Detroit,Michigan 48219 | |
| | Phone: 248 7476345 | Fax Number: andersonpsllc@aol.com |
| | Disadvantaged status: DBE SBE | |
| | Services offered: In order for Anderson Paint Store LLC to provide you with quality product quotes, Please provide me with the following: QPL product, color, size, quantity and manufacture: We also can work with your local manufacture. (Tote,Drum,Gal) | |

N/A

| | | |
|---|---|---|
| 11-237964 | Statewide Traffic Safety & Signs, Inc. | |
| | 13755 Blaisdell Place Poway, Ca, 92064 | |
| | Phone: 858.679.7292 | Fax Number: 858.679.7117 |
| | Disadvantaged status: | |
| | Services offered: Statewide Traffic Safety and Signs designs, manufactures, sells, rents and installs active and passive traffic control systems. We have the capabilities to remove, reset, relocate, furnish and install these systems in all temporary or permanent applications. Our scope includes Construction Area Signs, Traffic Control Flagging, Flashing Arrow Signs, Changeable Message Signs, Extinguishable Message Signs, Rapid Flash Beacons (RRFB), Flashing LED Signs, Crosswalk Systems, Pedestrian Safety Systems, Guardrail Material, Midwest Guardrail System (MGS), Flared Terminal Systems, In-Line Terminal Systems, Alternative Temporary Crash Cushion Systems, Alternative Permanent Crash Cushion Systems, Armor Guard Barrier, Armor Guard Gate, Roadside Signs/Posts/Structures, Overhead Signs/Structures, Traffic Cones, Barricades, Channelizers, Delineators, Object Markers, Pavement Markers, Thermoplastic and pre-form materials. Locations Servicing California and Nevada: Arcata, Redding, Fairfield, San Jose, Sacramento, Fresno, Bakersfield, Nipomo, Garden Grove, Poway, Riverside and Las Vegas. | |

Faxed 7/15/16

| | | |
|---|---|---|
| 11-237964 | Imperial Sprinkler Supply | |
| | 18 Branches in California Corporate Office - Anaheim, Ca | |
| | Phone: 7605590078 | Fax Number: 7147922921 |
| | Disadvantaged status: | |
| | Services offered: Services offered: Imperial is a large family owned distributor of Caltrans Approved Erosion Control, Construction & Stabilization Fabrics, Landscape, Irrigation, Controllers, Large Diameter Pipe and more. Imperial has 16 fully stocked branches with the largest delivery fleet in California to serve your company. Imperial also offers correct product specification & identification, installation education, submittal packages & certificates of compliance to complete your RFI, RFQ, and RFP. Please contact Kent Garner at (760) 559-0078 or KentG@ImperialSprinkler.com for Erosion Control, Sediment Control and Construction Fabrics. For Landscape, Irrigation & Pipe, please contact our Customer Service and Quote Department Main (714)792-2920 Fax (714)982-5095 QuoteDepartment@ImperialSprinkler.com CustomerService@ImperialSprinkler.com | |

Faxed 7/15/16

| | | |
|---|---|---|
| | Maneri Traffic Control | |

emailed 7/12/16

| | | |
|---|---|---|
| 11-237964 | 47423 Rainbow Canyon Temecula, CA 92592 | |
| | Phone: (951) 695-5104 | Fax Number: (951) 695-5105 |
| | Disadvantaged status: DBE SBE | |
| | Services offered: MANERI TRAFFIC CONTROL offers construction area traffic control, pcms, attenuator trucks with and without driver, pilot car, flagging, crash cushions, ramp notification signs, construction area signs, delineators, channelizers, and much more. E-mail oavila@maneritrafficcontrol.com if you have any questions. MANERI TRAFFIC CONTROL is certified DBE and SBE. | |

| | | |
|---|---|---|
| 11-237964 | Rhapsody Communications LLC | |
| | 900 E. Hamilton Ave. #100 Campbell, CA 95008 | |
| | Phone: 408-879-7295 | Fax Number: 866-365-9822 |
| | Disadvantaged status: DBE | |
| | Services offered: We are a DBE Supplier of Fiber Optic Cable and Associated materials such as Connectors, Pigtails, Patch Panels, Patch Cords, Fiber Splice Tray, Splice Closure,Innerduct,CAT5e,CAT6, Communication Conduit; Telecommunication Products and Services. Email Rodney Fitzpatrick - rodney@rhapsodycommunications.com; Mobile Number: 831-901-8123 | |

Faxed 7/15/16

# Opt-in Records

## Search Results: Opt-in's on 11-237964

**15 Opt-in records found.**

| | | |
|---|---|---|
| 11-237964 | A.C. DIKE CO | |
| | 2788 VENTURE DR LINCOLN, CA, 95648 | |
| | Phone: 9163-645-7747 | Fax Number: 916-645-9618 |
| | Disadvantaged status: | |
| | Services offered: Place asphalt dike. | |

X

| | | |
|---|---|---|
| 11-237964 | Full Traffic Maintenance, Inc | |
| | 217 Lewis Court Corona | |
| | Phone: (951) 520-9990 | Fax Number: (951) 520-9980 |
| | Disadvantaged status: DBE SBE | |
| | Services offered: Traffic Control Services: Lane Closures for highways, streets and special events. We also offer hi-way safety rental and sale products Rental Products: Arrowboards, Attenuator Trucks, Light Towers, Message Boards, Day & Night Cones, Delineators, Barricades I - II - III, K-Rail, Signs (Aluminum & Roll Up) Sale Products: Day & Night Cones, 8lb & 12Ib Delineators, Type I, II, III Barricades, Delineator Drums, Crash Barrels, Arrow Boards, Message Boards, Round Posts, Square Posts, U-Channel Posts, Complete Line Hardware, 4FT & 6FT Car Stops, GNR-Recycled Speed Bumps, GNR-Recycled Car Stops, 1 & 5 Gallon Striping Paint, Glass Beads, Striping Paint, Marking Paint, Chalk, Snap Line, Flagging Ribbon, Marking Tape, Street Tape, Class II, III Vests, Safety Glasses, Aluminum Signs, Plastic Signs, Cardboard Signs, Refl Roll Up & Mesh Signs. We also offer custom signs. FULL TRAFFIC MAINTENANCE INC is certified DBE and SBE. Any questions email: jsanchez_81@sbcglobal.net. | |

X

| | | |
|---|---|---|
| 11-237964 | AESCO | |
| | 17782 Georgetown Lane Huntington Beach, CA 92647 | |
| | Phone: 7143753830 | Fax Number: 7143753831 |
| | Disadvantaged status: DBE SBE | |
| | Services offered: AESCO is interested in performing the material testing and inspection services for this project. AESCO, an SBE and DBE firm, has provided geotechnical engineering, construction quality control and quality assurance services on roadways, grade separations, freeways, and rail projects throughout California. AESCO employees are experienced professionals consisting of geotechnical engineers, engineering geologists, deputy inspectors, laboratory and field technicians, and quality control professionals. ? AESCO is SBE, DBE/UDBE, WBE, and CBE certified. ? Laboratory is DSA, Caltrans and City of Los Angeles certified. ? Member of the Independent Assurance Program with Caltrans, CCRL, and AMRL. ? Materials testing and inspection services including concrete, soil and asphalt. | |

X

| | |
|---|---|
| 11-237964 | Anderson Paint Store LLC - DBE www.andersonpaintstore.com |
| | 18429 West 8 Mile RD Detroit,Michigan 48219 |
| | Phone: 248 7476345 / Fax Number: andersonpsllc@aol.com |
| | Disadvantaged status: DBE SBE |
| | Services offered: In order for Anderson Paint Store LLC to provide you with quality product quotes, Please provide me with the following: QPL product, color, size, quantity and manufacture: We also can work with your local manufacture. (Tote,Drum,Gal) |

N/A

| | |
|---|---|
| 11-237964 | Statewide Traffic Safety & Signs, Inc. |
| | 13755 Blaisdell Place Poway, Ca, 92064 |
| | Phone: 858.679.7292 / Fax Number: 858.679.7117 |
| | Disadvantaged status: |
| | Services offered: Statewide Traffic Safety and Signs designs, manufactures, sells, rents and installs active and passive traffic control systems. We have the capabilities to remove, reset, relocate, furnish and install these systems in all temporary or permanent applications. Our scope includes Construction Area Signs, Traffic Control Flagging, Flashing Arrow Signs, Changeable Message Signs, Extinguishable Message Signs, Rapid Flash Beacons (RRFB), Flashing LED Signs, Crosswalk Systems, Pedestrian Safety Systems, Guardrail Material, Midwest Guardrail System (MGS), Flared Terminal Systems, In-Line Terminal Systems, Alternative Temporary Crash Cushion Systems, Alternative Permanent Crash Cushion Systems, Armor Guard Barrier, Armor Guard Gate, Roadside Signs/Posts/Structures, Overhead Signs/Structures, Traffic Cones, Barricades, Channelizers, Delineators, Object Markers, Pavement Markers, Thermoplastic and pre-form materials. Locations Servicing California and Nevada: Arcata, Redding, Fairfield, San Jose, Sacramento, Fresno, Bakersfield, Nipomo, Garden Grove, Poway, Riverside and Las Vegas. |

X

| | |
|---|---|
| 11-237964 | Imperial Sprinkler Supply |
| | 18 Branches in California Corporate Office - Anaheim, Ca |
| | Phone: 7605590078 / Fax Number: 7147922921 |
| | Disadvantaged status: |
| | Services offered: Services offered: Imperial is a large family owned distributor of Caltrans Approved Erosion Control, Construction & Stabilization Fabrics, Landscape, Irrigation, Controllers, Large Diameter Pipe and more. Imperial has 16 fully stocked branches with the largest delivery fleet in California to serve your company. Imperial also offers correct product specification & identification, installation education, submittal packages & certificates of compliance to complete your RFI, RFQ, and RFP. Please contact Kent Garner at (760) 559-0078 or KentG@ImperialSprinkler.com for Erosion Control, Sediment Control and Construction Fabrics. For Landscape, Irrigation & Pipe, please contact our Customer Service and Quote Department Main (714)792-2920 Fax (714)982-5095 QuoteDepartment@ImperialSprinkler.com CustomerService@ImperialSprinkler.com |

X

| | |
|---|---|
| | Maneri Traffic Control |

X

| | |
|---|---|
| 11-237964 | 47423 Rainbow Canyon Temecula, CA 92592 |
| | Phone: (951) 695-5104 \| Fax Number: (951) 695-5105 |
| | Disadvantaged status: DBE SBE |
| | Services offered: MANERI TRAFFIC CONTROL offers construction area traffic control, pcms, attenuator trucks with and without driver, pilot car, flagging, crash cushions, ramp notification signs, construction area signs, delineators, channelizers, and much more. E-mail oavila@maneritrafficcontrol.com if you have any questions. MANERI TRAFFIC CONTROL is certified DBE and SBE. |

| | |
|---|---|
| 11-237964 | Rhapsody Communications LLC |
| | 900 E. Hamilton Ave. #100 Campbell, CA 95008 |
| | Phone: 408-879-7295 \| Fax Number: 866-365-9822 |
| | Disadvantaged status: DBE |
| | Services offered: We are a DBE Supplier of Fiber Optic Cable and Associated materials such as Connectors, Pigtails, Patch Panels, Patch Cords, Fiber Splice Tray, Splice Closure,Innerduct,CAT5e,CAT6, Communication Conduit; Telecommunication Products and Services. Email Rodney Fitzpatrick - rodney@rhapsodycommunications.com; Mobile Number: 831-901-8123 |

+

| | |
|---|---|
| 11-237964 | HiWay Safety |
| | 520 W. Grand Ave Escondido, CA 92025 |
| | Phone: 760-745-2250 \| Fax Number: 760-745-2094 |
| | Disadvantaged status: |
| | Services offered: Hi-Way Safety is a manufacturer of Signs (Construction area, Warning, Regulatory, Parking, Highway and Custom), Cones and Delineators, Barricades, Channelizers, Message and Arrow boards. Product available for sale and or rental. K-Rail, Light towers & Balloon lights, Crash barrels, Safety Vests & Hard Hats, Paint, RPM?s, Chip seal markers, signage hardware and posts and all Guardrail material in stock. Fully staffed Traffic Control Teams ready to get to your job ASAP. Also, Staff on hand to handle all of the planning and permitting process. With locations in Escondido, Chino, Napa and our newest location in Sacramento, we can service all of California?s traffic control and construction needs. |

Faxed 7/29/16

8/3/16 7:58 am spoke to Jeff - he'll Let me know.

| | |
|---|---|
| 11-237964 | Chrisp Company |
| | 43650 Osgood Road Fremont, Ca. 94539 |
| | Phone: 510.656.2840 \| Fax Number: 510.656.2397 |
| | Disadvantaged status: |
| | Services offered: |

Faxed 7/29/16

| | |
|---|---|
| | MJ King Insurance Services |
| | 33160 Sesame St. CoarseGold, CA 93614 |
| | Phone: 559-692-2022 \| Fax Number: 877-629-6315 |
| | Disadvantaged status: DVBE SBE |
| | Services offered: MJ King Insurance Services is a DVBE #15025, SB, |

N/A

| | |
|---|---|
| 11-237964 | SDVOSB who can assist with PROFESSIONAL LIABILITY, General Liability, Workers Compensation, Commercial Auto, Pollution Liability, Course of Construction, Builders Risk, Construction Equipment, Inland Marine Insurance, Surety Bonding, Performance Bonding, Materials Bonding through SBA Surety Guarantee Program, HCC Surety and SureTech. Water truck insurance, gravel truck insurance, California Motor Carrier insurance requirements. Located in the foothills south of Yosemite, serving all of California. MJ ?Kip? King has extensive experience with public contracting insurance requirements including OCIP and CCIP ?Wrap? insurance programs. https://mjking.net All insurance required by contract applies to DVBE participation! Call MJ ?Kip? King for a no cost insurance and risk management review TODAY! |

| | | |
|---|---|---|
| 11-237964 | The Construction Zone | |
| | 4961 Pacheco Blvd. Martinez, CA, 94553 | |
| | Phone: 925-387-8013 | Fax Number: 925-293-0800 |
| | Disadvantaged status: DBE SBE | |
| | Services offered: The Construction Zone is a DBE, SBE & WBE supplier of cones, barricades, delineators, signs, temporary and permanent traffic markings and markers, general construction supplies, paint, striping supplies, crowd control, SWPPP supplies, survey supplies, arrowboards, CMS boards, traffic control equipment, safety supplies, sign installation supplies, custom signs, aluminum signs, cardboard signs, corrugated plastic signs, street name signs, roll-up signs, ADA signs, thermoplastic, raingear, high visibility vests and pants, tape measures, flares, reflective tape and sheeting, detectable warning surfaces, dust masks, shovels, rakes, batteries, beacons, gloves, hard hats, first aid kits, safety glasses, measuring wheels, head lamps, and more. Some items are available to rent. Temporary construction fence now available. We offer delivery and are available statewide for certain activities. TCZ can supply your next job, contact us today to discuss what you need, even if it is not listed above we can get it for you. www.theconstructionzone.us.com | |

Faxed 7/29/16

responded by fax on 8/1/16 yes bidding

| | | |
|---|---|---|
| 11-237964 | SC Valley Engineering | |
| | 656 Front St El Cajon, CA 92020 | |
| | Phone: 619-733-1117 | Fax Number: |
| | Disadvantaged status: | |
| | Services offered: Electrical Services | |

Competitor

| | | |
|---|---|---|
| 11-237964 | Environmental Waste Disposal, Inc | |
| | 19782 Mac Arthur Blvd #250 Irvine CA 92612 / Fresno 93704 | |
| | Phone: 949 466 8857 | Fax Number: 949 242 2479 |
| | Disadvantaged status: DVBE SBE | |
| | Services offered: Hazardous waste transport and disposal sampling , ADL, TWW, soils | |

Faxed 7/29/16

| | | |
|---|---|---|
| | ASSET Laboratories | |
| | ~~11110 Artesia Blvd, Suite B Cerritos, CA 90703~~ | |

Faxed 7/29/16 NG

| | | |
|---|---|---|
| 11-237964 | Phone: 5622197435 | Fax Number: 5622167436 |
| | Disadvantaged status: DBE | |
| | Services offered: We are an environmental testing laboratory. We can provide testing for Aerially deposited lead in soil samples. | |
| | | |

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3105 |
| RECIPIENT ADDRESS | 19166459618 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:26 |
| TIME USE | 04'19 |
| PAGES SENT | 5 |
| RESULT | OK |

AC Dike

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

## INVITATION TO BID

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: AC Dike Co

☑ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3106 |
| RECIPIENT ADDRESS | 17143753831 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:14 |
| TIME USE | 04'11 |
| PAGES SENT | 5 |
| RESULT | OK |

AESCO

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3107 |
| RECIPIENT ADDRESS | 18586797117 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:19 |
| TIME USE | 01'32 |
| PAGES SENT | 5 |
| RESULT | OK |

Statewide Traffic Safety + Signs

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3108 |
| RECIPIENT ADDRESS | 17147922921 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:21 |
| TIME USE | 01'11 |
| PAGES SENT | 5 |
| RESULT | OK |

Imperial Sprinkler Supply

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3109 |
| RECIPIENT ADDRESS | 18663659822 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:23 |
| TIME USE | 02'17 |
| PAGES SENT | 5 |
| RESULT | OK |

Rhapsody Communications

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units

# Send Result Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/29/2016 10:09
[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

Job No.: 000195 Total Time: 0°06'36" Page: 005

# No Response

Document: doc00019520160729100023

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237864; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E);

| No. | Date and Time | Destination | Times | Type | Result | Resolution/ECM |
|---|---|---|---|---|---|---|
| 001 | 07/29/16 10:01 | **17607452094** Hiway safety | 0°00'56" | FAX | OK | 200x100 Normal/On |
| 002 | 07/29/16 10:02 | **15106562397** Chrisp Co. | 0°00'40" | FAX | OK | 200x100 Normal/On |
| 003 | 07/29/16 10:03 | **19252930800** the construction zone | 0°02'02" | FAX | OK | 200x100 Normal/Off |
| 004 | 07/29/16 10:06 | **19492422479** Env. Waste Disposal | 0°02'00" | FAX | OK | 200x100 Normal/Off |
| 005 | 07/29/16 10:08 | **15622167436** Asset Labs | 0°00'58" | FAX | BUSY | 200x100 Normal/Off |



[ L8D5X07301 ]

# Send Result Report

MFP

TASKalfa 4551ci

Firmware Version 2N4_2000.005.031 2016.03.08

07/29/2016 10:16

[2N4_1000.004.001] [2N4_1100.001.002] [2N4_7000.005.028]

Job No.: 000196 Total Time: 0°00'57" Page: 005

# No Response

Document: doc00019620160729101457

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

**INVITATION TO BID**

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-6.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 80" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL

| No. | Date and Time | Destination | Times | Type | Result | Resolution/ECM |
|---|---|---|---|---|---|---|
| 001 | 07/29/16 10:15 | **15622167436** | 0°00'57" | FAX | BUSY | 200x100 Normal/Off |



[ L8D5X07301 ]

DBX, Inc.
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

## INVITATION TO BID

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: The Construction Zone

☒ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

# TAB 7

## GOOD FAITH EFFORT DOCUMENTATION

## ITEM #5

## EFFORTS TO PROVIDE INFORMATION AND

## PROOFS OF PUBLICATIONS

Contract No. 11-237964

## TAB 7

5. Describe the Bidder's efforts made to provide interested DBEs with adequate information about the plans, specifications and requirements of the Contract to assist them in responding to a solicitation. Identify the DBEs assisted, the type of information provided, and the date of the contacts. Provide copies of supporting documents.

- Advised potential DBE firms in all letters, faxes, emails and advertisements that the plans and specifications were available to be viewed in our office from 8 am – 4pm Monday through Friday and were also available for viewing on the Caltrans website and provided the link.

- Email received from Brian Elliott, One Time Utility Sales, requesting to be added to vendor list after seeing our information requesting DBE assistance on Caltrans website. Lisa Martz of DBX responded to the email informing him of our interest in receiving a quote from him for this project and sending him the link to the plans/specs. He submitted a quote on 7/13/16.

- Email received from Rodney Fitzpatrick, Rhapsody Communications, requesting quantities for fiber materials for bid Item #60. The estimator responded with the quantities on August 11, 2016. Quote received from Rhapsody Communications on 8/22/16.

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: «Company_Name»
«Email_Address»
«Fax_Number»

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

☐ Yes, we will be bidding on this project

☐ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

«Company_Name»
«Email_Address»
«Fax_Phone»

## NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

Listing for all primes seeking assistance with project 11-237964. 1 results found.

---

**Contractor:** DBX, INC. **Contact:** JAMES C. PERRY
**Address:** 42024 AVENIDA ALVARADO, SUITE A TEMECULA, CA 92590
**Phone:** 951-296-9909 **Fax:** 951-296-9978 **Email:** dbxinc@hotmail.com
**Services needed:** DBX, Inc. is requesting quotes from qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 1/4", 1 1/2", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING
**Requirements:** DBX, Inc. is an Equal Opportunity Employer. If you have any questions or need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services, please contact our office. Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation. Plans and specifications can be viewed in our office between 8:00 am and 4:00 pm Monday - Friday or they can be accessed from the Owner's website at:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964
**Date posted:** 07/12/2016

**dbxinc@hotmail.com**

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Weekly Bid Flash DBE Ad Affidavit - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile We

# Proof of Publishing Affidavit

To Whom It May Concern:

Be it known that this is a sworn affidavit that **DBX, Inc.** did place an advertisement we published on **7/13/2016** in our nationwide publications, Construction Star, Inc. and The Weekly Bid Flash, seeking Certified Disadvantaged subcontractors and/or material suppliers for the project **Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing.**

A copy of the advertisement is below:

Date Of Advertisement Placement: 7/12/2016 12:46:05 PM

DBX, Inc.
An Equal Opportunity Employer,
is requesting quotations from all qualified
**DBE**
sub-contractors and material suppliers for the following project:

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

City/Location: **La Mesa and Near El Cajon**
County: **San Diego**

Owner: **State of California Department of Transportation**

Bid Date: Tuesday 8/16/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Bid documents can be viewed at or obtained from:
Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

DBX, Inc. is an Equal Opportunity Employer. If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
**Phone:** (951) 296-9909 **Fax:** (951) 296-9978
Charles Perry
dbxinc@hotmail.com

Published on 7/13/2016 1:00:00 AM
by The Weekly Bid Flash and The Construction Star
Trade and Focus Publications
located at www.theweeklybidflash.com and www.constar1.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

Our publication is a listed approved source by the State of CA , Dept. of General Services, Office of Small Business Certification & Resources, in its Resource Packet.

Since, 1989 our firm has been proud to help businesses reach Certified Disadvantaged firms statewide.

If you should need any further information, please do not hesitate to contact us at 800-479-5314.

Thank you again!

Construction Bidboard Inc.
11622 El Camino Real, Suite 100
San Diego, CA 92130
www.theweeklybidflash.com 800-479-5314



## dbxinc@hotmail.com

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Weekly Bid Flash DBE Ad Subscription Invoice - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to

Dear Charles Perry,

Thank you for placing your advertisement at Construction Star, Inc. and The Weekly Bid Flash!

Please SAVE this email so you can **Click HERE to Edit your Ad** at any time in the future!

**Your advertisement will be processed as soon as we confirm the payment has been received.**
**If your ad needs to be advertised immediately please call 800-479-5314 or email invoicing@ebidboard.com to take care of this by credit card.**

To assist in your good faith effort, we will be sending you additional emails that will include your affidavit of publication and a copy of your advertisement. Visit www.ebidboard.com to learn more about the most effective and efficient tool ever designed to get Certified Disadvantage firms to bid your projects.

**Contact Information:**
DBX, Inc.
Charles Perry
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
(951) 296-9909
Fax: (951) 296-9978

dbxinc@hotmail.com

**Bill To:**

, CA

**P.O. Number:**
n/a

Sales Code: Company

| DBE Ad Displayed On | Price | Total |
|---|---|---|
| Construction Star, Inc. and The Weekly Bid Flash | $45 | $45 |
| **Discount:** | | $0 |
| **Sales Tax:** | | $0 |
| **Grand Total:** | | $45 |
| **checks should be made payable to CBI** | | |

If you have questions about your advertisement, send an e-mail to info@theweeklybidflash.com or call 800-479-5314. In your e-mail, please include your advertisement reference number.

Thank you again!

Construction Bidboard Inc.
11622 El Camino Real
Suite 100
San Diego, CA 92130
www.theweeklybidflash.com
800-479-5314

**dbxinc@hotmail.com**

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Copy of your DBE Ad - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jen

Date Of Advertisement Placement: 7/12/2016 12:46:05 PM

DBX, Inc.
An Equal Opportunity Employer,
is requesting quotations from all qualified
**DBE**
sub-contractors and material suppliers for the following project:

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

City/Location: **La Mesa and Near El Cajon**
County: **San Diego**

Owner: **State of California Department of Transportation**

Bid Date: Tuesday 8/16/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL

CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Bid documents can be viewed at or obtained from:
Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

DBX, Inc. is an Equal Opportunity Employer. If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
**Phone:** (951) 296-9909 **Fax:** (951) 296-9978
Charles Perry
dbxinc@hotmail.com

Published on 7/13/2016 1:00:00 AM
by The Weekly Bid Flash and The Construction Star
Trade and Focus Publications
located at www.theweeklybidflash.com and www.constar1.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

20YEARS
SAN DIEGO PTAC
Contracting Opportunities Center

One on One Counseling

Contract Opportunities



Training and Workshops

# Post Bid Opportunities

e-mail updates

Agencies and Prime Contractors are welcome to post bidding opportunities/requests for subs/suppliers by completing the listing below. San Diego Contracting Opportunities Center can only provide a list of contractors/subcontractors/suppliers to program sponsors. If you are not a program sponsor, we will process your request and distribute to the applicable trades you're looking for. If interested, they will contact you directly. To satisfy your request, please submit this listing two (2) weeks prior to due date if possible.

## Submit A Listing

### 3 - Submission Received

Your listing has been submitted.

Return to directory.

Client Success

**SDCOC has assisted clients in obtaining over $925 Million in contracts!**

View some of our client success stories at: SDCOC Success Stories

SDCOC Sponsors

SAN DIEGO UNIFIED SCHOOL DISTRICT


Copyright 2015

619.285.7020 | sdcoc@ptac-sandiego.org

# Directory of Bids

e-mail updates

← Back to Directory

## Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and Near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Pkwy Overcrossing and from Los Coches Rd Undercrossing to 0.2 Mile West of Lake Jennings Park Road Uncercrossing

**Category:** Agency Contracting Opportunities, Construction

**Project Agency Owner:** State of California Dept. of Transportation

**Name of Prime Contractor:** DBX, Inc.

**Opportunity Description:** DBX, Inc. is an Equal Opportunity Employer. We are requesting quotes from qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT

(TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING.

If you have any questions or need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services, please contact our office.
Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.
We will work with interested subs/suppliers to identify opportunities to break down items into

Client Success

**SDCOC has assisted clients in obtaining over $925 Million in contracts!**

View some of our client success stories at: SDCOC Success Stories

SDCOC Sponsors

economically feasible units to facilitate DBE participation.

Plans and specifications can be viewed in our office between 8am and 4pm Monday -Friday or they can be accessed from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

**Bid Due Date:**
08/16/2016

**Time Bid is Due:** 2:00 pm

**Contact Name:** Charles Perry

**Contact Address:** 42024 Avenida Alvarado, Suite A, Temecula, CA 92590

**Contact Phone Number:** 951-296-9909

**Contact Fax:** 951-296-9978

**Contact Email:** dbxinc@hotmail.com

**Website Address:** http://www.dbxincorporated.com

A Program of:

SWC SOUTHWESTERN COLLEGE

San Diego Contracting Opportunities Center (SDCOC)
4007 Camino del Rio South, Suite 210
San Diego, CA 92108-4189
Copyright 2015
619.285.7020 | sdcoc@ptac-sandiego.org

Website Design By:
ITegrity Logo

**dbxinc@hotmail.com**

**From:** dbxinc@hotmail.com on behalf of DBX Inc.
**Sent:** Wednesday, July 13, 2016 12:35 PM
**To:** 'Brian Elliott'
**Subject:** RE: DBE/DVBE Supplier

Brian,

We will be bidding on a district 11 Caltrans job on August 16th and would definitely be interested in receiving a quote from you. I have attached a link below for the plans and specs. Let me know if you have any questions.

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Sincerely,

Lisa Martz
DBX, Inc.
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
p. (951) 296-9909
f. (951) 296-9978

**From:** Brian Elliott [mailto:brian@onetimeutility.com]
**Sent:** Tuesday, July 12, 2016 4:02 PM
**To:** dbxinc@hotmail.com
**Subject:** DBE/DVBE Supplier

Good afternoon,

I hope you do not mind my email. I got your information off of the CAL-TRANS website requesting DBE assistance.

I am a DBE (as well as DVBE and MBE) supplier of **utility conduit** (water and electrical), **electrical materials** and **precast products**.

My hope is to be added to your list of vendors so I can begin at the minimum bidding the supply line with you and your company.

Thank you and Semper Fi.

Attachment: Certifications/Line Card

--

ONE TIME UTILITY

***Brian Elliott (USMC)***
*President*
**One Time Utility Sales, Inc.**
SDVOSB/DVBE/DBE/MBE/SBE Distributor of Underground Utility Supplies
501 Garfield St.

Santa Ana, CA 92701
Phone: (714) 953-5700
Fax: (714) 953-5720
email: brian@onetimeutility.com
website: www.onetimeutilitygov.com

Billing address: 13681 Newport Ave. #8-449
Tustin, CA 92780

ONE TIME UTILITY
13681 Newport Ave. #8-449
Tustin, CA 92780
www.onetimeutility.com

# Quote

| Date | Quote # |
|---|---|
| 7/13/16 | 1679 |

| Name / Address | Ship To |
|---|---|
| DBX, Inc. | San Diego County<br>Caltrans #11-237964 |

| Rep | Job# |
|---|---|
| BE | 11-237964 |

| Item | Description | Qty | Cost | U/M | Unit Price | Total |
|---|---|---|---|---|---|---|
| PVC4010020... | 1" SCH40 20' WHITE WATER PIPE | 60 | | ft | 0.29317 | 17.59T |
| PVC4012520... | 1-1/4" SCH40 WHITE | 60 | | ft | 0.3915 | 23.49T |
| PVC4015020... | 1-1/2" SCH40 20' WHITE WATER PIPE | 40 | | ft | 0.46725 | 18.69T |
| PVC4020020... | 2" SCH40 20' WHITE WATER PIPE | 60 | | ft | 0.62767 | 37.66T |
| PSW315300 | 3" CL315 | 520 | | ft | 1.5424 | 802.05T |
| | Prices are good for 21 days. Freight included. | | | | | |

One Time Utility Sales, Inc. reserves the right to revoke this quotation at any time. Quoted prices are subject to change without notice in the event of an increase in raw material or energy costs from our manufactured. All clerical, typographical and mathematical errors are subject to correction.

| | |
|---|---|
| **Subtotal** | $899.48 |
| **Sales Tax (8.0%)** | $71.96 |
| **Total** | $971.44 |

Phone: (714)953-5700 Fax: (714)953-5720

**dbxinc@hotmail.com**

**From:** Rodney Fitzpatrick <rodney@rhapsodycommunications.com>
**Sent:** Monday, July 18, 2016 5:06 PM
**To:** Lisa Martz
**Subject:** Response to bid Project 11-237964
**Attachments:** DBX Invite to Bid 11-237964-Rhapsody Communications LLC.pdf

DBX Team

Attached is our response to the bid document. Please note we would like to quote the following items for the Fiber Optic System Item #60 on the bid list. Can you please provide us with your quantities. Thank you and we look forward to partnering with you on this project.

**1. Fiber distribution unit**
**2. Media converter**
**3. Fiber optic cable**
**4. Fiber optic splice closure**
**5. Tracer wire**
**6. Warning Tape**
**7. Fiber optic marker**
**8. Fiber optic riser cable**
**9. Fiber optic connectors**

**Rodney Fitzpatrick**
Rhapsody Communications LLC
900 E. Hamilton Ave. Suite#100
Campbell, CA 95008

**DUNS #: 015924708**
**CAGE #: 6PHVO**
**CA / SB Supplier ID # 43692**
**CPUC / MBE Certified VON ID # 13030164**
**CUCP / DBE Certified ID # 42452**

You Can Always Reach Me In my Online Conference Room: https://imeet.com/rhapsodycommunications/rodney

**Phone: 408.879.7295**
**Mobile: 831.901.8123**
**Fax: 866.365.9822**
**www.rhapsodycommunications.com**

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 29, 2016

## INVITATION TO BID

To: Estimator

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: RHAPSODY COMMUNICATIONS LLC / DBE #42452 Work Code C9999

☒ Yes, we will be bidding on this project MATERIALS AND SUPPLIES / FIBER OPTIC SYSTEM

☐ No, we will not be bidding on this project PLEASE SEE ITEMS TO QUOTE BELOW

"AN EQUAL OPPORTUNITY EMPLOYER"

## BID ITEM LIST

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 1 | 070030 | LEAD COMPLIANCE PLAN | LS | LUMP SUM |
| 2 | 080050 | PROGRESS SCHEDULE (CRITICAL PATH METHOD) | LS | LUMP SUM |
| 3 | 090100 | TIME-RELATED OVERHEAD (WDAY) | WDAY | 240 |
| 4 | 120090 | CONSTRUCTION AREA SIGNS | LS | LUMP SUM |
| 5 | 120100 | TRAFFIC CONTROL SYSTEM | LS | LUMP SUM |
| 6 | 120159 | TEMPORARY TRAFFIC STRIPE (PAINT) | LF | 8,000 |
| 7 | 120199 | TRAFFIC PLASTIC DRUM | EA | 24 |
| 8 | 120300 | TEMPORARY PAVEMENT MARKER | EA | 610 |
| 9 | 128651 | PORTABLE CHANGEABLE MESSAGE SIGN (EA) | EA | 2 |
| 10 | 129000 | TEMPORARY RAILING (TYPE K) | LF | 2,160 |
| 11 | 031365 | TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM | EA | 1 |
| 12 | 129100 | TEMPORARY CRASH CUSHION MODULE | EA | 28 |
| 13 | 130100 | JOB SITE MANAGEMENT | LS | LUMP SUM |
| 14 | 130200 | PREPARE WATER POLLUTION CONTROL PROGRAM | LS | LUMP SUM |
| 15 | 130620 | TEMPORARY DRAINAGE INLET PROTECTION | EA | 39 |
| 16 | 130640 | TEMPORARY FIBER ROLL | LF | 3,670 |
| 17 | 130710 | TEMPORARY CONSTRUCTION ENTRANCE | EA | 4 |
| 18 | 130900 | TEMPORARY CONCRETE WASHOUT | LS | LUMP SUM |
| 19 | 141120 | TREATED WOOD WASTE | LB | 4,120 |
| 20 | 150661 | REMOVE GUARDRAIL | LF | 330 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 21 | 150685 | REMOVE IRRIGATION FACILITY | LS | LUMP SUM |
| 22 | 150711 | REMOVE PAINTED TRAFFIC STRIPE | LF | 4,000 |
| 23 | 150714 | REMOVE THERMOPLASTIC TRAFFIC STRIPE | LF | 640 |
| 24 | 153103 | COLD PLANE ASPHALT CONCRETE PAVEMENT | SQYD | 17,700 |
| 25 | 190105 | ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD) | CY | 280 |
| 26 | 205035 | WOOD MULCH | CY | 10 |
| 27 | 206400 | CHECK AND TEST EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 28 | 206402 | OPERATE EXISTING IRRIGATION FACILITIES | LS | LUMP SUM |
| 29 | 206560 | CONTROL AND NEUTRAL CONDUCTORS | LS | LUMP SUM |
| 30 | 208447 | POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN) | EA | 4 |
| 31 | 208588 | 3" GATE VALVE | EA | 1 |
| 32 (F) | 208595 | 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 33 (F) | 208596 | 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 50 |
| 34 (F) | 208597 | 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 30 |
| 35 (F) | 208598 | 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE) | LF | 48 |
| 36 (F) | 208607 | 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE) | LF | 505 |
| 37 | 031366 | 3" TEMPORARY IRRIGATION SUPPLY LINE | LF | 120 |
| 38 | 208738 | 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT | LF | 89 |
| 39 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 89 |
| 40 | 374002 | ASPHALTIC EMULSION (FOG SEAL COAT) | TON | 6 |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 41 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 31 |
| 42 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,710 |
| 43 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 200 |
| 44 | 397005 | TACK COAT | TON | 6 |
| 45 | 498052 | 60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | LF | 44 |
| 46 (F) | 560218 | FURNISH SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 47 (F) | 560219 | INSTALL SIGN STRUCTURE (TRUSS) | LB | 31,551 |
| 48 | 031367 | INSTALL CHANGEABLE MESSAGE SIGN | LS | LUMP SUM |
| 49 | 839301 | SINGLE THRIE BEAM BARRIER | LF | 320 |
| 50 | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 4 |
| 51 | 031368 | CONCRETE BARRIER (TYPE 60 MODIFIED) | LF | 190 |
| 52 | 840655 | PAINT TRAFFIC STRIPE (1-COAT) | LF | 4,800 |
| 53 | 846001 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) | LF | 3,800 |
| 54 | 846005 | 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12) | LF | 4,800 |
| 55 | 846010 | 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3) | LF | 1,600 |
| 56 | 850101 | PAVEMENT MARKER (NON-REFLECTIVE) | EA | 400 |
| 57 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 250 |
| 58 | 860090 | MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION | LS | LUMP SUM |
| 59 | 031369 | SUBSURFACE LOCATOR | LS | LUMP SUM |
| 60 | 031370 | FIBER OPTIC SYSTEM | LS | LUMP SUM |

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity |
|---|---|---|---|---|
| 61 | 031371 | AUTOMATIC VEHICLE CLASSIFICATION SYSTEM | LS | LUMP SUM |
| 62 | 031372 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM |
| 63 | 871200 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM |
| 64 | 872130 | MODIFYING EXISTING ELECTRICAL SYSTEM | LS | LUMP SUM |
| 65 | 999990 | MOBILIZATION | LS | LUMP SUM |

We would like to give you a quote for the following items below
Please provide us with your quantities:

1. Fiber Distribution Unit
2. Media Converter
3. Fiber Optic Cable
4. Fiber Optic Splice Closure
5. Tracer Wire
6. Wiring Tape
7. Fiber Optic Marker
8. Fiber Optic Riser Cable
9. Fiber Optic Connectors

**dbxinc@hotmail.com**

**From:** Bryan Vinson <bryanvinson18@gmail.com>
**Sent:** Thursday, August 11, 2016 12:09 PM
**To:** rodney@rhapsodycommunications.com
**Cc:** Charles Perry; Lisa Martz
**Subject:** Re: Response to bid Project 11-237964

Rodney,

Please see my fiber optic quantities below:

Fiber Optic Cable (144SMFO) - 65,000FT
Fiber Optic Cable (12SMFO) - 14,000FT
Fiber Optic Cable (4SMFO) - 7,000FT
Tracer Wire - 35,000FT
Fiber Optic Splice Closure - 11
Fiber Distribution Unit (144 Fibers) - 2
Fiber Distribution Unit (12 Fibers) - 18
12-Fiber Splice Cassette w/ LC Pigtail - 42
Cat5E OSP - 8,000FT
Cat5E Patch Panel - 13
Media Converter - 10

Thanks,

Bryan Vinson
DBX, Inc.
p. 951.296.9909
f. 951.296.9978
c. 951.331.5815
bryanvinson18@gmail.com

On Jul 19, 2016, at 8:05 AM, DBX Inc. <dbxinc@hotmail.com> wrote:

Bryan,

Please provide Rodney at Rhapsody Communications the quantities for the items listed in his email below on the Caltrans project 11-237964 bidding on August 16th. This is a DBE firm that we solicited so we need to respond to him.

Sincerely,

Lisa Martz
DBX, Inc.
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
p. (951) 296-9909
f. (951) 296-9978

---

**From:** Rodney Fitzpatrick [mailto:rodney@rhapsodycommunications.com]
**Sent:** Monday, July 18, 2016 5:06 PM
**To:** Lisa Martz
**Subject:** Response to bid Project 11-237964

DBX Team

Attached is our response to the bid document. Please note we would like to quote the following items for the Fiber Optic System Item #60 on the bid list. Can you please provide us with your quantities. Thank you and we look forward to partnering with you on this project.

1. **Fiber distribution unit**
2. **Media converter**
3. **Fiber optic cable**
4. **Fiber optic splice closure**
5. **Tracer wire**
6. **Warning Tape**
7. **Fiber optic marker**
8. **Fiber optic riser cable**
9. **Fiber optic connectors**

**Rodney Fitzpatrick**
Rhapsody Communications LLC
900 E. Hamilton Ave. Suite#100
Campbell, CA 95008

**DUNS #: 015924708**
**CAGE #: 6PHVO**
**CA / SB Supplier ID # 43692**
**CPUC / MBE Certified VON ID # 13030164**
**CUCP / DBE Certified ID # 42452**

You Can Always Reach Me In my Online Conference Room: https://imeet.com/rhapsodycommunications/rodney

**Phone: 408.879.7295**
**Mobile: 831.901.8123**
**Fax: 866.365.9822**
**www.rhapsodycommunications.com**


<DBX Invite to Bid 11-237964-Rhapsody Communications LLC.pdf>

**dbxinc@hotmail.com**

| | |
|---|---|
| **From:** | Rodney Fitzpatrick <rodney@rhapsodycommunications.com> |
| **Sent:** | Monday, August 22, 2016 11:05 AM |
| **To:** | Bryan Vinson; Charles Perry; Lisa Martz |
| **Cc:** | Fiber Team |
| **Subject:** | Re: Response to bid Project 11-237964 |
| **Attachments:** | DBX QPKG CP-11-237964.pdf |

DBX Team:

Please see attached quote for Fiber Optic Cable and materials. If you need DBE participation goal we are NAICS Code 425120; Work Code: C9999. Thank you for the opportunity.

**Rodney Fitzpatrick**
Rhapsody Communications LLC
900 E. Hamilton Ave. Suite#100
Campbell, CA 95008

**DUNS #: 015924708**
**CAGE #: 6PHVO**
**CA / SB Supplier ID # 43692**
**CPUC / MBE Certified VON ID # 13030164**
**CUCP / DBE Certified ID # 42452**

**You Can Always Reach Me In my Online Conference Room: https://imeet.com/rhapsodycommunications/rodney**

**Phone: 408.879.7295**
**Mobile: 831.901.8123**
**Fax: 866.365.9822**
**www.rhapsodycommunications.com**

On Thursday, August 11, 2016 12:32 PM, Bryan Vinson <bryanvinson18@gmail.com> wrote:

Rodney,

Please see my fiber optic quantities below:

Fiber Optic Cable (144SMFO) - 65,000FT
Fiber Optic Cable (12SMFO) - 14,000FT
Fiber Optic Cable (4SMFO) - 7,000FT
Tracer Wire - 35,000FT
Fiber Optic Splice Closure - 11
Fiber Distribution Unit (144 Fibers) - 2
Fiber Distribution Unit (12 Fibers) - 18
12-Fiber Splice Cassette w/ LC Pigtail - 42
Cat5E OSP - 8,000FT
Cat5E Patch Panel - 13
Media Converter - 10

Thanks,

Bryan Vinson
DBX, Inc.
p. 951.296.9909
f. 951.296.9978
c. 951.331.5815
bryanvinson18@gmail.com

On Jul 19, 2016, at 8:05 AM, DBX Inc. <dbxinc@hotmail.com> wrote:

Bryan,

Please provide Rodney at Rhapsody Communications the quantities for the items listed in his email below on the Caltrans project 11-237964 bidding on August 16th. This is a DBE firm that we solicited so we need to respond to him.

Sincerely,

Lisa Martz
DBX, Inc.
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
p. (951) 296-9909
f. (951) 296-9978

---

**From:** Rodney Fitzpatrick [mailto:rodney@rhapsodycommunications.com]
**Sent:** Monday, July 18, 2016 5:06 PM
**To:** Lisa Martz
**Subject:** Response to bid Project 11-237964

DBX Team

Attached is our response to the bid document. Please note we would like to quote the following items for the Fiber Optic System Item #60 on the bid list. Can you please provide us with your quantities. Thank you and we look forward to partnering with you on this project.

**1. Fiber distribution unit**
**2. Media converter**
**3. Fiber optic cable**
**4. Fiber optic splice closure**
**5. Tracer wire**
**6. Warning Tape**
**7. Fiber optic marker**
**8. Fiber optic riser cable**
**9. Fiber optic connectors**

**Rodney Fitzpatrick**
Rhapsody Communications LLC
900 E. Hamilton Ave. Suite#100
Campbell, CA 95008

**DUNS #: 015924708**
**CAGE #: 6PHVO**
**CA / SB Supplier ID # 43692**
**CPUC / MBE Certified VON ID # 13030164**
**CUCP / DBE Certified ID # 42452**

You Can Always Reach Me In my Online Conference Room: https://imeet.com/rhapsodycommunications/rodney

**Phone: 408.879.7295**
**Mobile: 831.901.8123**
**Fax: 866.365.9822**
**www.rhapsodycommunications.com**


<DBX Invite to Bid 11-237964-Rhapsody Communications LLC.pdf>

Rhapsody COMMUNICATIONS

900 E. Hamilton Ave., #100, Campbell, CA 95008 Phone: (408) 879-7295 • Fax: (866) 365-9822
**DBE** # 42452 • **MBE** # 13030164 • **CA/ SB** # 43692

August 22, 2016

**James C. Perry**
DBX Inc.
42024 Avenida Alvararado, Suite A
Temecula, CA 92590
Phone: 951.296.9909
Fax: 951.296.9978
Email: dbxinc@hotmail.com

**Re: Fiber Optic Cable and Product Supplier Bid / DBE Certified #42452 - CUPC**
Caltrans Project 11-237964

James:

Attached to this letter is the cost item list for the Fiber Optic Cable and Products associated with Caltrans Project 11-237964. You will find the cost for the following items: **Fiber Optic Cable 144SMFO, Fiber Optic Cable 12SMFO, Fiber Optic Cable 4SMFO,Tracer Wire, Fiber optic Splice Closure, Fiber Distribution Unit (144-Fibers), Fiber Distribution Unit (12-Fibers),Fiber Splice Cassette w/LC Pigtail, Cat5E OSP,Cat5E Patch Panel, Media Converter**. Thank you.

*Rodney Fitzpatrick*
Rodney Fitzpatrick

Attachments:

Fiber Optic Cable and Product Quote List.

Rhapsody COMMUNICATIONS
900 E. Hamilton Ave., #100, Campbell, CA 95008 Phone: (408) 879-7295 • Fax: (866) 365-9822
**DBE #** 42452 • **MBE #** 13030164 • **CA/ SB #** 43692

**James C. Perry**
DBX Inc.
42024 Avenida Alvararado, Suite A
Temecula, CA 92590
Phone: 951.296.9909
Fax: 951.296.9978

**Quote For:** Caltrans Project 11-237964

| Materials | Quantity | Lead time | Cost each | Extension |
|---|---|---|---|---|
| Fiber Optic Cable 144SMFO | 65,000ft | 8-10 weeks | $1.518/ft | $98,670.00 |
| Fiber Optic Cable 12SMFO | 14,000ft | 8-10 weeks | $0.350/ft | $4,900.00 |
| Fiber Optic Cable 4SMFO | 7,000ft | 8-10 weeks | $0.286/ft | $2,002.00 |
| Tracer Wire (10gauge) | 35,000ft | 2-3 weeks | $.336/ft | $11,760.00 |
| Fiber optic Splice Closure | 11pcs | 2-3 weeks | $262.00ea | $2,882.00 |
| Fiber Distribution Unit (144-Fibers) (3M-8425) | 2pcs | 2-3 weeks | $363.06ea | $726.12 |
| Fiber Distribution Unit (12-Fibers) (3M-8423) | 18pcs | 2-3 weeks | $161.00 | $2898.00 |
| Fiber Splice Cassette w/LC Pigtail | 42pcs | 3-4 weeks | $225.00ea | $9,450.00 |
| Cat5E OSP | 8,000ft | 1-2 weeks | $0.218/ft | $1,744.00 |
| Cat5E Patch Panel (3M VOL-PPCB-F48K) | 13pcs | 2-3 weeks | $112.14 | $1457.82 |
| Media Converter | 10 | 1-2 weeks | $185.00ea | $1850.00 |
| | | | | $138,339.94 |
| Tax @ 8% | | | | $11,067.20 |
| | | | | |
| **Total** | | | | $149,407.14 |

**Prepared By:** Rodney Fitzpatrick **Date:** August 22, 2016

# TAB 8

## GOOD FAITH EFFORT DOCUMENTATION

## ITEM #6

## EFFORTS TO PROVIDE ASSISTANCE AND

## PROOFS OF PUBLICATIONS

Contract No. 11-237964

DBE GOOD FAITH EFFORTS DOCUMENTATION

**TAB 8**

6. Describe the Bidder's efforts made to assist interested DBEs in obtaining bonding, lines of credit, or insurance. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents.

- Advised potential DBE firms in all letters, faxes, emails and advertisements that assistance in obtaining bonding, lines of credit, or insurance was available and if needed to contact our office.

We did not receive any requests for assistance.

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: «Company_Name»
«Email_Address»
«Fax_Number»

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

«Company_Name»
«Email_Address»
«Fax_Phone»

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

Home » Construction Contract Awards » **Advertised Projects This Week**

Listing for all primes seeking assistance with project 11-237964. 1 results found.

---

**Contractor:** DBX, INC. **Contact:** JAMES C. PERRY
**Address:** 42024 AVENIDA ALVARADO, SUITE A TEMECULA, CA 92590
**Phone:** 951-296-9909 **Fax:** 951-296-9978 **Email:** dbxinc@hotmail.com
**Services needed:** DBX, Inc. is requesting quotes from qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 1/4", 1 1/2", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING
**Requirements:** DBX, Inc. is an Equal Opportunity Employer. If you have any questions or need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services, please contact our office. Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation. Plans and specifications can be viewed in our office between 8:00 am and 4:00 pm Monday - Friday or they can be accessed from the Owner's website at:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964
**Date posted:** 07/12/2016

**dbxinc@hotmail.com**

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Weekly Bid Flash DBE Ad Affidavit - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile We

# Proof of Publishing Affidavit

To Whom It May Concern:

Be it known that this is a sworn affidavit that **DBX, Inc.** did place an advertisement we published on **7/13/2016** in our nationwide publications, Construction Star, Inc. and The Weekly Bid Flash, seeking Certified Disadvantaged subcontractors and/or material suppliers for the project **Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing**.

A copy of the advertisement is below:

Date Of Advertisement Placement: 7/12/2016 12:46:05 PM

DBX, Inc.
An Equal Opportunity Employer,
is requesting quotations from all qualified
**DBE**
sub-contractors and material suppliers for the following project:

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

City/Location: **La Mesa and Near El Cajon**
County: **San Diego**

Owner: **State of California Department of Transportation**

Bid Date: Tuesday 8/16/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Bid documents can be viewed at or obtained from:
Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

DBX, Inc. is an Equal Opportunity Employer. If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
**Phone:** (951) 296-9909 **Fax:** (951) 296-9978
Charles Perry
dbxinc@hotmail.com

Published on 7/13/2016 1:00:00 AM
by The Weekly Bid Flash and The Construction Star
Trade and Focus Publications
located at www.theweeklybidflash.com and www.constar1.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

Our publication is a listed approved source by the State of CA , Dept. of General Services, Office of Small Business Certification & Resources, in its Resource Packet.

Since, 1989 our firm has been proud to help businesses reach Certified Disadvantaged firms statewide.

If you should need any further information, please do not hesitate to contact us at 800-479-5314.

Thank you again!

Construction Bidboard Inc.
11622 El Camino Real, Suite 100
San Diego, CA 92130
www.theweeklybidflash.com 800-479-5314



## dbxinc@hotmail.com

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Weekly Bid Flash DBE Ad Subscription Invoice - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to

Dear Charles Perry,

Thank you for placing your advertisement at Construction Star, Inc. and The Weekly Bid Flash!

Please SAVE this email so you can **Click HERE to Edit your Ad** at any time in the future!

**Your advertisement will be processed as soon as we confirm the payment has been received.**
**If your ad needs to be advertised immediately please call 800-479-5314 or email invoicing@ebidboard.com to take care of this by credit card.**

To assist in your good faith effort, we will be sending you additional emails that will include your affidavit of publication and a copy of your advertisement. Visit www.ebidboard.com to learn more about the most effective and efficient tool ever designed to get Certified Disadvantage firms to bid your projects.

**Contact Information:**
DBX, Inc.
Charles Perry
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
(951) 296-9909
Fax: (951) 296-9978

dbxinc@hotmail.com

**Bill To:**

, CA

**P.O. Number:**
n/a

Sales Code: Company

| DBE Ad Displayed On | Price | Total |
|---|---|---|
| Construction Star, Inc. and The Weekly Bid Flash | $45 | $45 |
| | **Discount:** | $0 |
| | **Sales Tax:** | $0 |
| | **Grand Total:** | $45 |
| **checks should be made payable to CBI** | | |

If you have questions about your advertisement, send an e-mail to info@theweeklybidflash.com or call 800-479-5314. In your e-mail, please include your advertisement reference number.

Thank you again!

Construction Bidboard Inc.
11622 El Camino Real
Suite 100
San Diego, CA 92130
www.theweeklybidflash.com
800-479-5314

**dbxinc@hotmail.com**

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Copy of your DBE Ad - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jen

Date Of Advertisement Placement: 7/12/2016 12:46:05 PM

DBX, Inc.
An Equal Opportunity Employer,
is requesting quotations from all qualified
**DBE**
sub-contractors and material suppliers for the following project:

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

City/Location: **La Mesa and Near El Cajon**
County: **San Diego**

Owner: **State of California Department of Transportation**

Bid Date: Tuesday 8/16/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL

CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Bid documents can be viewed at or obtained from:
Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

DBX, Inc. is an Equal Opportunity Employer. If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
**Phone:** (951) 296-9909 **Fax:** (951) 296-9978
Charles Perry
dbxinc@hotmail.com

Published on 7/13/2016 1:00:00 AM
by The Weekly Bid Flash and The Construction Star
Trade and Focus Publications
located at www.theweeklybidflash.com and www.constar1.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

20YEARS
SAN DIEGO PTAC
Contracting Opportunities Center

One on One Counseling | Contract Opportunities | Training and Workshops





# Post Bid Opportunities

e-mail updates

Agencies and Prime Contractors are welcome to post bidding opportunities/requests for subs/suppliers by completing the listing below. San Diego Contracting Opportunities Center can only provide a list of contractors/subcontractors/suppliers to program sponsors. If you are not a program sponsor, we will process your request and distribute to the applicable trades you're looking for. If interested, they will contact you directly. To satisfy your request, please submit this listing two (2) weeks prior to due date if possible.

## Submit A Listing

### 3 - Submission Received

Your listing has been submitted.

Return to directory.

### Client Success

**SDCOC has assisted clients in obtaining over $925 Million in contracts!**

View some of our client success stories at: SDCOC Success Stories

### SDCOC Sponsors

SAN DIEGO UNIFIED SCHOOL DISTRICT


Copyright 2015

619.285.7020 | sdcoc@ptac-sandiego.org

# Directory of Bids

e-mail updates

← Back to Directory

## Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and Near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Pkwy Overcrossing and from Los Coches Rd Undercrossing to 0.2 Mile West of Lake Jennings Park Road Uncercrossing

**Category:** Agency Contracting Opportunities, Construction

**Project Agency Owner:** State of California Dept. of Transportation

**Name of Prime Contractor:** DBX, Inc.

**Opportunity Description:** DBX, Inc. is an Equal Opportunity Employer. We are requesting quotes from qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT

(TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING.

If you have any questions or need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services, please contact our office.
Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.
We will work with interested subs/suppliers to identify opportunities to break down items into

Client Success

**SDCOC has assisted clients in obtaining over $925 Million in contracts!**

View some of our client success stories at: SDCOC Success Stories

SDCOC Sponsors

economically feasible units to facilitate DBE participation.

Plans and specifications can be viewed in our office between 8am and 4pm Monday -Friday or they can be accessed from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

**Bid Due Date:**
08/16/2016

**Time Bid is Due:** 2:00 pm

**Contact Name:** Charles Perry

**Contact Address:** 42024 Avenida Alvarado, Suite A, Temecula, CA 92590

**Contact Phone Number:** 951-296-9909

**Contact Fax:** 951-296-9978

**Contact Email:** dbxinc@hotmail.com

**Website Address:** http://www.dbxincorporated.com

A Program of:

SWC SOUTHWESTERN COLLEGE

San Diego Contracting Opportunities Center (SDCOC)
4007 Camino del Rio South, Suite 210
San Diego, CA 92108-4189
Copyright 2015
619.285.7020 | sdcoc@ptac-sandiego.org

Website Design By:

ITegrity Logo

# TAB 9

## GOOD FAITH EFFORT DOCUMENTATION

## ITEM #7

## EFFORTS TO PROVIDE ASSISTANCE AND

## PROOFS OF PUBLICATIONS

Contract No. 11-237964

DBE GOOD FAITH EFFORTS DOCUMENTATION

**TAB 9**

7. Describe the Bidder's efforts made to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE purchases or leases from the prime contractor or its affiliate. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents.

- Advised potential DBE firms in all letters, faxes, emails and advertisements that assistance in obtaining necessary equipment, supplies, materials or related assistance or services was available and if needed to contact our office.

We did not receive any requests for assistance.

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

July 13, 2016

## INVITATION TO BID

To: «Company_Name»
«Email_Address»
«Fax_Number»

Project: **CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project as a prime contractor and are requesting sub quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

A copy of the bid items has been attached for your review.

If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

---

**Please fax your response to (951) 296-9978 or**
**Email to: dbxinc@hotmail.com**

Company Name: _____

□ Yes, we will be bidding on this project

□ No, we will not be bidding on this project

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

«Company_Name»
«Email_Address»
«Fax_Phone»

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

Listing for all primes seeking assistance with project 11-237964. 1 results found.

---

**Contractor:** DBX, INC. **Contact:** JAMES C. PERRY
**Address:** 42024 AVENIDA ALVARADO, SUITE A TEMECULA, CA 92590
**Phone:** 951-296-9909 **Fax:** 951-296-9978 **Email:** dbxinc@hotmail.com
**Services needed:** DBX, Inc. is requesting quotes from qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 1/4", 1 1/2", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING
**Requirements:** DBX, Inc. is an Equal Opportunity Employer. If you have any questions or need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services, please contact our office. Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation. Plans and specifications can be viewed in our office between 8:00 am and 4:00 pm Monday - Friday or they can be accessed from the Owner's website at:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964
**Date posted:** 07/12/2016

**dbxinc@hotmail.com**

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Weekly Bid Flash DBE Ad Affidavit - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile We

# Proof of Publishing Affidavit

To Whom It May Concern:

Be it known that this is a sworn affidavit that **DBX, Inc.** did place an advertisement we published on **7/13/2016** in our nationwide publications, Construction Star, Inc. and The Weekly Bid Flash, seeking Certified Disadvantaged subcontractors and/or material suppliers for the project **Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing**.

A copy of the advertisement is below:

Date Of Advertisement Placement: 7/12/2016 12:46:05 PM

DBX, Inc.
An Equal Opportunity Employer,
is requesting quotations from all qualified
**DBE**
sub-contractors and material suppliers for the following project:

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

City/Location: **La Mesa and Near El Cajon**
County: **San Diego**

Owner: **State of California Department of Transportation**

Bid Date: Tuesday 8/16/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Bid documents can be viewed at or obtained from:
Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

DBX, Inc. is an Equal Opportunity Employer. If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
**Phone:** (951) 296-9909 **Fax:** (951) 296-9978
Charles Perry
dbxinc@hotmail.com

Published on 7/13/2016 1:00:00 AM
by The Weekly Bid Flash and The Construction Star
Trade and Focus Publications
located at www.theweeklybidflash.com and www.constar1.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

Our publication is a listed approved source by the State of CA , Dept. of General Services, Office of Small Business Certification & Resources, in its Resource Packet.

Since, 1989 our firm has been proud to help businesses reach Certified Disadvantaged firms statewide.

If you should need any further information, please do not hesitate to contact us at 800-479-5314.

Thank you again!

Construction Bidboard Inc.
11622 El Camino Real, Suite 100
San Diego, CA 92130
www.theweeklybidflash.com 800-479-5314



## dbxinc@hotmail.com

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Weekly Bid Flash DBE Ad Subscription Invoice - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to

Dear Charles Perry,

Thank you for placing your advertisement at Construction Star, Inc. and The Weekly Bid Flash!

Please SAVE this email so you can **Click HERE to Edit your Ad** at any time in the future!

**Your advertisement will be processed as soon as we confirm the payment has been received.**
**If your ad needs to be advertised immediately please call 800-479-5314 or email invoicing@ebidboard.com to take care of this by credit card.**

To assist in your good faith effort, we will be sending you additional emails that will include your affidavit of publication and a copy of your advertisement. Visit www.ebidboard.com to learn more about the most effective and efficient tool ever designed to get Certified Disadvantage firms to bid your projects.

**Contact Information:**
DBX, Inc.
Charles Perry
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
(951) 296-9909
Fax: (951) 296-9978

dbxinc@hotmail.com

**Bill To:**

, CA

**P.O. Number:**
n/a

Sales Code: Company

| DBE Ad Displayed On | Price | Total |
|---|---|---|
| Construction Star, Inc. and The Weekly Bid Flash | $45 | $45 |
| **Discount:** | | $0 |
| **Sales Tax:** | | $0 |
| **Grand Total:** | | $45 |
| **checks should be made payable to CBI** | | |

If you have questions about your advertisement, send an e-mail to info@theweeklybidflash.com or call 800-479-5314. In your e-mail, please include your advertisement reference number.

Thank you again!

Construction Bidboard Inc.
11622 El Camino Real
Suite 100
San Diego, CA 92130
www.theweeklybidflash.com
800-479-5314

**dbxinc@hotmail.com**

**From:** The Weekly Bid Flash <support@theweeklybidflash.com>
**Sent:** Tuesday, July 12, 2016 12:46 PM
**To:** Charles Perry
**Subject:** Copy of your DBE Ad - Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jen

Date Of Advertisement Placement: 7/12/2016 12:46:05 PM

DBX, Inc.
An Equal Opportunity Employer,
is requesting quotations from all qualified
**DBE**
sub-contractors and material suppliers for the following project:

Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing

City/Location: **La Mesa and Near El Cajon**
County: **San Diego**

Owner: **State of California Department of Transportation**

Bid Date: Tuesday 8/16/2016 at 2:00 PM

We are requesting bids for the following trades and/or supplies:
LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL

CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Bid documents can be viewed at or obtained from:
Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

DBX, Inc. is an Equal Opportunity Employer. If you have any questions, need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, contact our office at (951) 296-9909.

Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.

DBX, Inc. will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

DBX, Inc.
42024 Avenida Alvarado
Suite A
Temecula, CA 92590
**Phone:** (951) 296-9909 **Fax:** (951) 296-9978
Charles Perry
dbxinc@hotmail.com

Published on 7/13/2016 1:00:00 AM
by The Weekly Bid Flash and The Construction Star
Trade and Focus Publications
located at www.theweeklybidflash.com and www.constar1.com
Phone: 1.800.479.5314 Fax: 1.619.688.0585

This solicitation Ad will run until the bid date

20YEARS
SAN DIEGO PTAC
Contracting Opportunities Center

One on One Counseling | Contract Opportunities | Training and Workshops





# Post Bid Opportunities

e-mail updates

Agencies and Prime Contractors are welcome to post bidding opportunities/requests for subs/suppliers by completing the listing below. San Diego Contracting Opportunities Center can only provide a list of contractors/subcontractors/suppliers to program sponsors. If you are not a program sponsor, we will process your request and distribute to the applicable trades you're looking for. If interested, they will contact you directly. To satisfy your request, please submit this listing two (2) weeks prior to due date if possible.

## Submit A Listing

### 3 - Submission Received

Your listing has been submitted.

Return to directory.

### Client Success

**SDCOC has assisted clients in obtaining over $925 Million in contracts!**

View some of our client success stories at: SDCOC Success Stories

### SDCOC Sponsors

SAN DIEGO UNIFIED SCHOOL DISTRICT


Copyright 2015

619.285.7020 | sdcoc@ptac-sandiego.org

# Directory of Bids



← Back to Directory

## Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and Near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Pkwy Overcrossing and from Los Coches Rd Undercrossing to 0.2 Mile West of Lake Jennings Park Road Uncercrossing

**Category:** Agency Contracting Opportunities, Construction

**Project Agency Owner:** State of California Dept. of Transportation

**Name of Prime Contractor:** DBX, Inc.

**Opportunity Description:** DBX, Inc. is an Equal Opportunity Employer. We are requesting quotes from qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT

(TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING.

If you have any questions or need assistance in obtaining bonding, lines of credit or insurance, technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services, please contact our office.
Non-DBE subs/suppliers please indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price.
We will work with interested subs/suppliers to identify opportunities to break down items into

Client Success

**SDCOC has assisted clients in obtaining over $925 Million in contracts!**

View some of our client success stories at: SDCOC Success Stories

SDCOC Sponsors

economically feasible units to facilitate DBE participation.

Plans and specifications can be viewed in our office between 8am and 4pm Monday -Friday or they can be accessed from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

**Bid Due Date:**
08/16/2016

**Time Bid is Due:** 2:00 pm

**Contact Name:** Charles Perry

**Contact Address:** 42024 Avenida Alvarado, Suite A, Temecula, CA 92590

**Contact Phone Number:** 951-296-9909

**Contact Fax:** 951-296-9978

**Contact Email:** dbxinc@hotmail.com

**Website Address:** http://www.dbxincorporated.com

A Program of:

SWC
SOUTHWESTERN COLLEGE

San Diego Contracting Opportunities Center (SDCOC)
4007 Camino del Rio South, Suite 210
San Diego, CA 92108-4189
Copyright 2015
619.285.7020 | sdcoc@ptac-sandiego.org

Website Design By:
ITegrity Logo

# TAB 10

## GOOD FAITH EFFORT DOCUMENTATION

## ITEM #8

## AGENCY ASSISTANCE LISTINGS

Contract No. 11-237964

**TAB 10**

8. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting, and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents

| Name of Agency Contacted | Dates | Phone Number | Fax Number | Email |
|---|---|---|---|---|
| | | | | |
| PTAC – San Diego Contracting Opportunities Center | 7/12/16 | 619-285-7020 | | http://ptac-sandiego.org/ |
| American Subcontractors Association | 7/15/16 | 619-462-2600 | 619-465-3805 | nancy@sandiegoasa.org |
| Asian Business Association | 7/15/16 | 858-277-2822 | 858-277-2622 | wendy@abasd.org |
| Chicano Federation of San Diego County | 7/15/16 | 619-285-5600 | 619-285-5614 | |
| Indian Voices | 7/15/16 | 619-234-4753 | 619-512-4534 | RDavis4973@aol.com |
| Union of Pan Asian Communities | 7/15/16 | 619-232-6454 | 619-235-9002 | mpanrose@upacsd.com |
| Women Construction Owners & Executives USA | 7/15/16 | 619-422-9204 | 619-427-1620 | |
| SBDA – San Diego & Imperial Regional Network | 7/15/16 | 619-482-6391 | 619-216-6692 | |
| SBA- San Diego District Office | 7/15/16 | 619-557-7250 | 619-557-5894 | |
| Small Business Development Center | 7/15/16 | 760-795-8740 | | centerinfo@miracosta.edu |
| Black Contractors Association | 7/15/16 | 619-263-9791 | 619-263-6865 | nationalbca@aol.com |
| Engineering & Contractors Association | 7/15/16 | 619-692-0760 | 619-692-0839 | debbieday@egca.org |
| NAWIC San Diego | 7/15/16 | 858-635-9000 | | Pbrown1@san.rr.com |
| | | | | |
| San Diego Supplier Development Council | 7/15/16 | 858-404-7933 | | pres@sdsdc.org |
| American Indian Chamber of Commerce of California | 7/15/16 | 619-540-5398 | | clmyron@gmail.com |
| Central San Diego Black Chamber of Commerce | 7/15/16 | 858-939-1849 | | dhunter@t3staffing.com |
| | | | | |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

«Company_Name»
«Email_Address»
«Fax_Phone»

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

| ! | To | Subject | Sent | Size | Categories |
|---|---|---|---|---|---|
| **Date: Today** | | | | | |
| | 'dhunter@t3s... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'clmyron@g... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'pres@sdsdc.... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 18 KB | |
| | 'Pbrown1@sa... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'debbieday@... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'nationalbca... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'centerinfo@... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'mpanrose@... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'Melinda@p... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'RDavis4973... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'dhunter@t3s... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'clmyron@g... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'pres@sdsdc.... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 18 KB | |
| | 'Pbrown1@sa... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'debbieday@... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'nationalbca... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'centerinfo@... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'mpanrose@... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'Melinda@p... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |
| | 'RDavis4973... | Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16 | Fri 7/15/2016... | 19 KB | |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

American Subcontractors Association
619-465-3805

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3111 |
| RECIPIENT ADDRESS | 16194653805 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:32 |
| TIME USE | 00'31 |
| PAGES SENT | 1 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

American Subcontractors Association
619-465-3805

## NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Asian Business Association
858-277-2622

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3112 |
| RECIPIENT ADDRESS | 18582772622 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:32 |
| TIME USE | 01'04 |
| PAGES SENT | 1 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Asian Business Association
858-277-2622

## NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Chicano Federation of San Diego County
619-285-5614

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**********
*** TX REPORT ***
**********

| | |
|---|---|
| TRANSMISSION OK | |
| TX/RX NO | 3113 |
| RECIPIENT ADDRESS | 16192855614 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:34 |
| TIME USE | 00'42 |
| PAGES SENT | 1 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Chicano Federation of San Diego County
619-285-5614

## NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Indian Voices
RDavis4973@aol.com
619-512-4534

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

NAWIC-San Diego
Melinda@pmccontracing.com

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**dbxinc@hotmail.com**

**From:** postmaster@mail.hotmail.com
**To:** Melinda@pmccontracing.com
**Sent:** Friday, July 15, 2016 11:24 AM
**Subject:** Undeliverable: Notification of Bid Opportunity; Caltrans #11-237964; Bid Date: 8/16/16

This is an automatically generated Delivery Status Notification.

Delivery to the following recipients failed.

Melinda@pmccontracing.com

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Union of Pan Asian Communities
mpanrose@upacsd.com
619-235-9002

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Women Construction Owners & Executives USA
619-427-1620

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3098 |
| RECIPIENT ADDRESS | 16194271620 |
| DESTINATION ID | |
| ST. TIME | 07/15 12:01 |
| TIME USE | 01'02 |
| PAGES SENT | 1 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Women Construction Owners & Executives USA
619-427-1620

## NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

SBDA-San Diego & Imperial Regional Network
619-216-6692

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3099 |
| RECIPIENT ADDRESS | 16192166692 |
| DESTINATION ID | |
| ST. TIME | 07/15 11:58 |
| TIME USE | 00'49 |
| PAGES SENT | 1 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

SBDA-San Diego & Imperial Regional Network
619-216-6692

## NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

SBA-San Diego District Office
619-557-5894

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**********
*** TX REPORT ***
**********

TRANSMISSION OK

| | |
|---|---|
| TX/RX NO | 3100 |
| RECIPIENT ADDRESS | 16195575894 |
| DESTINATION ID | |
| ST. TIME | 07/15 11:59 |
| TIME USE | 00'31 |
| PAGES SENT | 1 |
| RESULT | OK |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

SBA-San Diego District Office
619-557-5894

## NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Small Business Development Center - North San Diego
centerinfo@miracosta.edu

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Black Contractors Association Inc.
nationalbca@aol.com
619-263-6865

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Engineering & Contractors Association (ECGA)
debbieday@egca.org
619-692-0839

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

NAWIC San Diego, CH21
Pbrown1@san.rr.com

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

San Diego Hispanic Chamber of Commerce
619-521-6722

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**********
*** ERROR TX REPORT ***
**********

TX FUNCTION WAS NOT COMPLETED

| | | |
|---|---|---|
| TX/RX NO | 3101 | |
| RECIPIENT ADDRESS | 16195216722 | |
| DESTINATION ID | | |
| ST. TIME | 07/15 12:26 | |
| TIME USE | --'-- | |
| PAGES SENT | 0 | |
| RESULT | NG | # 0018 BUSY/NO SIGNAL |

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

San Diego Hispanic Chamber of Commerce
619-521-6722

## NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

San Diego Supplier Development Council (SDSDC)
pres@sdsdc.org

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

American Indian Chamber of Commerce of California
clmyron@gmail.com

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"

**DBX, Inc.**
42024 Avenida Alvarado, Suite A
Temecula, CA 92590
Phone (951) 296-9909
Fax (951) 296-9978

Central San Diego Black Chamber of Commerce
dhunter@t3staffing.com

# NOTIFICATION OF BID OPPORTUNITY FOR DBE'S

**PROJECT INFORMATION:**

**CAL TRANS – CONTRACT NO. 11-237964; 11-SD-8-5.4/10.6, R20.0/R21.6**
Install CCTV Cameras, CMS, LDS, VDS, F/O Cable, TMS, RHMA, and Signs in San Diego County, La Mesa, and near El Cajon from 0.2 Mile West of Route 15/8 Separation to Fletcher Parkway Overcrossing and from Los Coches Road Undercrossing to 0.2 Mile West of Lake Jennings Park Road Undercrossing
**BID DATE: AUGUST 16, 2016**

We will be bidding the above referenced project and we are requesting your assistance in identifying and reaching out to the local community of subcontractors and suppliers that may be interested in participating.

DBX, Inc. is interested in soliciting in Good Faith all subcontractors as well as certified DBE companies for this project. Quotes requested from subcontractors and suppliers include but are not limited to the following items:

**SUBTRADES REQUESTED**

LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY TRAFFIC STRIPE (PAINT); TRAFFIC PLASTIC DRUM; TEMPORARY PAVEMENT MARKER; PORTABLE CHANGEABLE MESSAGE SIGN; TEMPORARY RAILING (TYPE K); TEMPORARY ALTERNATIVE CRASH CUSHION SYSTEM; TEMPORARY CRASH CUSHION MODULE; JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY FIBER ROLL; TEMPORARY CONSTRUCTION ENTRANCE; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE IRRIGATION FACILITY; REMOVE PAINTED TRAFFIC STRIPE; REMOVE THERMOPLASTIC TRAFFIC STRIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; ROADWAY EXCAVATION (TYPE Z-2) (AERIALLY DEPOSITED LEAD); WOOD MULCH; CHECK AND TEST EXISTING IRRIGATION FACILITIES; OPERATE EXISTING IRRIGATION FACILITIES; CONTROL AND NEUTRAL CONDUCTORS; POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN); 3" GATE VALVE; 1", 1 ¼", 1 ½", 2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE); 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE); 3" TEMPORARY IRRIGATION SUPPLY LINE; 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT; CLASS 2 AGGREGATE BASE; ASPHALTIC EMULSION (FOG SEAL COAT); HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); PLACE HOT MIX ASPHALT DIKE (TYPE E); TACK COAT; 60" CIDH CONCRETE PILE (SIGN FOUNDATION); FURNISH & INSTALL SIGN STRUCTURE (TRUSS); INSTALL CHANGEABLE MESSAGE SIGN; SINGLE THRIE BEAM BARRIER; END ANCHOR ADDEMBLY (TYPE SFT); CONCRETE BARRIER (TYPE 60 MODIFIED); PAINT TRAFFIC STRIPE (1-COAT); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12); 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY (BROKEN 12-3); PAVEMENT MARKER (NON-REFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE); DIRECTIONAL BORING

Plans and specifications are available for inspection at our office from 8:00 am – 4:00 pm Monday through Friday or from the Owner's website at: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/oe_project.php?q=11-237964

If you have any questions, need assistance in obtaining bonding, lines of credit, insurance, and any technical assistance or information related to the plans, specifications and requirements for the work, or in obtaining necessary equipment, supplies, materials or related assistance or services that may be required, please feel free to contact our office.

Non-DBE subs/suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. We will work with interested subs/suppliers to identify opportunities to break down items into economically feasible units to facilitate DBE participation.

Please submit all bids no later than 12:00 pm on August 16, 2016 for consideration.

***FOR QUESTIONS REGARDING THIS BID PLEASE CONTACT CHARLES PERRY AT (951) 296-9909***

"AN EQUAL OPPORTUNITY EMPLOYER"