

DEPARTMENT OF TRANSPORTATION

ES-OE MS #43
1727 30TH Street, 2ND Floor
Sacramento, CA 95816



August 16, 2001

11-SD-15-8.7/9.0
11-234714
ACNH-P015(013)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for Highway Planting on State highway in SAN DIEGO COUNTY IN SAN DIEGO FROM 0.2 km NORTH OF MONROE AVENUE TO ADAMS AVENUE OVERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on August 30, 2001.

This addendum is being issued to revise the Notice to Contractors and Special Provisions, the Proposal and Contract, and the Federal Minimum Wages with Modification Number 6 dated 7-27-01. A copy of the modified wage rates are available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

In the Special Provisions, in the "NOTICE TO CONTRACTORS," the following paragraphs are added after the eighth paragraph:

"The Caltrans District 11 Office is located at 2829 Juan Street, San Diego, CA. 92110. The mailing address is P.O. Box 85406, San Diego, CA. 92186-5406, E-mail address of the Duty Senior is: Duty_Senior_Const_District11@dot.ca.gov, or by fax at (619) 688-6988. The District 11 Duty Senior telephone number is (619) 688-6635.

The Website address for posting of questions and responses is: www.dot.ca.gov/dist11.construc/"

In the Special Provisions, in the "NOTICE TO CONTRACTORS," the tenth paragraph is revised to read as follows:

"Cross sections for this project are available."

In the Special Provisions, Section 4, "BEGINNING OF WORK, TIME OF COMPLETION AND LIQUIDATED DAMAGES," the third paragraph is revised to read as follows:

"The work shall be diligently prosecuted to completion before the expiration of **240 WORKING DAYS** beginning on the fifteenth calendar day after approval of the contract."

In the Special Provisions, Section 5-1.11, "PARTNERING," is specified twice. The first entry of Section 5-1.11, "PARTNERING," is deleted.

Addendum No. 1
Page 2
August 16, 2001

11-SD-15-8.7/9.0
11-234714
ACNH-P015(013)E

In the Special Provisions, Section 8-1.03, "STATE-FURNISHED MATERIALS," in the second paragraph, the item which reads as follows is deleted:

"A. Padlocks for backflow preventer assembly enclosures and irrigation controller enclosure cabinets."

In the Special Provisions, Section 10-1.26, "ANTI-GRAFFITI PROTECTIVE COATING," is replaced with Section 10-1.26, "APPLY ANTI-GRAFFITI COATING," as attached.

In the Special Provisions, Section 10-3.07, "IRRIGATION CONTROLLER ENCLOSURE CABINET," the fourth paragraph is deleted and the following sentence is added at the beginning of the fifth paragraph:

"Irrigation controller enclosure cabinet doors shall not be furnished with integral door locks."

In the Special Provisions, Section 10-3.07, "IRRIGATION CONTROLLER ENCLOSURE CABINET," the following paragraph is added after the seventh paragraph:

"Solid state automatic shut off rain sensor units shall be installed for the irrigation controller enclosure cabinets. Rain sensor units shall automatically interrupt the master remote control valves when approximately 3 mm of rain has fallen. The irrigation systems shall automatically be enabled again when the accumulated rainfall evaporates from the rain sensor unit collection cup. Rain sensor units shall be rated 24 V(ac) to 30 V(ac). Static charge protection shall be included to protect against lightning damage."

In the Proposal and Contract, the Engineer's Estimate Item 24 is revised as attached.

To Proposal and Contract book holders:

Replace page 4 of the Engineer's Estimate in the Proposal with the attached revised page 4 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Plans, Specifications & Estimates Branch
Office of Office Engineer

Attachments

10-1.26 APPLY ANTI-GRAFFITI COATING

Apply anti-graffiti coating shall consist of furnishing, applying and maintaining anti-graffiti coating on all concrete and cobblestone wall surfaces, as specified in these special provisions and as directed by the Engineer. Anti-graffiti coating shall conform to Section 7, "Legal Relations and Responsibilities," of the Standard Specifications and these special provisions.

The anti-graffiti coating shall be Ultrashield IP-631, clear, Aliphatic Polyurethane Enamel, by Dunn-Edwards Corporation. The anti-graffiti coating shall include an application of Okon W-1 Water Repellent Sealer, by OKON, Incorporated, prior to the application of Ultrashield .

All surfaces to be treated shall have cured a minimum of 28 days, and shall be clean and dry prior to applying the Okon water repellent and Ultrashield coating. The Okon water repellent and the Ultrashield coating shall be applied in accordance with the manufacturer's instructions.

Okon W-1 Water Repellent Sealer shall be applied to all surfaces that will be treated with Ultrashield anti-graffiti coating. Water repellent sealer shall be applied at the rate of 0.16 L/m² of wall surface, in one even coat.

Ultrashield anti-graffiti coating shall be applied to cobblestone wall surfaces in a minimum of two even coats. Each coat shall be applied at a rate of 0.20 L/m² of wall surface. Each coat must be thoroughly dried before applying the next coat.

Ultrashield anti-graffiti coating shall be applied to smooth wall surfaces in one even coat. The application rate shall be 0.12 L/m² of wall surface.

Surfaces treated with anti-graffiti coating shall be maintained throughout the life of the contract in a clean, graffiti free appearance. Surfaces shall be cleaned in accordance with the manufacturer's recommendations.

Arrangements have been made to insure that any successful bidder can obtain the specified products listed below from Dunn-Edwards Corporation.

| Ultrashield IP-631 Anti-Graffiti Coating | |
|--|---|
| Manufacturer | Sales Agent |
| Dunn-Edwards Corporation 4885 East 52nd Place Los Angeles, California, 90040 Tele. (888) 337-2468 FAX (858) 452-3568 | Dunn-Edwards Corporation 1510 Morena Boulevard San Diego, California, 92110 Preston Kuntz Tele. (800) 537-4098 Extension 2366 FAX (323) 771-4440 |

| Okon W-1 Water Repellent Sealer | |
|--|---|
| Manufacturer | Sales Agent |
| Okon, Incorporated 6000 West 13th Avenue Lakewood, Colorado, 80214 Tele. (303) 232-3571 Tele. (800) 237-0565 FAX (303) 232-3573 | Dunn-Edwards Corporation 1510 Morena Boulevard San Diego, California, 92110 Preston Kuntz Tele. (800) 537-4098 Extension 2366 FAX (323) 771-4440 |

The quoted prices and materials are as follows:

| STOCK NUMBER | PRODUCT DESCRIPTION | PRODUCT UNIT | PRICE PER UNIT |
|---------------------|--|---------------------|-----------------------|
| IP631 | Ultrasield clear Anti-Graffiti Coating (2-components, A and B) | 3.79 liters | \$49.80 |
| W-1 | Okon Water Repellent Sealer | 3.79 liters | \$11.09 |
| W-1 | Okon Water Repellent Sealer | 19.93 liters | \$10.39 |

The prices quoted do not include tax, shipping, handling or delivery. The above prices quoted by Dunn-Edwards Corporation will be valid until June 27, 2002.

Apply anti-graffiti coating will be measured by the square meter. Measurement will be determined along the surface of the actual area of applied coating.

The contract price paid per square meter for apply anti-graffiti coating shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in anti-graffiti coating, complete in place, as shown on the plans, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer.

ENGINEER'S ESTIMATE
11-234714

| Item | Item Code | Item | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|--------|-----------|--------------------------------------|-----------------|--------------------|------------|------------|
| 21 | 021921 | GYPSUM | KG | 6100 | | |
| 22 | 202011 | MULCH | M3 | 160 | | |
| 23 | 202030 | COMMERCIAL FERTILIZER (GRANULAR) | KG | 1000 | | |
| 24 | 021922 | FERTILIZER PAK (PACKET) | EA | 6300 | | |
| 25 (S) | 021923 | FIBER (HYDROSEEDING) | KG | 280 | | |
| 26 (S) | 021943 | COMPOST (HYDROSEEDING) | KG | 300 | | |
| 27 (S) | 021944 | PURE LIVE SEED (HYDROSEEDING) | KG | 4 | | |
| 28 (S) | 021945 | COMMERCIAL FERTILIZER (HYDROSEEDING) | KG | 5 | | |
| 29 (S) | 021946 | STABILIZING EMULSION (HYDROSEEDING) | KG | 30 | | |
| 30 | 204006 | PLANT (GROUP F) | EA | 9300 | | |
| 31 | 204011 | PLANT (GROUP K) | EA | 140 | | |
| 32 | 021947 | PLANT (GROUP J) | EA | 4 | | |
| 33 | 021948 | PLANT (GROUP X) | EA | 1 | | |
| 34 | 021949 | PLANT (GROUP Y) | EA | 1 | | |
| 35 | 204022 | PLANT (GROUP Z) | EA | 16 | | |
| 36 | 204035 | PLANT (GROUP A) | EA | 1220 | | |
| 37 | 204036 | PLANT (GROUP B) | EA | 680 | | |
| 38 | 204038 | PLANT (GROUP U) | EA | 62 | | |
| 39 | 204042 | TURF (SOD) | M2 | 11 800 | | |
| 40 | 204099 | PLANT ESTABLISHMENT WORK | LS | LUMP SUM | LUMP SUM | |