# CONTENTS - DIVISION I - DESIGN

## Section 1 - General Provisions


1.1 DESIGN ANALYSIS AND GENERAL STRUCTURAL INTEGRITY FOR BRIDGES ..... April 2000 ..... 1-1
1.1.1 Design Analysis ..... April 2000 ..... 1-1
1.1.2 Structural Integrity ..... April 2000 ..... 1-1

1.2 BRIDGE LOCATION ..... April 2000 ..... 1-1

1.3 WATERWAYS ..... April 2000 ..... 1-1
1.3.1 General ..... April 2000 ..... 1-1
1.3.2 Hydraulic Studies ..... April 2000 ..... 1-2
1.3.2.1 Site Data ..... April 2000 ..... 1-2
1.3.2.2 Hydrologic Analysis ..... April 2000 ..... 1-2
1.3.2.3 Hydraulic Analysis ..... April 2000 ..... 1-2

1.4 CULVERT LOCATION, LENGTH, AND WATERWAY OPENINGS ..... April 2000 ..... 1-2

1.5 ROADWAY DRAINAGE ..... April 2000 ..... 1-2

1.6 RAILROAD OVERPASSES ..... April 2000 ..... 1-2
1.6.1 Clearances ..... April 2000 ..... 1-2
1.6.2 Blast Protection ..... April 2000 ..... 1-3

1.7 SUPERELEVATION ..... April 2000 ..... 1-3

1.8 FLOOR SURFACES ..... April 2000 ..... 1-3

1.9 UTILITIES ..... April 2000 ..... 1-3


## Section 2 - General Features of Design


2.1 GENERAL ..... April 2000 ..... 2-1
2.1.1 Notations ..... April 2000 ..... 2-1
2.1.2 Width of Roadway and Sidewalk ..... April 2000 ..... 2-1

2.2 STANDARD HIGHWAY CLEARANCES - GENERAL ..... April 2000 ..... 2-1
2.2.1 Navigational ..... April 2000 ..... 2-1
2.2.2 Roadway Width ..... April 2000 ..... 2-1
2.2.3 Vertical Clearance ..... April 2000 ..... 2-1
2.2.4 Other ..... April 2000 ..... 2-1
2.2.5 Curbs and Sidewalks ..... April 2000 ..... 2-2

2.3 HIGHWAY CLEARANCES FOR BRIDGES ..... April 2000 ..... 2-2
2.3.1 Width ..... April 2000 ..... 2-2
2.3.2 Vertical Clearance ..... April 2000 ..... 2-2

2.4 HIGHWAY CLEARANCES FOR UNDERPASSES ..... April 2000 ..... 2-2
2.4.1 Width ..... April 2000 ..... 2-2
2.4.2 Vertical Clearances ..... April 2000 ..... 2-2
2.4.3 Curbs ..... April 2000 ..... 2-2

2.5 HIGHWAY CLEARANCES FOR TUNNELS ..... April 2000 ..... 2-2
2.5.1 Roadway Width ..... April 2000 ..... 2-2

2.7 RAILINGS ..... April 2000 ..... 2-2
2.7.1 Vehicular Railing ..... April 2000 ..... 2-3
2.7.1.1 General ..... April 2000 ..... 2-3
2.7.1.2 Geometry ..... April 2000 ..... 2-3
2.7.1.3 Loads ..... April 2000 ..... 2-3
2.7.2 Bicycle Railing ..... April 2000 ..... 2-4
2.7.2.1 General ..... April 2000 ..... 2-4
2.7.2.2 Geometry and Loads ..... April 2000 ..... 2-4
2.7.3 Pedestrian Railing ..... April 2000 ..... 2-6
2.7.3.1 General ..... April 2000 ..... 2-6
2.7.3.2 Geometry and Loads ..... April 2000 ..... 2-6
2.7.4 Structural Specifications and Guidelines ..... April 2000 ..... 2-7

## Section 3 - Loads

### Part A - Types of Loads

3.1 NOTATIONS ..... February 2004 ..... 3-1

3.2 GENERAL ..... February 2004 ..... 3-2

3.3 DEAD LOAD ..... February 2004 ..... 3-3

3.4 LIVE LOAD ..... February 2004 ..... 3-3

3.5 OVERLOAD PROVISIONS ..... February 2004 ..... 3-3

3.6 TRAFFIC LANES ..... February 2004 ..... 3-3

3.7 HIGHWAY LOADS ..... February 2004 ..... 3-4
3.7.1 Standard Truck and Lane Loads ..... February 2004 ..... 3-4
3.7.2 Classes of Loading ..... February 2004 ..... 3-4
3.7.3 Designation of Loadings ..... February 2004 ..... 3-4
3.7.4 Minimum Loading ..... February 2004 ..... 3-4
3.7.5 H Loading ..... February 2004 ..... 3-4
3.7.6 HS Loading ..... February 2004 ..... 3-4
3.7.7 P Loading ..... February 2004 ..... 3-6

3.8 IMPACT ..... February 2004 ..... 3-6
3.8.1 Application ..... February 2004 ..... 3-6
3.8.1.1 Group A-Impact Shall be Included ..... February 2004 ..... 3-6
3.8.1.2 Group B-Impact Shall Not be Included ..... February 2004 ..... 3-6
3.8.2 Impact Formula ..... February 2004 ..... 3-9
3.8.2.3 *For Culverts see "Section 6, Culverts"* ..... February 2004 ..... 3-9

3.9 LONGITUDINAL FORCES ..... February 2004 ..... 3-9

3.10 CENTRIFUGAL FORCES ..... February 2004 ..... 3-9

3.11 APPLICATION OF LIVE LOAD ..... February 2004 ..... 3-10
3.11.1 Traffic Lane Units ..... February 2004 ..... 3-10
3.11.2 Number and Position of Traffic Lane Units ..... February 2004 ..... 3-10
3.11.3 Lane Loads on Continuous Spans ..... February 2004 ..... 3-10
3.11.4 Loading for Maximum Stress ..... February 2004 ..... 3-10
3.11.4.3 Loading for Load Factor Design ..... February 2004 ..... 3-10

3.12 REDUCTION IN LOAD INTENSITY ..... February 2004 ..... 3-10

3.13 ELECTRIC RAILWAY LOADS ..... February 2004 ..... 3-10

3.14 SIDEWALK, CURB, AND RAILING LOADING ..... February 2004 ..... 3-10
3.14.1 Sidewalk Loading ..... February 2004 ..... 3-10
3.14.2 Curb Loading ..... February 2004 ..... 3-11
3.14.3 Railing Loading ..... February 2004 ..... 3-11

3.15 WIND LOADS ..... February 2004 ..... 3-11
3.15.1 Superstructure Design ..... February 2004 ..... 3-11
3.15.1.1 Group II and Group V Loadings ..... February 2004 ..... 3-11
3.15.1.2 Group III and Group VI Loadings ..... February 2004 ..... 3-12
3.15.2 Substructure Design ..... February 2004 ..... 3-12
3.15.2.1 Forces from Superstructure ..... February 2004 ..... 3-12
3.15.2.2 Forces Applied Directly to the Substructure ..... February 2004 ..... 3-12
3.15.3 Overturing Forces ..... February 2004 ..... 3-13

3.16 THERMAL FORCES ..... February 2004 ..... 3-13

3.17 UPLIFT ..... February 2004 ..... 3-13

3.18 FORCE FROM STREAM CURRENT,
FLOATING ICE AND DRIFT ..... February 2004 ..... 3-13
3.18.1 Force of Stream Current on Piers ..... February 2004 ..... 3-13
3.18.1.1 Steam Pressure ..... February 2004 ..... 3-13
3.18.1.2 Pressure Components ..... February 2004 ..... 3-14
3.18.1.3 Drift Lodged Against Pier ..... February 2004 ..... 3-14
3.18.2 Force of Ice on Piers ..... February 2004 ..... 3-14

3.19 BUOYANCY ..... February 2004 ..... 3-14

3.20 EARTH PRESSURE ..... February 2004 ..... 3-14

3.21 EARTHQUAKES ..... February 2004 ..... 3-15

**Part B - Combinations of Loads**

3.22 COMBINATIONS OF LOADS ..... February 2004 ..... 3-15

**Part C - Distribution of Loads**

3.23 DISTRIBUTION OF LOADS TO STRINGERS,
LONGITUDINAL BEAMS, AND FLOOR BEAMS ..... February 2004 ..... 3-18
3.23.1 Position of Loads for Shear ..... February 2004 ..... 3-18
3.23.2 Bending Moments in Stringers and Longitudinal Beams ... February 2004 ..... 3-18
3.23.2.1 General ..... February 2004 ..... 3-18
3.23.2.2 Interior Stringers and Beams ..... February 2004 ..... 3-18

3.23.2.3 Outside Roadway Stringers and Beams ..... February 2004 ..... 3-19
3.23.3 Bending Moments in Floor Beams (Transverse) ..... February 2004 ..... 3-19
3.23.4 Precast Concrete Beams Used in Multi-Beam Decks ..... February 2004 ..... 3-20

3.24 DISTRIBUTION OF LOADS AND DESIGN OF CONCRETE SLABS ..... February 2004 ..... 3-22
3.24.1 Span Lengths ..... February 2004 ..... 3-22
3.24.2 Edge Distance of Wheel Loads ..... February 2004 ..... 3-22
3.24.3 Bending Moment ..... February 2004 ..... 3-22
3.24.3.1 Case A-Main Reinforcement Perpendicular to Traffic (Spans 2 to 24 Feet Inclusive) ..... February 2004 ..... 3-23
3.24.3.2 Case B-Main Reinforcement Parallel to Traffic ..... February 2004 ..... 3-23
3.24.4 Shear ..... February 2004 ..... 3-23
3.24.5 Cantilever Slabs ..... February 2004 ..... 3-23
3.24.5.1 Truck Loads ..... February 2004 ..... 3-23
3.24.5.2 Railing Loads ..... February 2004 ..... 3-23
3.24.6 Slabs Supported on Four Sides ..... February 2004 ..... 3-23
3.24.7 Median Slabs ..... February 2004 ..... 3-24
3.24.8 Longitudinal Edge Beams ..... February 2004 ..... 3-24
3.24.9 Unsupported Transverse Edges ..... February 2004 ..... 3-24
3.24.10 Distribution Reinforcement ..... February 2004 ..... 3-24

3.25 DISTRIBUTION OF WHEEL LOADS ON TIMBER FLOORING ..... February 2004 ..... 3-24
3.25.1 Transverse Flooring ..... February 2004 ..... 3-25
3.25.2 Plank and Nail Laminated Longitudinal Flooring ..... February 2004 ..... 3-26
3.25.3 Longitudinal Glued Laminate Timber Deck ..... February 2004 ..... 3-27
3.25.3.1 Bending Moment ..... February 2004 ..... 3-27
3.25.3.2 Shear ..... February 2004 ..... 3-27
3.25.3.3 Deflections ..... February 2004 ..... 3-27
3.25.3.4 Stiffener Arrangement ..... February 2004 ..... 3-27
3.25.4 Continuous Flooring ..... February 2004 ..... 3-27

3.26 DISTRIBUTION OF WHEEL LOADS AND DESIGN OF COMPOSITE WOOD-CONCRETE MEMBERS ..... February 2004 ..... 3-27
3.26.1 Distribution of Concentrated Loads for Bending Moment and Shear ..... February 2004 ..... 3-27
3.26.2 Distribution of Bending Moments in Continuous Spans ..... February 2004 ..... 3-28
3.26.3 Design ..... February 2004 ..... 3-28

3.27 DISTRIBUTION OF WHEEL LOADS ON STEEL GRID FLOORS ..... February 2004 ..... 3-28
3.27.1 General ..... February 2004 ..... 3-28
3.27.2 Floors Filled with Concrete ..... February 2004 ..... 3-28
3.27.3 Open Floors ..... February 2004 ..... 3-28

3.28 DISTRIBUTION OF LOADS FOR BENDING MOMENT IN SPREAD BOX GIRDERS ..... February 2004 ..... 3-29
3.28.1 Interior Beams ..... February 2004 ..... 3-29
3.28.2 Exterior Beams ..... February 2004 ..... 3-29

3.29 MOMENTS, SHEARS, AND REACTIONS ..... February 2004 ..... 3-29

3.30 TIRE CONTACT AREA ..... February 2004 ..... 3-29

## Section 3 Commentary - Loads


3.10.4 Centrifugal Forces ..... February 2004 ..... 3-30


## Section 4 - Foundations

### Part A - General Requirements and Materials


4.1 GENERAL ..... November 2003 ..... 4-1

4.2 FOUNDATION TYPE AND CAPACITY ..... November 2003 ..... 4-1
4.2.1 Selection of Foundation Type ..... November 2003 ..... 4-1
4.2.2 Foundation Capacity ..... November 2003 ..... 4-1
4.2.2.1 Bearing Capacity ..... November 2003 ..... 4-1
4.2.2.2 Settlement ..... November 2003 ..... 4-1
4.2.2.3 Overall Stability ..... November 2003 ..... 4-1
4.2.3 Soil, Rock, and Other Problem Conditions ..... November 2003 ..... 4-1

4.3 SUBSURFACE EXPLORATION AND TESTING PROGRAMS ..... November 2003 ..... 4-1
4.3.1 General Requirements ..... November 2003 ..... 4-2
4.3.2 Minimum Depth ..... November 2003 ..... 4-3
4.3.3 Minimum Coverage ..... November 2003 ..... 4-3
4.3.4 Laboratory Testing ..... November 2003 ..... 4-3
4.3.5 Scour ..... November 2003 ..... 4-3


### Part B - Service Load Design Method Allowable Stress Design


4.4 SPREAD FOOTING ..... November 2003 ..... 4-4
4.4.1 General ..... November 2003 ..... 4-4
4.4.1.1 Applicability ..... November 2003 ..... 4-4
4.4.1.2 Footings Supporting Non-Rectangular Columns or Piers ..... November 2003 ..... 4-4
4.4.1.3 Footings in Fill ..... November 2003 ..... 4-4
4.4.1.4 Footings in Sloped Portions of Embankments ..... November 2003 ..... 4-4
4.4.1.5 Distribution of Bearing Pressure ..... November 2003 ..... 4-4
4.4.2 Notations ..... November 2003 ..... 4-4
4.4.3 Design Terminology ..... November 2003 ..... 4-6
4.4.4 Soil and Rock Property Selection ..... November 2003 ..... 4-6
4.4.5 Depth ..... November 2003 ..... 4-7
4.4.5.1 Minimum Embedment and Bench Width ..... November 2003 ..... 4-7
4.4.5.2 Scour Protection ..... November 2003 ..... 4-7
4.4.5.3 Footing Excavations ..... November 2003 ..... 4-8
4.4.5.4 Piping ..... November 2003 ..... 4-8
4.4.6 Anchorage ..... November 2003 ..... 4-8
4.4.7 Geotechnical Design on Soil ..... November 2003 ..... 4-8
4.4.7.1 Bearing Capacity ..... November 2003 ..... 4-8
4.4.7.2 Settlement ..... November 2003 ..... 4-17
4.4.7.3 *Deleted* ..... November 2003 ..... 4-21
4.4.8 Geotechnical Design on Rock ..... November 2003 ..... 4-21
4.4.8.1 Bearing Capacity ..... November 2003 ..... 4-22

4.4.8.2 Settlement ..... November 2003 ..... 4-23
4.4.9 Overall Stability ..... November 2003 ..... 4-26
4.4.10 *Deleted* ..... November 2003 ..... 4-27
4.4.11 Structural Design ..... November 2003 ..... 4-27
4.4.11.1 Loads and Reactions ..... November 2003 ..... 4-27
4.4.11.2 Moments ..... November 2003 ..... 4-27
4.4.11.3 Shear ..... November 2003 ..... 4-27
4.4.11.4 Development of Reinforcement ..... November 2003 ..... 4-28
4.4.11.5 Transfer of Force at Base of Column ..... November 2003 ..... 4-28
4.4.11.6 Unreinforced Concrete Footings ..... November 2003 ..... 4-29

4.5 DRIVEN PILES ..... November 2003 ..... 4-29
4.5.1 General ..... November 2003 ..... 4-29
4.5.1.1 Application ..... November 2003 ..... 4-29
4.5.1.2 Materials ..... November 2003 ..... 4-29
4.5.1.3 *Deleted* ..... November 2003 ..... 4-29
4.5.1.4 Lateral Tip Restraint ..... November 2003 ..... 4-29
4.5.1.5 Estimated Lengths ..... November 2003 ..... 4-29
4.5.1.6 Estimated and Minimum Tip Elevation ..... November 2003 ..... 4-29
4.5.1.7 *Deleted* ..... November 2003 ..... 4-29
4.5.1.8 Test Piles ..... November 2003 ..... 4-29
4.5.2 Pile Types ..... November 2003 ..... 4-29
4.5.2.1 Friction Piles ..... November 2003 ..... 4-30
4.5.2.2 End Bearing Piles ..... November 2003 ..... 4-30
4.5.2.3 Combination Friction and End Bearing Piles ..... November 2003 ..... 4-30
4.5.2.4 Batter Piles ..... November 2003 ..... 4-30
4.5.3 Notations ..... November 2003 ..... 4-30
4.5.4 Design Terminology ..... November 2003 ..... 4-30
4.5.5 Selection of Soil and Rock Properties ..... November 2003 ..... 4-30
4.5.6 Selection of Design Pile Capacity ..... November 2003 ..... 4-30
4.5.6.1 Ultimate Geotechnical Capacity ..... November 2003 ..... 4-30
4.5.6.2 Factor of Safety Selection ..... November 2003 ..... 4-32
4.5.6.3 *Deleted* ..... November 2003 ..... 4-32
4.5.6.4 Group Pile Loading ..... November 2003 ..... 4-32
4.5.6.5 Lateral Loads on Piles ..... November 2003 ..... 4-32
4.5.6.6 Uplift Loads on Pile ..... November 2003 ..... 4-33
4.5.6.7 Vertical Ground Movement ..... November 2003 ..... 4-33
4.5.6.8 *Deleted* ..... November 2003 ..... 4-33
4.5.7 Structural Capacity of Pile Section ..... November 2003 ..... 4-34
4.5.7.1 Load Capacity Requirements ..... November 2003 ..... 4-33
4.5.7.2 Piles Extending Above Ground Surface ..... November 2003 ..... 4-34
4.5.7.3 Allowable Stresses in Piles ..... November 2003 ..... 4-34
4.5.7.4 *Deleted* ..... November 2003 ..... 4-35
4.5.7.5 Scour ..... November 2003 ..... 4-35
4.5.8 Protection Against Corrosion and Abrasion ..... November 2003 ..... 4-35
4.5.9 Wave Equation Analysis ..... November 2003 ..... 4-35
4.5.10 Dynamic Monitoring ..... November 2003 ..... 4-35
4.5.11 Maximum Allowable Driving Stresses ..... November 2003 ..... 4-35
4.5.12 Tolerable Movement ..... November 2003 ..... 4-35
4.5.13 Buoyancy ..... November 2003 ..... 4-35
4.5.14 Protection Against Deterioration ..... November 2003 ..... 4-35

4.5.14.1 Steel Piles ..... November 2003 ..... 4-35
4.5.14.2 Concrete Piles ..... November 2003 ..... 4-36
4.5.14.3 Timber Piles ..... November 2003 ..... 4-36
4.5.15 Spacing, Clearances, and Embedment ..... November 2003 ..... 4-36
4.5.15.1 Pile Footings ..... November 2003 ..... 4-36
4.5.15.2 Bent Caps ..... November 2003 ..... 4-36
4.5.16 Precast Concrete Piles ..... November 2003 ..... 4-36
4.5.16.1 Size and Shape ..... November 2003 ..... 4-36
4.5.16.2 Minimum Area ..... November 2003 ..... 4-36
4.5.16.3 Minimum Diameter of Tapered Piles ..... November 2003 ..... 4-36
4.5.16.4 Driving Points ..... November 2003 ..... 4-36
4.5.16.5 Vertical Reinforcement ..... November 2003 ..... 4-36
4.5.16.6 Spiral Reinforcement ..... November 2003 ..... 4-37
4.5.16.7 Reinforcement Cover ..... November 2003 ..... 4-37
4.5.16.8 Splices ..... November 2003 ..... 4-37
4.5.16.9 Handling Stresses ..... November 2003 ..... 4-37
4.5.17 Cast-In-Place Concrete Piles ..... November 2003 ..... 4-37
4.5.17.1 Materials ..... November 2003 ..... 4-37
4.5.17.2 Shape ..... November 2003 ..... 4-37
4.5.17.3 Minimum Area ..... November 2003 ..... 4-37
4.5.17.4 General Reinforcement Requirements ..... November 2003 ..... 4-37
4.5.17.5 Reinforcement into Superstructure ..... November 2003 ..... 4-37
4.5.17.6 Shell Requirements ..... November 2003 ..... 4-37
4.5.17.7 Splices ..... November 2003 ..... 4-37
4.5.17.8 Reinforcement Cover ..... November 2003 ..... 4-38
4.5.17.9 Spacing Limitations ..... November 2003 ..... 4-38
4.5.18 Steel H-Piles ..... November 2003 ..... 4-38
4.5.18.1 Metal Thickness ..... November 2003 ..... 4-38
4.5.18.2 Splices ..... November 2003 ..... 4-38
4.5.18.3 Caps ..... November 2003 ..... 4-38
4.5.18.4 Lugs, Scabs, and Core-Stoppers ..... November 2003 ..... 4-38
4.5.18.5 Point Attachments ..... November 2003 ..... 4-38
4.5.19 Unfilled Tubular Steel Piles ..... November 2003 ..... 4-38
4.5.19.1 Metal Thickness ..... November 2003 ..... 4-38
4.5.19.2 Splices ..... November 2003 ..... 4-38
4.5.19.3 Driving ..... November 2003 ..... 4-38
4.5.19.4 Column Action ..... November 2003 ..... 4-38
4.5.20 Prestressed Concrete Piles ..... November 2003 ..... 4-38
4.5.20.1 Size and Shape ..... November 2003 ..... 4-38
4.5.20.2 Main Reinforcement ..... November 2003 ..... 4-39
4.5.20.3 Vertical Reinforcement ..... November 2003 ..... 4-39
4.5.20.4 Hollow Cylinder Piles ..... November 2003 ..... 4-39
4.5.20.5 Splices ..... November 2003 ..... 4-39
4.5.21 Timber Piles ..... November 2003 ..... 4-39
4.5.21.1 Materials ..... November 2003 ..... 4-39
4.5.21.2 Limitations on Untreated Timber Pile Use ..... November 2003 ..... 4-39
4.5.21.3 Limitations on Treated Timber Pile Use ..... November 2003 ..... 4-39

4.6 DRILLED SHAFTS ..... November 2003 ..... 4-39
4.6.1 General ..... November 2003 ..... 4-39
4.6.1.1 Application ..... November 2003 ..... 4-39

4.6.1.2 Materials ..... November 2003 ..... 4-40
4.6.1.3 Construction ..... November 2003 ..... 4-40
4.6.1.4 Embedment ..... November 2003 ..... 4-40
4.6.1.5 Shaft Diameter ..... November 2003 ..... 4-40
4.6.1.6 Batter Shafts ..... November 2003 ..... 4-40
4.6.1.7 Shafts Through Embankment Fill ..... November 2003 ..... 4-40
4.6.2 Notations ..... November 2003 ..... 4-40
4.6.3 Design Terminology ..... November 2003 ..... 4-41
4.6.4 Seletion of Soil and Rock Properties ..... November 2003 ..... 4-41
4.6.4.1 Presumptive Values ..... November 2003 ..... 4-41
4.6.4.2 Measured Values ..... November 2003 ..... 4-42
4.6.5 Geotechnical Design ..... November 2003 ..... 4-42
4.6.5.1 Axial Capacity in Soil ..... November 2003 ..... 4-42
4.6.5.2 Factors Affecting Axial Capacity in Soil ..... November 2003 ..... 4-45
4.6.5.3 Axial Capacity in Rock ..... November 2003 ..... 4-47
4.6.5.4 Factors of Safety ..... November 2003 ..... 4-48
4.6.5.5 Deformation of Axially Loaded Shafts ..... November 2003 ..... 4-48
4.6.5.6 Lateral Loading ..... November 2003 ..... 4-50
4.6.5.7 *Deleted* ..... November 2003 ..... 4-52
4.6.6 Structural Design and General Shaft Dimensions ..... November 2003 ..... 4-52
4.6.6.1 General ..... November 2003 ..... 4-52
4.6.6.2 Reinforcement ..... November 2003 ..... 4-52
4.6.6.3 Enlarged Bases ..... November 2003 ..... 4-53
4.6.6.4 Center-to-Center Shaft Spacing ..... November 2003 ..... 4-53
4.6.7 Load Testing ..... November 2003 ..... 4-53
4.6.7.1 General ..... November 2003 ..... 4-53
4.6.7.2 Load Testing Procedures ..... November 2003 ..... 4-53
4.6.7.3 Load Test Method Selection ..... November 2003 ..... 4-54


## Part C - Strength Design Method Load Factor Design


4.8 SCOPE ..... November 2003 ..... 4-54

4.9 DEFINITIONS ..... November 2003 ..... 4-54

4.10 LIMIT STATES, LOAD FACTORS, AND RESISTANCE FACTORS ..... November 2003 ..... 4-55
4.10.1 General ..... November 2003 ..... 4-55
4.10.2 Serviceability Limit States ..... November 2003 ..... 4-55
4.10.3 Strength Limit States ..... November 2003 ..... 4-55
4.10.4 Strength Requirement ..... November 2003 ..... 4-55
4.10.5 Load Combinations and Load Factors ..... November 2003 ..... 4-55
4.10.6 Performance Factors ..... November 2003 ..... 4-56

4.11 SPREAD FOOTINGS ..... November 2003 ..... 4-56
4.11.1 General Considerations ..... November 2003 ..... 4-56
4.11.1.1 General ..... November 2003 ..... 4-56
4.11.1.2 Depth ..... November 2003 ..... 4-56
4.11.1.3 Scour Protection ..... November 2003 ..... 4-56
4.11.1.4 Frost Action ..... November 2003 ..... 4-56
4.11.1.5 Anchorage ..... November 2003 ..... 4-56
4.11.1.6 Groundwater ..... November 2003 ..... 4-56

4.11.1.7 Uplift ..... November 2003 ..... 4-57
4.11.1.8 Deterioration ..... November 2003 ..... 4-57
4.11.1.9 Nearby Structures ..... November 2003 ..... 4-57
4.11.2 Notations ..... November 2003 ..... 4-57
4.11.3 Movement Under Serviceability Limit States ..... November 2003 ..... 4-57
4.11.3.1 General ..... November 2003 ..... 4-57
4.11.3.2 Loads ..... November 2003 ..... 4-57
4.11.3.3 Movement Criteria ..... November 2003 ..... 4-58
4.11.3.4 Settlement Analyses ..... November 2003 ..... 4-58
4.11.4 Safety Against Soil Failure ..... November 2003 ..... 4-58
4.11.4.1 Bearing Capacity of Foundation Soils ..... November 2003 ..... 4-58
4.11.4.2 Bearing Capacity of Foundations on Rock ..... November 2003 ..... 4-59
4.11.4.3 Failure by Sliding ..... November 2003 ..... 4-61
4.11.4.4 Loss of Overall Stability ..... November 2003 ..... 4-61
4.11.5 Structural Capacity ..... November 2003 ..... 4-61
4.11.6 Construction Considerations for Shallow Foundations ..... November 2003 ..... 4-61
4.11.6.1 General ..... November 2003 ..... 4-61
4.11.6.2 Excavation Monitoring ..... November 2003 ..... 4-61
4.11.6.3 Compaction Monitoring ..... November 2003 ..... 4-61

4.12 DRIVEN PILES ..... November 2003 ..... 4-61
4.12.1 General ..... November 2003 ..... 4-61
4.12.2 Notations ..... November 2003 ..... 4-61
4.12.3 Selection of Design Pile Capacity ..... November 2003 ..... 4-63
4.12.3.1 Factors Affecting Axial Capacity ..... November 2003 ..... 4-63
4.12.3.2 Movement Under Serviceability Limit State ..... November 2003 ..... 4-64
4.12.3.3 Resistance at Strength Limit States ..... November 2003 ..... 4-64
4.12.4 Structural Design ..... November 2003 ..... 4-67
4.12.4.1 Buckling of Piles ..... November 2003 ..... 4-67
4.12.5 *Deleted* ..... November 2003 ..... 4-67

4.13 DRILLED SHAFTS ..... November 2003 ..... 4-67
4.13.1 General ..... November 2003 ..... 4-67
4.13.2 Notations ..... November 2003 ..... 4-67
4.13.3 Geotechnical Design ..... November 2003 ..... 4-68
4.13.3.1 Factors Affecting Axial Capacity ..... November 2003 ..... 4-68
4.13.3.2 Movement Under Serviceability Limit State ..... November 2003 ..... 4-69
4.13.3.3 Resistance at Strength Limit States ..... November 2003 ..... 4-69
4.13.4 Structural Design ..... November 2003 ..... 4-70
4.13.4.1 Buckling of Drilled Shafts ..... November 2003 ..... 4-70

## Section 5 - Retaining Walls

### Part A - General Requirements and Materials

5.1 GENERAL ..... August 2003 ..... 5-1

5.2 WALL TYPES ..... August 2003 ..... 5-1
5.2.1 Selection of Wall Type ..... August 2003 ..... 5-1
5.2.1.1 Rigid Gravity and Semi-Gravity Walls ..... August 2003 ..... 5-1
5.2.1.2 Non-Gravity Cantilevered Walls ..... August 2003 ..... 5-2
5.2.1.3 Anchored Walls ..... August 2003 ..... 5-3

5.2.1.4 Mechanically Stabilized Earth Walls ..... August 2003 ..... 5-4
5.2.1.5 Prefabricated Modular Walls ..... August 2003 ..... 5-5
5.2.2 Wall Capacity ..... August 2003 ..... 5-6
5.2.2.1 Bearing Capacity ..... August 2003 ..... 5-6
5.2.2.2 Settlement ..... August 2003 ..... 5-6
5.2.2.3 Overall Stability ..... August 2003 ..... 5-6
5.2.2.4 Tolerable Deformations ..... August 2003 ..... 5-6
5.2.3 Soil, Rock, and Other Problem Conditions ..... August 2003 ..... 5-7

5.3 SUBSURFACE EXPLORATION AND TESTING PROGRAMS ..... August 2003 ..... 5-7
5.3.1 General Requirements ..... August 2003 ..... 5-7
5.3.2 Minimum Depth ..... August 2003 ..... 5-8
5.3.3 Minimum Coverage ..... August 2003 ..... 5-8
5.3.4 Laboratory Testing ..... August 2003 ..... 5-8
5.3.5 Scour ..... August 2003 ..... 5-8

5.4 NOTATIONS ..... August 2003 ..... 5-8


**Part B - Service Load Design Method Allowable Stress Design**


5.5 EARTH PRESSURE ..... August 2003 ..... 5-15
5.5.1 General ..... August 2003 ..... 5-15
5.5.2 Compaction ..... August 2003 ..... 5-16
5.5.3 Presence of Water ..... August 2003 ..... 5-16
5.5.4 Effect of Earthquake ..... August 2003 ..... 5-17
5.5.5 Earth Pressure ..... August 2003 ..... 5-17
5.5.5.1 Basic Lateral Earth Pressure ..... August 2003 ..... 5-17
5.5.5.2 At-Rest Lateral Earth Pressure Coefficient, $k_o$ ..... August 2003 ..... 5-18
5.5.5.3 Active Lateral Earth Pressure Coefficient, $k_a$ ..... August 2003 ..... 5-18
5.5.5.4 Passive Lateral Earth Pressure Coefficient, $k_p$ ..... August 2003 ..... 5-23
5.5.5.5 Trial Wedge Method of Analysis for the Determination of the Resultant Lateral Earth Pressure ..... August 2003 ..... 5-25
5.5.5.6 Lateral Earth Pressures for Non-Gravity Cantilevered Walls ..... August 2003 ..... 5-28
5.5.5.7 Lateral Earth Pressures for Anchored Walls ..... August 2003 ..... 5-33
5.5.5.8 Lateral Earth Pressures for Mechanically Stabilized Earth Walls ..... August 2003 ..... 5-36
5.5.5.9 Lateral Earth Pressures for Prefabricated Modular Walls ..... August 2003 ..... 5-39
5.5.5.10 Surcharge Loads ..... August 2003 ..... 5-39
5.5.5.11 Lateral Earth Pressures for Restrained Abutments ..... August 2003 ..... 5-44
5.5.5.12 Reduction Due to Earth Pressure ..... August 2003 ..... 5-45

5.6 RIGID GRAVITY AND SEMI-GRAVITY WALL DESIGN ..... August 2003 ..... 5-46
5.6.1 Design Terminology ..... August 2003 ..... 5-46
5.6.2 Footing Embedment ..... August 2003 ..... 5-46
5.6.3 Earth Pressure, Water Pressure and Surcharge Loadings ..... August 2003 ..... 5-47
5.6.4 Structure Dimensions and External Stability ..... August 2003 ..... 5-47
5.6.4.1 Sliding Stability ..... August 2003 ..... 5-47
5.6.4.2 Overturning ..... August 2003 ..... 5-49
5.6.4.3 Wall Foundations ..... August 2003 ..... 5-51

5.6.5 Structure Design ..... August 2003 ..... 5-51
5.6.5.1 Wall Footings ..... August 2003 ..... 5-51
5.6.5.2 Rooting Keys ..... August 2003 ..... 5-52
5.6.5.3 Wall Stems ..... August 2003 ..... 5-52
5.6.5.4 Counterforts and Buttresses ..... August 2003 ..... 5-52
5.6.5.5 Reinforcement ..... August 2003 ..... 5-52
5.6.5.6 Expansion and Contraction Joints ..... August 2003 ..... 5-52
5.6.5.7 Backfill ..... August 2003 ..... 5-52
5.6.5.8 Overall Stability ..... August 2003 ..... 5-52

5.7 NONGRAVITY CANTILEVERED WALL DESIGN ..... August 2003 ..... 5-52
5.7.1 Design Terminology ..... August 2003 ..... 5-52
5.7.2 Loading ..... August 2003 ..... 5-54
5.7.3 Wall Movement ..... August 2003 ..... 5-54
5.7.4 Water Pressure and Drainage ..... August 2003 ..... 5-54
5.7.5 Passive Resistance ..... August 2003 ..... 5-54
5.7.6 Structure Dimensions and External Stability ..... August 2003 ..... 5-54
5.7.7 Structure Design ..... August 2003 ..... 5-55
5.7.8 Traffic Barrier ..... August 2003 ..... 5-55
5.7.9 Overall Stability ..... August 2003 ..... 5-55
5.7.10 Corrosion Protection ..... August 2003 ..... 5-56

5.8 ANCHORED WALL DESIGN ..... August 2003 ..... 5-56
5.8.1 Design Terminology ..... August 2003 ..... 5-56
5.8.2 Loading ..... August 2003 ..... 5-60
5.8.2.1 Walls with Structural Anchors ..... August 2003 ..... 5-60
5.8.2.2 Walls with Ground Anchors ..... August 2003 ..... 5-60
5.8.3 Wall Movement ..... August 2003 ..... 5-60
5.8.4 Water Pressure and Drainage ..... August 2003 ..... 5-60
5.8.5 Passive Resistance ..... August 2003 ..... 5-60
5.8.6.1 General ..... August 2003 ..... 5-60
5.8.6.2 Walls with Structural Anchors ..... August 2003 ..... 5-61
5.8.6.3 Wall with Ground Anchors ..... August 2003 ..... 5-69
5.8.7 Structure Design ..... August 2003 ..... 5-76
5.8.8 Traffic Barrier ..... August 2003 ..... 5-76
5.8.9 Overall Stability ..... August 2003 ..... 5-76
5.8.10 Corrosion Protection ..... August 2003 ..... 5-76
5.8.10.1 Tie Rods ..... August 2003 ..... 5-76
5.8.10.2 Ground Anchors ..... August 2003 ..... 5-76
5.8.10.3 Wall Members ..... August 2003 ..... 5-76
5.8.11 Load Testing and Lock Off ..... August 2003 ..... 5-76
5.8.11.1 Structural Anchors ..... August 2003 ..... 5-76
5.8.11.2 Ground Anchors ..... August 2003 ..... 5-76

5.9 MECHANICALLY STABILIZED EARTH WALL ..... August 2003 ..... 5-77
5.9.1 Structure Dimensions ..... August 2003 ..... 5-78
5.9.2 External Stability ..... August 2003 ..... 5-78
5.9.2.1 Sliding Stability ..... August 2003 ..... 5-79
5.9.2.2 Overturning Stability ..... August 2003 ..... 5-79
5.9.2.3 Bearing Capacity ..... August 2003 ..... 5-79
5.9.2.4 Overall Stability ..... August 2003 ..... 5-79
5.9.3 Internal Stability ..... August 2003 ..... 5-80

5.9.3.1 Determination of Maximum Soil Reinforcement Loads . August 2003 ..... 5-81
5.9.3.2 Determination of Maximum Soil Reinforcement Load at the Wall Face ..... August 2003 ..... 5-82
5.9.3.3 Determination of Soil Reinforcement Length for Internal Stability ..... August 2003 ..... 5-82
5.9.3.4 Reinforcement Strength Design ..... August 2003 ..... 5-86
5.9.3.5 Soil Reinforcement/Facing Connection Strength Design ..... August 2003 ..... 5-91
5.9.3.6 Design of Facing Elements ..... August 2003 ..... 5-92
5.9.3.7 Drainage ..... August 2003 ..... 5-94
5.9.3.8 Special Loading Conditions ..... August 2003 ..... 5-94
5.9.3.9 Placement of Soil Reinforcement ..... August 2003 ..... 5-95

5.10 PREFABRICATED MODULAR WALL DESIGN ..... August 2003 ..... 5-95
5.10.1 Structure Dimensions ..... August 2003 ..... 5-95
5.10.2 External Stability ..... August 2003 ..... 5-95
5.10.2.1 Sliding Stability ..... August 2003 ..... 5-97
5.10.2.2 Overturning Stability ..... August 2003 ..... 5-97
5.10.2.3 Tiered Walls ..... August 2003 ..... 5-98
5.10.2.4 Bearing Capacity ..... August 2003 ..... 5-98
5.10.2.5 Overall Stability ..... August 2003 ..... 5-98
5.10.2.6 Prefabricated Modular Walls with "T" Shaped Modules August 2003 ..... 5-98
5.10.3 Internal Security ..... August 2003 ..... 5-98
5.10.4 Module Design ..... August 2003 ..... 5-99
5.10.4.1 Crib Member Design ..... August 2003 ..... 5-99

## Section 6 - Culverts

6.1 CULVERT LOCATION, LENGTH, AND WATERWAY OPENINGS ..... April 2000 ..... 6-1

6.2 DEAD LOADS ..... April 2000 ..... 6-1
6.2.1 Culvert in Trench, or Culvert Untrenched on Yielding Foundation ..... April 2000 ..... 6-1
6.2.2 Culvert Untrenched on Unyielding Foundation ..... April 2000 ..... 6-1

6.3 LIVE LOADS ..... April 2000 ..... 6-1

6.4 FOOTINGS ..... April 2000 ..... 6-1

6.5 DISTRIBUTION OF WHEEL LOADS THROUGH EARTH FILLS ..... April 2000 ..... 6-1

6.6 DESIGN ..... April 2000 ..... 6-2

## Section 7 - Substructures

### Part A - General Requirements and Materials

7.1 GENERAL ..... April 2000 ..... 7-1
7.1.1 Definition ..... April 2000 ..... 7-1
7.1.2 Loads ..... April 2000 ..... 7-1

7.1.3 Settlement ..... April 2000 ..... 7-1
7.1.4 Foundation and Retaining Wall Design ..... April 2000 ..... 7-1

7.2 NOTATIONS ..... April 2000 ..... 7-1

**Part B - Service Load Design Method Allowable Stress Design**

7.3 PIERS ..... April 2000 ..... 7-1
7.3.1 Pier Types ..... April 2000 ..... 7-1
7.3.1.1 Pier Walls ..... April 2000 ..... 7-1
7.3.1.2 Double Wall Piers ..... April 2000 ..... 7-1
7.3.1.3 Bents ..... April 2000 ..... 7-1
7.3.1.4 *Deleted* ..... April 2000 ..... 7-2
7.3.2 Pier Protection ..... April 2000 ..... 7-2
7.3.2.1 Collision ..... April 2000 ..... 7-2
7.3.2.2 Collision Walls ..... April 2000 ..... 7-2
7.3.2.3 Scour ..... April 2000 ..... 7-2
7.3.2.4 Facing ..... April 2000 ..... 7-2

7.4 TUBULAR PIERS ..... April 2000 ..... 7-2
7.4.1 Materials ..... April 2000 ..... 7-2
7.4.2 Configuration ..... April 2000 ..... 7-2

7.5 ABUTMENTS ..... April 2000 ..... 7-2
7.5.1 Abutment Types ..... April 2000 ..... 7-2
7.5.1.1 Seat Type Abutment ..... April 2000 ..... 7-2
7.5.1.2 Partial-Depth Abutment ..... April 2000 ..... 7-2
7.5.1.3 Full-Depth Abutment ..... April 2000 ..... 7-2
7.5.1.4 Diaphragm Abutment ..... April 2000 ..... 7-2
7.5.2 Loading ..... April 2000 ..... 7-2
7.5.2.1 Stability ..... April 2000 ..... 7-3
7.5.2.2 Reinforcement for Temperature ..... April 2000 ..... 7-3
7.5.2.3 Drainage and Backfilling ..... April 2000 ..... 7-3
7.5.3 Diaphragm Abutments ..... April 2000 ..... 7-3
7.5.4 *Deleted* ..... April 2000 ..... 7-3
7.5.5 *Deleted* ..... April 2000 ..... 7-3
7.5.6 Wingwalls ..... April 2000 ..... 7-3
7.5.6.1 Length ..... April 2000 ..... 7-3
7.5.6.2 Reinforcement ..... April 2000 ..... 7-3

**Part C - Strength Design Method Load Factor Design**

7.6 *Deleted* ..... April 2000 ..... 7-3

## Section 8 - Reinforced Concrete

**Part A - General Requirements and Materials**

8.1 APPLICATION ..... September 2003 ..... 8-1
8.1.1 General ..... September 2003 ..... 8-1
8.1.2 Notations ..... September 2003 ..... 8-1
8.1.3 Definitions ..... September 2003 ..... 8-4

8.2 CONCRETE ..... September 2003 ..... 8-5

8.3 REINFORCEMENT ..... September 2003 ..... 8-5

**Part B - Analysis**

8.4 GENERAL ..... September 2003 ..... 8-6

8.5 EXPANSION AND CONTRACTION ..... September 2003 ..... 8-6

8.6 STIFFNESS ..... September 2003 ..... 8-6

8.7 MODULUS OF ELASTICITY AND POISSON'S RATIO ..... September 2003 ..... 8-6

8.8 SPAN LENGTH ..... September 2003 ..... 8-6

8.9 CONTROL OF DEFLECTIONS ..... September 2003 ..... 8-7
8.9.1 General ..... September 2003 ..... 8-7
8.9.2 Superstructure Depth Limitations ..... September 2003 ..... 8-7
8.9.3 Superstructure Deflection Limitations ..... September 2003 ..... 8-7

8.10 COMPRESSION FLANGE WIDTH ..... September 2003 ..... 8-7
8.10.1 T-Girder ..... September 2003 ..... 8-7
8.10.2 Box Girders ..... September 2003 ..... 8-7

8.11 SLABS AND WEB THICKNESS ..... September 2003 ..... 8-8

8.12 DIAPHRAGMS ..... September 2003 ..... 8-8

8.13 COMPUTATION OF DEFLECTIONS ..... September 2003 ..... 8-8

**Part C - Design**

8.14 GENERAL ..... September 2003 ..... 8-9
8.14.1 Design Methods ..... September 2003 ..... 8-9
8.14.2 Composite Flexural Members ..... September 2003 ..... 8-9
8.14.3 Concrete Arches ..... September 2003 ..... 8-9

8.15 SERVICE LOAD DESIGN METHOD (ALLOWABLE STRESS DESIGN) ..... September 2003 ..... 8-10
8.15.1 General Requirements ..... September 2003 ..... 8-10
8.15.2 Allowable Stresses ..... September 2003 ..... 8-10
8.15.2.1 Concrete ..... September 2003 ..... 8-10
8.15.2.2 Reinforcement ..... September 2003 ..... 8-11
8.15.3 Flexure ..... September 2003 ..... 8-11
8.15.4 Compression Members ..... September 2003 ..... 8-11
8.15.5 Shear ..... September 2003 ..... 8-11
8.15.5.1 Shear Stress ..... September 2003 ..... 8-11
8.15.5.2 Shear Stress Carried by Concrete ..... September 2003 ..... 8-12
8.15.5.3 Shear Stress Carried by Shear Reinforcement ..... September 2003 ..... 8-12
8.15.5.4 Shear Friction ..... September 2003 ..... 8-13
8.15.5.5 Horizontal Shear Design for Composite Concrete Flexural Members ..... September 2003 ..... 8-14
8.15.5.6 Special Provisions for Slabs and Footings ..... September 2003 ..... 8-15
8.15.5.7 *Deleted* ..... September 2003 ..... 8-15
8.15.5.8 Special Provisions for Brackets and Corbels ..... September 2003 ..... 8-15

8.16 STRENGTH DESIGN METHOD (LOAD FACTOR DESIGN) ..... September 2003 ..... 8-16
8.16.1 Strength Requirements ..... September 2003 ..... 8-16
8.16.1.1 Required Strength ..... September 2003 ..... 8-16
8.16.1.2 Design Strength ..... September 2003 ..... 8-16
8.16.2 Design Assumptions ..... September 2003 ..... 8-17
8.16.3 Flexure ..... September 2003 ..... 8-17
8.16.3.1 Maximum Reinforcement of Flexural Members ..... September 2003 ..... 8-17
8.16.3.2 Rectangular Sections with Tension Reinforcement Only ..... September 2003 ..... 8-17
8.16.3.3 Flanged Sections with Tension Reinforcement Only ..... September 2003 ..... 8-18
8.16.3.4 Rectangular Sections with Compression Reinforcement ..... September 2003 ..... 8-18
8.16.3.5 Flanged Sections with Compression Reinforcement ..... September 2003 ..... 8-19
8.16.3.6 Other Cross Sections ..... September 2003 ..... 8-19
8.16.4 Compression Members ..... September 2003 ..... 8-19
8.16.4.1 General Requirements ..... September 2003 ..... 8-19
8.16.4.2 Compression Member Strengths ..... September 2003 ..... 8-20
8.16.4.3 Biaxial Loading ..... September 2003 ..... 8-20
8.16.4.4 Hollow Rectangular Compression Members ..... September 2003 ..... 8-20
8.16.4.5 Probable Plastic Moment ..... September 2003 ..... 8-21
8.16.4.6 Special Provisions for Column and Pier Wall Hinges ..... September 2003 ..... 8-21
8.16.5 Slenderness Effects in Compression Members ..... September 2003 ..... 8-22
8.16.5.1 General Requirements ..... September 2003 ..... 8-22
8.16.5.2 Approximate Evaluation of Slenderness Effects ..... September 2003 ..... 8-22
8.16.6 Shear ..... September 2003 ..... 8-24
8.16.6.1 Shear Strength ..... September 2003 ..... 8-24
8.16.6.2 Shear Strength Provided by Concrete ..... September 2003 ..... 8-24
8.16.6.3 Shear Strength Provided by Shear Reinforcement ..... September 2003 ..... 8-25
8.16.6.4 Shear Friction ..... September 2003 ..... 8-25
8.16.6.5 Horizontal Shear Strength for Composite Concrete Flexural Members ..... September 2003 ..... 8-26
8.16.6.6 Special Provisions for Slabs and Footings ..... September 2003 ..... 8-27
8.16.6.7 Special Provisions for Box Culverts ..... September 2003 ..... 8-28
8.16.6.8 Special Provisions for Brackets and Corbels ..... September 2003 ..... 8-28
8.16.6.9 Special Provision for Pier Walls ..... September 2003 ..... 8-29
8.16.6.10 Compression Member Connection to Caps ..... September 2003 ..... 8-29
8.16.6.11 Special Seismic Provisions for Columns, Pier Walls and Piles ..... September 2003 ..... 8-29
8.16.7 Bearing Strength ..... September 2003 ..... 8-30
8.16.8 Serviceability Requirements ..... September 2003 ..... 8-30
8.16.8.1 Application ..... September 2003 ..... 8-30
8.16.8.2 Service Load Stresses ..... September 2003 ..... 8-30
8.16.8.3 Fatique Stress Limits ..... September 2003 ..... 8-30
8.16.8.4 Distribution of Flexural Reinforcement ..... September 2003 ..... 8-31

## Part D - Reinforcement

8.17 REINFORCEMENT OF FLEXURAL MEMBERS ..... September 2003 ..... 8-31
8.17.1 Minimum Reinforcement ..... September 2003 ..... 8-31

8.17.2 Distribution of Reinforcement ..... September 2003 ..... 8-31
8.17.2.1 Flexural Tension Reinforcement in Zones of Maximum Tension ..... September 2003 ..... 8-31
8.17.2.2 Transverse Deck Slab Reinforcement in T-Girders and Box Girders ..... September 2003 ..... 8-32
8.17.2.3 Bottom Slab Reinforcement for Box Girders ..... September 2003 ..... 8-32
8.17.3 Lateral Reinforcement of Flexural Members ..... September 2003 ..... 8-32
8.17.4 Reinforcement for Hollow Rectangular Compression Members ..... September 2003 ..... 8-33

8.18 REINFORCEMENT OF COMPRESSION MEMBERS ..... September 2003 ..... 8-33
8.18.1 Maximum and Minimum Longitudinal Reinforcement ..... September 2003 ..... 8-33
8.18.2 Lateral Reinforcement ..... September 2003 ..... 8-34
8.18.2.1 General ..... September 2003 ..... 8-34
8.18.2.2 Spiral or Hoops ..... September 2003 ..... 8-34
8.18.2.3 Ties ..... September 2003 ..... 8-35
8.18.2.4 *Deleted* ..... September 2003 ..... 8-36

8.19 LIMITS FOR SHEAR REINFORCEMENT ..... September 2003 ..... 8-36
8.19.1 Minimum Shear Reinforcement ..... September 2003 ..... 8-36
8.19.2 Types of Shear Reinforcement ..... September 2003 ..... 8-36
8.19.3 Spacing of Shear Reinforcement ..... September 2003 ..... 8-36

8.20 SHRINKAGE AND TEMPERATURE REINFORCEMENT ..... September 2003 ..... 8-36

8.21 SPACING LIMITS FOR REINFORCEMENT ..... September 2003 ..... 8-36

8.22 PROTECTION AGAINST CORROSION ..... September 2003 ..... 8-37

8.23 HOOKS AND BENDS ..... September 2003 ..... 8-40
8.23.1 Standard Hooks ..... September 2003 ..... 8-40
8.23.2 Minimum Bend Diameters ..... September 2003 ..... 8-40

8.24 DEVELOPMENT OF FLEXURAL REINFORCEMENT ..... September 2003 ..... 8-40
8.24.1 General ..... September 2003 ..... 8-40
8.24.2 Postitive Moment Reinforcement ..... September 2003 ..... 8-41
8.24.3 Negative Moment Reinforcement ..... September 2003 ..... 8-41

8.25 DEVELOPMENT OF DEFORMED BARS AND DEFORMED WIRE IN TENSION ..... September 2003 ..... 8-41

8.26 DEVELOPMENT OF DEFORMED BARS IN COMPRESSION ..... September 2003 ..... 8-42

8.27 DEVELOPMENT OF SHEAR REINFORCEMENT ..... September 2003 ..... 8-43

8.28 DEVELOPMENT OF BUNDLED BARS ..... September 2003 ..... 8-43

8.29 DEVELOPMENT OF STANDARD HOOKS IN TENSION ..... September 2003 ..... 8-43
8.29.3.1 Bar Yield Strength ..... September 2003 ..... 8-44
8.29.3.2 Concrete Cover ..... September 2003 ..... 8-44
8.29.3.3 Ties or Stirrups ..... September 2003 ..... 8-44
8.29.3.4 Excess Reinforcement ..... September 2003 ..... 8-44

8.30 DEVELOPMENT OF WELDED WIRE FABRIC IN TENSION ..... September 2003 ..... 8-45
8.30.1 Deformed Wire Fabric ..... September 2003 ..... 8-45

8.30.2 Smooth Wire Fabric ..... September 2003 ..... 8-45

8.31 MECHANICAL ANCHORAGE ..... September 2003 ..... 8-45

8.32 SPLICES OF REINFORCEMENT ..... September 2003 ..... 8-46
8.32.1 Lap Splices ..... September 2003 ..... 8-46
8.32.2 Welded Splices and Mechanical Connections ..... September 2003 ..... 8-46
8.32.2.2 *Deleted* ..... September 2003 ..... 8-46
8.32 2.3 *Deleted* ..... September 2003 ..... 8-46
8.32.2.4 *Deleted* ..... September 2003 ..... 8-46
8.32.3 Splices of Deformed Bars and Deformed Wire in Tension September 2003 ..... 8-46
8.32.3.3 *Deleted* ..... September 2003 ..... 8-46
8.32.3.4 *Deleted* ..... September 2003 ..... 8-46
8.32.4 Splices of Bars in Compression ..... September 2003 ..... 8-46
8.32.4.1 Lap Splices in Compression ..... September 2003 ..... 8-46
8.32.4.2 *Deleted* ..... September 2003 ..... 8-47
8.32.4.3 *Deleted* ..... September 2003 ..... 8-47
8.32.5 Splices of Welded Deformed Wire Fabric in Tension ..... September 2003 ..... 8-47
8.32.6 Splices of Welded Smooth Wire Fabric in Tension ..... September 2003 ..... 8-47
8.32.6.1 *Deleted* ..... September 2003 ..... 8-47
8.32.6.2 *Deleted* ..... September 2003 ..... 8-47

## Section 8 Commentary - Reinforced Concrete

8.15.5.6 Special Provisions for Slabs and Footings ..... September 2003 ..... 8-48
8.16.1.2 Design Strength ..... September 2003 ..... 8-49
8.16.3.5 Flanged Sections with Compression Reinforcement ..... September 2003 ..... 8-49
8.16.4.5 Probable Plastic Moment ..... September 2003 ..... 8-49
8.16.4.5 Special Provisions for Column and Pier Wall Hinges .... September 2003 ..... 8-52
8.16.6.6 Special Provisions for Slabs and Footings ..... September 2003 ..... 8-52
8.16.6.7 Special Provisions for Box Culverts ..... September 2003 ..... 8-52
8.16.8.4 Distribution of Flexural Reinforcement ..... September 2003 ..... 8-52
8.16.6.9 Special Provision for Pier Walls ..... September 2003 ..... 8-52
8.16.6.10 Compression Member Connection to Caps ..... September 2003 ..... 8-53
8.16.6.11 Special Seismic Provision for Columns,
Pier Walls and Piles ..... September 2003 ..... 8-53
8.16.8.4 Distribution of Flexural Reinforcement ..... September 2003 ..... 8-53
8.18.1.4 Interlocking Spirals ..... September 2003 ..... 8-54
8.18.2.2 Spiral Reinforcement ..... September 2003 ..... 8-54
8.18.2.3 Ties ..... September 2003 ..... 8-56

8.21 SPACING LIMITS FOR REINFORCEMENT ..... September 2003 ..... 8-57

8.22 PROTECTION AGAINST CORRISION ..... September 2003 ..... 8-57

## Section 9 - Prestressed Concrete

### Part A - General Requirements and Materials

9.1 APPLICATION ..... April 2000 ..... 9-1
9.1.1 General ..... April 2000 ..... 9-1

9.1.2 Notations ..... April 2000 ..... 9-1
9.1.3 Definitions ..... April 2000 ..... 9-3

9.2 CONCRETE ..... April 2000 ..... 9-4

9.3 REINFORCEMENT ..... April 2000 ..... 9-4
9.3.1 Prestressing Steel ..... April 2000 ..... 9-4
9.3.2 Non-Prestressed Reinforcement ..... April 2000 ..... 9-4

**Part B - Analysis**

9.4 GENERAL ..... April 2000 ..... 9-5

9.5 EXPANSION AND CONTRACTION ..... April 2000 ..... 9-5

9.6 SPAN LENGTH ..... April 2000 ..... 9-5

9.7 FRAMES AND CONTINUOUS CONSTRUCTION ..... April 2000 ..... 9-5
9.7.1 Cast-in-Place Post-Tensioned Bridges ..... April 2000 ..... 9-5
9.7.2 Bridges Composed of Simple-Span Precast Prestressed Girders Made Continuous ..... April 2000 ..... 9-5
9.7.2.1 General ..... April 2000 ..... 9-5
9.7.2.2 Positive Moment Connection at Piers ..... April 2000 ..... 9-5
9.7.2.3 Negative Moments ..... April 2000 ..... 9-5
9.7.3 Segmental Box Girders ..... April 2000 ..... 9-5
9.7.3.1 General ..... April 2000 ..... 9-5
9.7.3.2 Flexure ..... April 2000 ..... 9-6
9.7.3.3 Torsion ..... April 2000 ..... 9-6

9.8 EFFECTIVE FLANGE WIDTH ..... April 2000 ..... 9-6
9.8.1 T-Beams ..... April 2000 ..... 9-6
9.8.2 Box Girders ..... April 2000 ..... 9-6
9.8.3 Precast/Prestressed Concrete Beams with Wide Top Flanges ..... April 2000 ..... 9-6

9.9 FLANGE AND WEB THICKNESS - BOX GIRDERS ..... April 2000 ..... 9-6
9.9.1 Top Flange ..... April 2000 ..... 9-6
9.9.2 Bottom Flange ..... April 2000 ..... 9-7
9.9.3 Web ..... April 2000 ..... 9-7

9.10 DIAPHRAGMS ..... April 2000 ..... 9-7
9.10.1 General ..... April 2000 ..... 9-7
9.10.2 T-Beams, Precast I and Bulb-tee Girders ..... April 2000 ..... 9-7
9.10.3 Box Girders ..... April 2000 ..... 9-7

9.11 DEFLECTIONS ..... April 2000 ..... 9-7
9.11.1 General ..... April 2000 ..... 9-7
9.11.2 Segmental Box Girders ..... April 2000 ..... 9-7
9.11.3 Superstructure Deflection Limitations ..... April 2000 ..... 9-7

9.12 DECK PANELS ..... April 2000 ..... 9-7
9.12.1 General ..... April 2000 ..... 9-7
9.12.2 Bending Moment ..... April 2000 ..... 9-8

**Part C - Design**


9.13 GENERAL ..... April 2000 ..... 9-9
9.13.1 Design Theory and General Considerations ..... April 2000 ..... 9-9
9.13.2 Basic Assumptions ..... April 2000 ..... 9-9
9.13.3 Composite Flexural Members ..... April 2000 ..... 9-9

9.14 LOAD FACTORS ..... April 2000 ..... 9-9

9.15 ALLOWABLE STRESSES ..... April 2000 ..... 9-9
9.15.1 Prestressing Steel ..... April 2000 ..... 9-10
9.15.2 Concrete ..... April 2000 ..... 9-10
9.15.2.1 Temporary Stresses Before Losses Due to Creep and Shrinkage ..... April 2000 ..... 9-10
9.15.2.2 Stress at Service Load After Losses Have Occurred ..... April 2000 ..... 9-10
9.15.2.3 Cracking Stress (Refer to Article 9.18) ..... April 2000 ..... 9-10
9.15.2.4 Anchorage Bearing Stress ..... April 2000 ..... 9-11

9.16 LOSS OF PRESTRESS ..... April 2000 ..... 9-11
9.16.1 Friction Losses ..... April 2000 ..... 9-11
9.16.2 Prestress Losses ..... April 2000 ..... 9-11
9.16.2.1 General ..... April 2000 ..... 9-11
9.16.2.2 Estimated Losses ..... April 2000 ..... 9-14

9.17 FLEXURAL STRENGTH ..... April 2000 ..... 9-14
9.17.1 General ..... April 2000 ..... 9-14
9.17.2 Rectangular Sections ..... April 2000 ..... 9-14
9.17.3 Flanged Sections ..... April 2000 ..... 9-15
9.17.4 Steel Stress ..... April 2000 ..... 9-15

9.18 DUCTILITY LIMITS ..... April 2000 ..... 9-16
9.18.1 Maximum Prestressing Steel ..... April 2000 ..... 9-16
9.18.2 Minimum Steel ..... April 2000 ..... 9-16

9.19 NON-PRESTRESSED REINFORCEMENT ..... April 2000 ..... 9-16

9.20 SHEAR ..... April 2000 ..... 9-17
9.20.1 General ..... April 2000 ..... 9-17
9.20.2 Shear Strength Provided by Concrete ..... April 2000 ..... 9-17
9.20.3 Shear Strength Provided by Web Reinforcement ..... April 2000 ..... 9-18
9.20.4 Horizontal Shear Design - Composite Flexural Members ..... April 2000 ..... 9-18

9.21 POST-TENSIONED ANCHORAGE ZONES ..... April 2000 ..... 9-19
9.21.1 Geometry of the Anchorage Zone ..... April 2000 ..... 9-19
9.21.2 General Zone and Local Zone ..... April 2000 ..... 9-19
9.21.2.1 General Zone ..... April 2000 ..... 9-19
9.21.2.2 Local Zone ..... April 2000 ..... 9-19
9.21.2.3 Responsibilities ..... April 2000 ..... 9-19
9.21.3 General Zone and Local Zone ..... April 2000 ..... 9-20
9.21.3.1 Design Methods ..... April 2000 ..... 9-20
9.21.3.2 Nominal Material Strengths ..... April 2000 ..... 9-20
9.21.3.3 Use of Special Anchorage Devices ..... April 2000 ..... 9-20
9.21.3.4 General Design Principles and Detailing Requirements April 2000 ..... 9-20
9.21.3.5 Intermediate Anchorages ..... April 2000 ..... 9-21

9.21.3.6 Diaphragms ..... April 2000 ..... 9-22
9.21.3.7 Multiple Slab Anchorages ..... April 2000 ..... 9-22
9.21.4 Application to Strut-and-Tie Models to the Design of Anchorage Zones ..... April 2000 ..... 9-23
9.21.4.1 General ..... April 2000 ..... 9-23
9.21.4.2 Nodes ..... April 2000 ..... 9-23
9.21.4.3 Struts ..... April 2000 ..... 9-23
9.21.4.4 Ties ..... April 2000 ..... 9-24
9.21.5 Elastic Stress Analysis ..... April 2000 ..... 9-24
9.21.6 Approximate Methods ..... April 2000 ..... 9-24
9.21.6.1 Limitations ..... April 2000 ..... 9-24
9.21.6.2 Compressive Stresses ..... April 2000 ..... 9-24
9.21.6.3 Bursting Forces ..... April 2000 ..... 9-25
9.21.6.4 Edge-Tension Forces ..... April 2000 ..... 9-25
9.21.7 Design of the Local Zone ..... April 2000 ..... 9-25
9.21.7.1 Dimensions of the Local Zone ..... April 2000 ..... 9-25
9.21.7.2 Bearing Strength ..... April 2000 ..... 9-26
9.21.7.3 *Deleted* ..... April 2000 ..... 9-27

9.22 PRETENSIONED ANCHORAGE ZONES ..... April 2000 ..... 9-27

9.23 CONCRETE STRENGTH AT STRESS TRANSFER ..... April 2000 ..... 9-27

9.24 DECK PANELS ..... April 2000 ..... 9-27

**Part D - Detailing**

9.25 FLANGE REINFORCEMENT ..... April 2000 ..... 9-28

9.26 COVER AND SPACING OF STEEL ..... April 2000 ..... 9-28
9.26.1 Minimum Cover ..... April 2000 ..... 9-28
9.26.2 Minimum Spacing ..... April 2000 ..... 9-28
9.26.3 Bundling ..... April 2000 ..... 9-28
9.26.4 Size of Ducts ..... April 2000 ..... 9-28

9.27 POST-TENSIONING ANCHORAGES AND COUPLERS ..... April 2000 ..... 9-28

9.28 EMBEDMENT OF PRESTRESSED STRAND ..... April 2000 ..... 9-29

9.29 BEARINGS ..... April 2000 ..... 9-29

## Section 10 - Structural Steel

**Part A - General Requirements and Materials**

10.1 APPLICATION ..... February 2004 ..... 10-1
10.1.1 General ..... February 2004 ..... 10-1
10.1.2 Notations ..... February 2004 ..... 10-1
10.1.3 Definition ..... February 2004 ..... 10-8

10.2 MATERIALS ..... February 2004 ..... 10-10
10.2.1 General ..... February 2004 ..... 10-10
10.2.2 Structural Steels ..... February 2004 ..... 10-10
10.2.3 Steels for Pins, Rollers, and Expansion Rockers ..... February 2004 ..... 10-10
10.2.4 Fasteners ..... February 2004 ..... 10-10

10.2.5 Weld Metal ..... February 2004 ..... 10-10
10.2.6 Cast Steel, Ductile Iron Castings, Malleable Castings and Cast Iron ..... February 2004 ..... 10-13
10.2.6.1 Cast Steel and Ductile Iron ..... February 2004 ..... 10-13
10.2.6.2 Malleable Castings ..... February 2004 ..... 10-13
10.2.6.3 Cast Iron ..... February 2004 ..... 10-13

## Part B - Design Details

10.3 REPETITIVE LOADING AND TOUGHNESS CONSIDERATIONS ..... February 2004 ..... 10-14
10.3.1 Allowable Fatigue Stress Range ..... February 2004 ..... 10-14
10.3.2 Load Cycles ..... February 2004 ..... 10-20
10.3.3 Charpy V-Notch Impact Requirements ..... February 2004 ..... 10-20
10.3.4 Shear ..... February 2004 ..... 10-20
10.3.5 Loading ..... February 2004 ..... 10-20

10.4 EFFECTIVE LENGTH OF SPAN ..... February 2004 ..... 10-20

10.5 DEPTH RATIOS ..... February 2004 ..... 10-20

10.6 DEFLECTION ..... February 2004 ..... 10-21

10.7 LIMITING LENGTHS OF MEMBERS ..... February 2004 ..... 10-21

10.8 MINIMUM THICKNESS OF METAL ..... February 2004 ..... 10-22

10.9 EFFECTIVE NET AREA FOR TENSION MEMBERS ..... February 2004 ..... 10-22

10.10 OUTSTANDING LEGS OF ANGLES ..... February 2004 ..... 10-23

10.11 EXPANSION AND CONTRACTION ..... February 2004 ..... 10-23

10.12 MEMBERS ..... February 2004 ..... 10-23
10.12.1 Flexural Members ..... February 2004 ..... 10-23
10.12.2 Compression Members ..... February 2004 ..... 10-23
10.12.3 Tension Members ..... February 2004 ..... 10-23

10.13 COVER PLATES ..... February 2004 ..... 10-23

10.14 CAMBER ..... February 2004 ..... 10-24

10.15 HEAT-CURVED ROLLED BEAMS AND WELDED PLATE GIRDERS ..... February 2004 ..... 10-24
10.15.1 Scope ..... February 2004 ..... 10-24
10.15.2 Minimum Radius of Curvature ..... February 2004 ..... 10-24
10.15.3 Camber ..... February 2004 ..... 10-25

10.16 TRUSSES ..... February 2004 ..... 10-25
10.16.1 General ..... February 2004 ..... 10-25
10.16.2 Truss Members ..... February 2004 ..... 10-25
10.16.3 Secondary Stresses ..... February 2004 ..... 10-26
10.16.4 Diaphragms ..... February 2004 ..... 10-26
10.16.5 Camber ..... February 2004 ..... 10-26
10.16.6 Working Lines and Gravity Axes ..... February 2004 ..... 10-26
10.16.7 Portal and Sway Bracing ..... February 2004 ..... 10-26
10.16.8 Perforated Cover Plates ..... February 2004 ..... 10-27

10.16.9 Stay Plates ..... February 2004 ..... 10-27
10.16.10 Lacing Bars ..... February 2004 ..... 10-27
10.16.11 Gusset Plates ..... February 2004 ..... 10-28
10.16.12 Half-Through Truss Spans ..... February 2004 ..... 10-28
10.16.13 Fastener Pitch in Ends of Compression Members ..... February 2004 ..... 10-28
10.16.14 Net Section of Riveted or High-Strength Bolted Tension Members ..... February 2004 ..... 10-28

10.17 BENTS AND TOWERS ..... February 2004 ..... 10-29
10.17.1 General ..... February 2004 ..... 10-29
10.17.2 Single Bents ..... February 2004 ..... 10-29
10.17.3 Batter ..... February 2004 ..... 10-29
10.17.4 Bracing ..... February 2004 ..... 10-29
10.17.5 Bottom Struts ..... February 2004 ..... 10-29

10.18 SPLICES ..... February 2004 ..... 10-29
10.18.1 General ..... February 2004 ..... 10-29
10.18.1.1 Design Strength ..... February 2004 ..... 10-29
10.18.1.2 Fillers ..... February 2004 ..... 10-30
10.18.1.3 Design Force for Flange Splice Plates ..... February 2004 ..... 10-30
10.18.1.4 Truss Chords and Column ..... February 2004 ..... 10-30
10.18.2 Flexural Members ..... February 2004 ..... 10-30
10.18.2.1 General ..... February 2004 ..... 10-30
10.18.2.2 Flange Splices ..... February 2004 ..... 10-31
10.18.2.3 Web Splices ..... February 2004 ..... 10-32
10.18.3 Compression Members ..... February 2004 ..... 10-34
10.18.4 Tension Members ..... February 2004 ..... 10-34
10.18.5 Welding Splices ..... February 2004 ..... 10-35

10.19 CONNECTIONS ..... February 2004 ..... 10-35
10.19.1 General ..... February 2004 ..... 10-35
10.19.2 End Connections of Floor Beams and Stringers ..... February 2004 ..... 10-35
10.19.3 End Connections of Diaphragms and Cross Frames ..... February 2004 ..... 10-35
10.19.4 Block Shear Rupture Strength ..... February 2004 ..... 10-36
10.19.4.1 General ..... February 2004 ..... 10-36
10.19.4.2 Allowable Block Shear Rupture Stress ..... February 2004 ..... 10-36
10.19.4.3 Design Block Shear Rupture Strength ..... February 2004 ..... 10-36

10.20 DIAPHRAGMS AND CROSS FRAMES ..... February 2004 ..... 10-36
10.20.1 General ..... February 2004 ..... 10-36
10.20.2 Horizontal Force ..... February 2004 ..... 10-37

10.21 LATERAL BRACING ..... February 2004 ..... 10-37

10.22 CLOSED SECTIONS AND POCKETS ..... February 2004 ..... 10-37

10.23 WELDING ..... February 2004 ..... 10-38
10.23.1 General ..... February 2004 ..... 10-38
10.23.2 Effective Size of Fillet Welds ..... February 2004 ..... 10-38
10.23.2.1 Maximum Size of Fillet Welds ..... February 2004 ..... 10-38
10.23.2.2 Minimum Size of Fillet Welds ..... February 2004 ..... 10-38
10.23.3 Minimum Effective Length of Fillet Welds ..... February 2004 ..... 10-38
10.23.4 Fillet Weld End Returns ..... February 2004 ..... 10-38
10.23.5 Seal Welds ..... February 2004 ..... 10-38

10.24 FASTENERS ..... February 2004 ..... 10-39
10.24.1 General ..... February 2004 ..... 10-39
10.24.2 Hole Types ..... February 2004 ..... 10-40
10.24.3 Washer Requirements ..... February 2004 ..... 10-40
10.24.4 Size of Fasteners (Rivets or High-Strength Bolts) ..... February 2004 ..... 10-41
10.24.5 Spacing of Fasteners ..... February 2004 ..... 10-41
10.24.5.1 Pitch and Gage of Fasteners ..... February 2004 ..... 10-41
10.24.5.2 Minimum Spacing of Fasteners ..... February 2004 ..... 10-41
10.24.5.3 Minimum Clear Distance Between Holes ..... February 2004 ..... 10-41
10.24.5.4 Maximum Spacing of Fasteners ..... February 2004 ..... 10-41
10.24.6 Maximum Spacing of Sealing and Stitch Fasteners ..... February 2004 ..... 10-42
10.24.6.1 Sealing Fasteners ..... February 2004 ..... 10-42
10.24.6.2 Stitch Fasteners ..... February 2004 ..... 10-42
10.24.7 Edge Distance of Fasteners ..... February 2004 ..... 10-42
10.24.7.1 General ..... February 2004 ..... 10-42
10.24.8 Long Rivets ..... February 2004 ..... 10-42

10.25 LINKS AND HANGERS ..... February 2004 ..... 10-42
10.25.1 Net Section ..... February 2004 ..... 10-42
10.25.2 Location of Pins ..... February 2004 ..... 10-43
10.25.3 Size of Pins ..... February 2004 ..... 10-43
10.25.4 Pin Plates ..... February 2004 ..... 10-43
10.25.5 Pins and Pin Nuts ..... February 2004 ..... 10-43

10.26 UPSET ENDS ..... February 2004 ..... 10-43

10.27 EYEBARS ..... February 2004 ..... 10-43
10.27.1 Thickness and Net Section ..... February 2004 ..... 10-43
10.27.2 Packing of Eyebars ..... February 2004 ..... 10-43

10.28 FORKED ENDS ..... February 2004 ..... 10-43

10.29 FIXED AND EXPANSION BEARINGS ..... February 2004 ..... 10-44
10.29.1 General ..... February 2004 ..... 10-44
10.29.2 *Deleted* ..... February 2004 ..... 10-44
10.29.3 *Deleted* ..... February 2004 ..... 10-44
10.29.4 Sole Plate and Masonry Plates ..... February 2004 ..... 10-44
10.29.5 Masonry Bearings ..... February 2004 ..... 10-44
10.29.6 Anchor Rods ..... February 2004 ..... 10-44
10.29.7 Pedestals and Shoes ..... February 2004 ..... 10-44

10.30 FLOOR SYSTEM ..... February 2004 ..... 10-45
10.30.1 Stringers ..... February 2004 ..... 10-45
10.30.2 Floor Beams ..... February 2004 ..... 10-45
10.30.3 Cross Frames ..... February 2004 ..... 10-45
10.30.4 Expansion Joints ..... February 2004 ..... 10-45
10.30.5 End Floor Beams ..... February 2004 ..... 10-45
10.30.6 End Panel of Skewed Bridges ..... February 2004 ..... 10-45
10.30.7 Sidewalk Brackets ..... February 2004 ..... 10-45
10.30.8 Stay-in-Place Deck Forms ..... February 2004 ..... 10-45
10.30.8.1 Concrete Deck Panels ..... February 2004 ..... 10-45
10.30.8.2 Metal Stay-in-Place Forms ..... February 2004 ..... 10-45

## Part C - Service Load Design Method - Allowable Stress Design


10.31 SCOPE ..... February 2004 ..... 10-46

10.32 ALLOWABLE STRESSES ..... February 2004 ..... 10-46
10.32.1 Steel ..... February 2004 ..... 10-46
10.32.2 Weld Metal ..... February 2004 ..... 10-46
10.32.3 Fasteners ..... February 2004 ..... 10-46
10.32.3.1 General ..... February 2004 ..... 10-46
10.32.3.3 Applied Tension, Combined Tension and Shear ..... February 2004 ..... 10-52
10.32.3.4 Fatigue ..... February 2004 ..... 10-53
10.32.4 Pins, Rollers, and Expansion Rockers ..... February 2004 ..... 10-53
10.32.5 Cast Steel, Ductile Iron Castings, Malleable Castings, and Cast Iron ..... February 2004 ..... 10-54
10.32.5.1 Cast Steel and Ductile Iron ..... February 2004 ..... 10-54
10.32.5.2 Malleable Castings ..... February 2004 ..... 10-54
10.32.5.3 Cast Iron ..... February 2004 ..... 10-54
10.32.5.4 *Deleted* ..... February 2004 ..... 10-54
10.32.5.6 Bearing on Masonry ..... February 2004 ..... 10-55

10.33 ROLLED BEAMS ..... February 2004 ..... 10-55
10.33.1 General ..... February 2004 ..... 10-55
10.33.2 Bearing Stiffeners ..... February 2004 ..... 10-55

10.34 PLATE GIRDERS ..... February 2004 ..... 10-55
10.34.1 General ..... February 2004 ..... 10-55
10.34.2 Flanges ..... February 2004 ..... 10-56
10.34.2.1 Welded Girders ..... February 2004 ..... 10-56
10.34.2.2 Riveted or Bolted Girders ..... February 2004 ..... 10-58
10.34.3 Web Plates ..... February 2004 ..... 10-58
10.34.3.1 Girders Not Stiffened Longitudinally ..... February 2004 ..... 10-58
10.34.3.2 Girders Stiffened Longitudinally ..... February 2004 ..... 10-58
10.34.4 Transverse Intermediate Stiffeners ..... February 2004 ..... 10-60
10.34.5 Longitudinal Stiffeners ..... February 2004 ..... 10-62
10.34.6 Bearing Stiffeners ..... February 2004 ..... 10-63
10.34.6.1 Welded Girders ..... February 2004 ..... 10-63
10.34.6.2 Riveted or Bolted Girders ..... February 2004 ..... 10-64

10.35 TRUSSES ..... February 2004 ..... 10-64
10.35.1 Perforated Cover Plates and Lacing Bars ..... February 2004 ..... 10-64
10.35.2 Compression Members ..... February 2004 ..... 10-64

10.36 COMBINED STRESSES ..... February 2004 ..... 10-66

10.37 SOLID RIB ARCHES ..... February 2004 ..... 10-67
10.37.1 Moment Amplification and Allowable Stress ..... February 2004 ..... 10-67
10.37.2 Web Plates ..... February 2004 ..... 10-68
10.37.3 Flange Plates ..... February 2004 ..... 10-68

10.38 COMPOSITE BEAMS AND GIRDERS ..... February 2004 ..... 10-70
10.38.1 General ..... February 2004 ..... 10-70
10.38.2 Shear Conectors ..... February 2004 ..... 10-70
10.38.3 Effective Flange Width ..... February 2004 ..... 10-71
10.38.4 Stresses ..... February 2004 ..... 10-71

10.38.5 Shear ..... February 2004 ..... 10-71
10.38.5.1 Horizontal Shear ..... February 2004 ..... 10-71
10.38.5.2 Vertical Shear ..... February 2004 ..... 10-74
10.38.6 Deflection ..... February 2004 ..... 10-74

10.39 COMPOSITE BOX GIRDERS ..... February 2004 ..... 10-74
10.39.1 General ..... February 2004 ..... 10-74
10.39.2 Lateral Distribution of Loads for Bending Moment ..... February 2004 ..... 10-74
10.39.3 Web Plates ..... February 2004 ..... 10-75
10.39.3.1 Vertical Shear ..... February 2004 ..... 10-75
10.39.3.2 Secondary Bending Stresses ..... February 2004 ..... 10-75
10.39.4 Bottom Flange Plates ..... February 2004 ..... 10-75
10.39.4.1 General ..... February 2004 ..... 10-75
10.39.4.2 Compression Flanges Unstiffened ..... February 2004 ..... 10-75
10.39.4.3 Compression Flanges Stiffened Longitudinally ..... February 2004 ..... 10-76
10.39.4.4 Compression Flanges Stiffened Longitudinally and Transversely ..... February 2004 ..... 10-79
10.39.4.5 Compression Flange Stiffeners, General ..... February 2004 ..... 10-80
10.39.5 Flange to Web Welds ..... February 2004 ..... 10-80
10.39.6 Diaphragms ..... February 2004 ..... 10-80
10.39.7 Lateral Bracing ..... February 2004 ..... 10-80
10.39.8 Access and Drainage ..... February 2004 ..... 10-80

10.40 HYBRID GIRDERS ..... February 2004 ..... 10-80
10.40.1 General ..... February 2004 ..... 10-80
10.40.2 Allowable Stresses ..... February 2004 ..... 10-80
10.40.2.1 Bending ..... February 2004 ..... 10-80
10.40.2.2 Shear ..... February 2004 ..... 10-81
10.40.2.3 Fatigue ..... February 2004 ..... 10-81
10.40.3 Plate Thickness Requirements ..... February 2004 ..... 10-81
10.40.4 Bearing Stiffener Requirements ..... February 2004 ..... 10-81

10.41 ORTHOTROPIC-DECK SUPERSTRUCTURES ..... February 2004 ..... 10-82
10.41.1 General ..... February 2004 ..... 10-82
10.41.2 Wheel Load Contact Area ..... February 2004 ..... 10-82
10.41.3 Effective Width of Deck Plate ..... February 2004 ..... 10-82
10.41.3.1 Ribs and Beams ..... February 2004 ..... 10-82
10.41.3.2 Girders ..... February 2004 ..... 10-82
10.41.4 Allowable Stresses ..... February 2004 ..... 10-82
10.41.4.1 Local Bending Stresses in Deck Plate ..... February 2004 ..... 10-82
10.41.4.2 Bending Stresses in Longitudinal Ribs ..... February 2004 ..... 10-83
10.41.4.3 Bending Stresses in Transverse Beams ..... February 2004 ..... 10-83
10.41.4.4 Intersections of Ribs, Beams, and Girders ..... February 2004 ..... 10-83
10.41.4.5 Thickness of Plate Elements ..... February 2004 ..... 10-83
10.41.4.6 Maximum Slenderness of Longitudinal Ribs ..... February 2004 ..... 10-83
10.41.4.7 Diaphragms ..... February 2004 ..... 10-83
10.41.4.8 Stiffness Requirements ..... February 2004 ..... 10-83
10.41.4.9 Wearing Surface ..... February 2004 ..... 10-84
10.41.4.10 Closed Ribs ..... February 2004 ..... 10-84

## Part D - Strength Design Method - Load Factor Design


10.42 SCOPE ..... February 2004 ..... 10-85

10.43 LOADS ..... February 2004 ..... 10-85

10.44 DESIGN THEORY ..... February 2004 ..... 10-85

10.45 ASSUMPTIONS ..... February 2004 ..... 10-85

10.46 DESIGN STRESS FOR STRUCTURAL STEEL ..... February 2004 ..... 10-85

10.47 MAXIMUM DESIGN LOADS ..... February 2004 ..... 10-85

10.48 FLEXURAL MEMBERS ..... February 2004 ..... 10-85
10.48.1 Compact Sections ..... February 2004 ..... 10-86
10.48.2 Braced Members with Non-Compact Sections ..... February 2004 ..... 10-87
10.48.3 Transitions ..... February 2004 ..... 10-88
10.48.4 Partially Braced Sections Members ..... February 2004 ..... 10-88
10.48.5 Transversely Stiffened Girders ..... February 2004 ..... 10-90
10.48.6 Longitudinally Stiffened Girders ..... February 2004 ..... 10-91
10.48.7 Bearing Stiffeners ..... February 2004 ..... 10-92
10.48.8 Shear ..... February 2004 ..... 10-92

10.49 FLEXURAL MEMBERS WITH SINGLY SYMMETRIC SECTIONS ..... February 2004 ..... 10-93
10.49.1 General ..... February 2004 ..... 10-93
10.49.2 Transversly Stiffened Sections ..... February 2004 ..... 10-93
10.49.3 Longitudinally Stiffened Sections ..... February 2004 ..... 10-94
10.49.4 Braced Non-Compact Sections ..... February 2004 ..... 10-94
10.49.5 Partially Braced Sections ..... February 2004 ..... 10-94

10.50 COMPOSITE SECTIONS ..... February 2004 ..... 10-94
10.50.1 Positive Moment Sections ..... February 2004 ..... 10-95
10.50.1.1 Compact Sections ..... February 2004 ..... 10-95
10.50.1.2 Non-Compact Sections ..... February 2004 ..... 10-97
10.50.2 Negative Moment Sections ..... February 2004 ..... 10-97
10.50.2.1 Compact Sections ..... February 2004 ..... 10-97
10.50.2.2 Non-Compact Sections ..... February 2004 ..... 10-98

10.51 COMPOSITE BOX GIRDERS ..... February 2004 ..... 10-98
10.51.1 Design Bending Strength ..... February 2004 ..... 10-98
10.51.2 Live Load Moment Distribution ..... February 2004 ..... 10-98
10.51.3 Web Plates ..... February 2004 ..... 10-98
10.51.4 Tension Flanges ..... February 2004 ..... 10-99
10.51.5 Compression Flanges ..... February 2004 ..... 10-99
10.51.6 Diaphragms ..... February 2004 ..... 10-100
10.51.7 Flange to Web Welds ..... February 2004 ..... 10-100

10.52 SHEAR CONNECTORS ..... February 2004 ..... 10-100
10.52.1 General ..... February 2004 ..... 10-100
10.52.2 Number of Connectors ..... February 2004 ..... 10-100
10.52.3 Maximum Spacing ..... February 2004 ..... 10-100

10.53 HYBRID GIRDERS ..... February 2004 ..... 10-100
10.53.1 Non-Composite Sections ..... February 2004 ..... 10-101

10.53.1.1 Compact Sections ..... February 2004 ..... 10-101
10.53.1.2 Braced Non-Compact Sections ..... February 2004 ..... 10-101
10.53.1.3 Partially Braced Sections ..... February 2004 ..... 10-101
10.53.1.4 Transversely Stiffened Girders ..... February 2004 ..... 10-102
10.53.2 Composite Sections ..... February 2004 ..... 10-102

10.54 COMPRESSION MEMBERS ..... February 2004 ..... 10-102
10.54.1 Axial Loading ..... February 2004 ..... 10-102
10.54.1.1 Design Axial Strength ..... February 2004 ..... 10-102
10.54.1.2 Effective Length ..... February 2004 ..... 10-103
10.54.2 Combined Axial Load and Bending ..... February 2004 ..... 10-103
10.54.2.1 *Deleted* ..... February 2004 ..... 10-103
10.54.2.2 *Deleted* ..... February 2004 ..... 10-103

10.55 SOLID RIB ARCHES ..... February 2004 ..... 10-103
10.55.1 Moment Amplification and Allowable Stresses ..... February 2004 ..... 10-103
10.55.2 Web Plates ..... February 2004 ..... 10-103
10.55.3 Flange Plates ..... February 2004 ..... 10-105

10.56 SPLICES, CONNECTIONS, AND DETAILS ..... February 2004 ..... 10-105
10.56.1 Connectors ..... February 2004 ..... 10-105
10.56.1.1 General ..... February 2004 ..... 10-105
10.56.1.2 Welds ..... February 2004 ..... 10-105
10.56.1.3 Fasteners ..... February 2004 ..... 10-105
10.56.1.4 Slip-Critical Joints ..... February 2004 ..... 10-107
10.56.2 Bolts Subjected to Prying Action by Connected Parts ..... February 2004 ..... 10-107
10.56.3 Rigid Connections ..... February 2004 ..... 10-107

10.57 OVERLOAD ..... February 2004 ..... 10-107
10.57.1 Non-Composite Sections ..... February 2004 ..... 10-108
10.57.2 Composited Sections ..... February 2004 ..... 10-108
10.57.3 Slip-Critical Joints ..... February 2004 ..... 10-108

10.58 FATIGUE ..... February 2004 ..... 10-109
10.58.1 General ..... February 2004 ..... 10-109
10.58.2 Composite Construction ..... February 2004 ..... 10-109
10.58.2.1 Slab Reinforcement ..... February 2004 ..... 10-109
10.58.2.2 Shear Connectors ..... February 2004 ..... 10-109
10.58.3 Hybrid Beams and Girders ..... February 2004 ..... 10-109

10.59 DEFLECTION ..... February 2004 ..... 10-109

10.60 ORTHOTROPIC SUPERSTRUCTURES ..... February 2004 ..... 10-109

10.61 CONSTRUCTIBILITY ..... February 2004 ..... 10-109
10.61.1 Web ..... February 2004 ..... 10-109
10.61.2 *Deleted* ..... February 2004 ..... 10-110
10.61.3 Cross Section ..... February 2004 ..... 10-110
10.61.4 Compression Flange ..... February 2004 ..... 10-110

## Section 11 - Aluminum Design

11.1 GENERAL ..... April 2000 ..... 11-1

11.2 BRIDGES ..... April 2000 ..... 11-1

11.3 SOIL-METAL PLATE INTERACTION SYSTEMS ..... April 2000 ..... 11-1

11.4 STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES, AND TRAFFIC SIGNALS ..... April 2000 ..... 11-1

11.5 BRIDGE RAILING ..... April 2000 ..... 11-1

## Section 12 - Soil-Corrugated Metal Structure Interaction Systems

12.1 GENERAL ..... April 2000 ..... 12-1
12.1.1 Scope ..... April 2000 ..... 12-1
12.1.2 Notations ..... April 2000 ..... 12-1
12.1.3 Loads ..... April 2000 ..... 12-1
12.1.4 Design ..... April 2000 ..... 12-1
12.1.5 Materials ..... April 2000 ..... 12.1
12.1.6 Soil Design ..... April 2000 ..... 12-1
12.1.6.1 Soil Parameters ..... April 2000 ..... 12-1
12.1.6.2 Pipe Arch Design ..... April 2000 ..... 12-2
12.1.6.3 Arch Design ..... April 2000 ..... 12-2
12.1.7 Abrasive or Corrosive Conditions ..... April 2000 ..... 12-2
12.1.8 Minimum Spacing ..... April 2000 ..... 12-2
12.1.9 End Treatment ..... April 2000 ..... 12-2
12.1.10 *Deleted* ..... April 2000 ..... 12-2

12.2 SERVICE LOAD DESIGN ..... April 2000 ..... 12-2

12.3 LOAD FACTOR DESIGN ..... April 2000 ..... 12-2
12.3.1 Wall Area ..... April 2000 ..... 12-3
12.3.2 Buckling ..... April 2000 ..... 12-3
12.3.3 Seam Strength ..... April 2000 ..... 12-3
12.3.4 Handling and Installation Strength ..... April 2000 ..... 12-3

12.4 CORRUGATED METAL PIPE ..... April 2000 ..... 12-3
12.4.1 General ..... April 2000 ..... 12-3
12.4.1.2 Service Load Design- Safety Factor, SF: ..... April 2000 ..... 12-3
12.4.1.3 Load Factor Design - Capacity Modification Factor, $\phi$ .. April 2000 ..... 12-4
12.4.1.4 Flexibility Factor ..... April 2000 ..... 12-4
12.4.1.5 Minimum Cover ..... April 2000 ..... 12-4
12.4.2 Seam Strength ..... April 2000 ..... 12-4
12.4.3 Section Properties ..... April 2000 ..... 12-5
12.4.3.1 Steel Conduits ..... April 2000 ..... 12-5
12.4.3.2 Aluminum Conduits ..... April 2000 ..... 12-5
12.4.4 Chemical and Mechanical Requirements ..... April 2000 ..... 12-6
12.4.5 Smooth Lined Pipe ..... April 2000 ..... 12-6

12.5 SPIRAL RIB METAL PIPE ..... April 2000 ..... 12-6
12.5.1 General ..... April 2000 ..... 12-6
12.5.2 Design ..... April 2000 ..... 12-6
12.5.2.1 Load Factor Design ..... April 2000 ..... 12-6
12.5.2.2 Flexibility Factor ..... April 2000 ..... 12-6
12.5.2.3 Minimum Cover ..... April 2000 ..... 12-6
12.5.3 Section Properties ..... April 2000 ..... 12-6
12.5.3.1 Steel Conduits ..... April 2000 ..... 12-6

12.5.3.2 Aluminum Conduits ..... April 2000 ..... 12-7
12.5.4 Chemical and Mechanical Requirements ..... April 2000 ..... 12-7
12.5.4.1 Steel Spiral Rib Pipe and Pipe - Arch Requirements - AASHTO M 218 ..... April 2000 ..... 12-7
12.5.4.2 Aluminum Spiral Rib Pipe and Pipe - Arch Requirements - AASHTO M 197 ..... April 2000 ..... 12-7
12.5.5 Construction Requirements ..... April 2000 ..... 12-7

12.6 STRUCTURAL PLATE PIPE STRUCTURES ..... April 2000 ..... 12-7
12.6.1 General ..... April 2000 ..... 12-7
12.6.1.2 Service Load Design - Safety Factor, SF ..... April 2000 ..... 12-7
12.6.1.3 Load Factor Design Capacity Modification Factor ..... April 2000 ..... 12-7
12.6.1.4 Flexiblility Factor ..... April 2000 ..... 12-8
12.6.1.5 Minimum Cover ..... April 2000 ..... 12-8
12.6.2 Seam Strength ..... April 2000 ..... 12-8
12.6.3 Section Properties ..... April 2000 ..... 12-9
12.6.3.1 Steel Conduits ..... April 2000 ..... 12-9
12.6.3.2 Aluminum Conduits ..... April 2000 ..... 12-9
12.6.4 Chemical and Mechanical Properties ..... April 2000 ..... 12-9
12.6.4.1 Steel Structural Plate Pipe, Pipe-Arch, and Arch Material Requirements - AASHTO M167 ..... April 2000 ..... 12-9
12.6.4.2 Aluminum Structural Plate Pipe, Pipe-Arch, and Arch Material Requirements - AASHTO M 219, Alloy 5052 ..... April 2000 ..... 12-9
12.6.5 Structural Plate Arches ..... April 2000 ..... 12-9

12.7 LONG SPAN STRUCTURAL PLATE STRUCTURES ..... April 2000 ..... 12-9
12.7.1 General ..... April 2000 ..... 12-9
12.7.2 Structure Design ..... April 2000 ..... 12-10
12.7.2.1 General ..... April 2000 ..... 12-10
12.7.2.2 Acceptable Special Features ..... April 2000 ..... 12-10
12.7.3 Foundation Design ..... April 2000 ..... 12-10
12.7.3.1 Settlement Limits ..... April 2000 ..... 12-10
12.7.3.2 Footing Reactions (Arch Structures) ..... April 2000 ..... 12-11
12.7.3.3 Footing Design ..... April 2000 ..... 12-13
12.7.4 Soil Envelope Design ..... April 2000 ..... 12-13
12.7.5 End Treatment ..... April 2000 ..... 12-14
12.7.6 Multiple Structures ..... April 2000 ..... 12-14

12.8 STRUCTURAL PLATE BOX CULVERT ..... April 2000 ..... 12-14

## Section 13 - Wood Structures

13.1 GENERAL AND NOTATIONS ..... April 2000 ..... 13-1
13.1.1 General ..... April 2000 ..... 13-1
13.1.2 Net Section ..... April 2000 ..... 13-1
13.1.3 Impact ..... April 2000 ..... 13-1
13.1.4 Notations ..... April 2000 ..... 13-1

13.2 MATERIALS ..... April 2000 ..... 13-2
13.2.1 Sawn Lumber ..... April 2000 ..... 13-2
13.2.1.1 General ..... April 2000 ..... 13-2

13.2.1.2 Dimensions ..... April 2000 ..... 13-2
13.2.2 Glued Laminated Timber ..... April 2000 ..... 13-3
13.2.2.1 General ..... April 2000 ..... 13-3
13.2.2.2 Dimensions ..... April 2000 ..... 13-3
13.2.3 Structural Composite Lumber ..... April 2000 ..... 13-3
13.2.3.1 General ..... April 2000 ..... 13-3
13.2.3.2 Laminated Veneer Lumber ..... April 2000 ..... 13-3
13.2.3.3 Parallel Strand Lumber ..... April 2000 ..... 13-3
13.2.3.4 Dimensions ..... April 2000 ..... 13-3
13.2.4 Piles ..... April 2000 ..... 13-3

13.3 PRESERVATIVE TREATMENT ..... April 2000 ..... 13-3
13.3.1 Requirement for Treament ..... April 2000 ..... 13-3
13.3.2 Treatment Chemicals ..... April 2000 ..... 13-3
13.3.3 Field Testing ..... April 2000 ..... 13-3
13.3.4 Fire Retardant Treatments ..... April 2000 ..... 13-4

13.4 DEFLECTION ..... April 2000 ..... 13-4

13.5 DESIGN VALUES ..... April 2000 ..... 13-4
13.5.1 General ..... April 2000 ..... 13-4
13.5.2 Tabulated Values for Sawn Lumber ..... April 2000 ..... 13-4
13.5.2.2 Stress Grades in Flexure ..... April 2000 ..... 13-4
13.5.3 Tabulated Values for Glued Laminated Timber ..... April 2000 ..... 13-4
13.5.4 Tablulated Values for Structural Composite Lumber ..... April 2000 ..... 13-13
13.5.5 Adjustments to Tabulated Design Values ..... April 2000 ..... 13-13
13.5.5.1 Wet Service Factor, $C_M$ ..... April 2000 ..... 13-13
13.5.5.2 Load Duration Factor, $C_D$ ..... April 2000 ..... 13-13
13.5.5.3 Adjustment for Preservative Treatment ..... April 2000 ..... 13-21

13.6 BENDING MEMBERS ..... April 2000 ..... 13-21
13.6.1 General ..... April 2000 ..... 13-21
13.6.2 Notching ..... April 2000 ..... 13-21
13.6.3 Modulus of Elasticity ..... April 2000 ..... 13-22
13.6.4 Bending ..... April 2000 ..... 13-22
13.6.4.1 Allowable Stress ..... April 2000 ..... 13-22
13.6.4.2 Size Factor, $C_F$ ..... April 2000 ..... 13-22
13.6.4.3 Volume Factor, $C_V$ ..... April 2000 ..... 13-22
13.6.4.4 Beam Stability Factor, $C_L$ ..... April 2000 ..... 13-23
13.6.4.5 Form Factor, $C_f$ ..... April 2000 ..... 13-23
13.6.5 Shear Parallel to Grain ..... April 2000 ..... 13-24
13.6.5.1 General ..... April 2000 ..... 13-24
13.6.5.2 Actual Stress ..... April 2000 ..... 13-24
13.6.5.3 Allowable Stress ..... April 2000 ..... 13-24
13.6.6 Compression Perpendicular to Grain ..... April 2000 ..... 13-24
13.6.6.1 General ..... April 2000 ..... 13-24
13.6.6.2 Allowable Stress ..... April 2000 ..... 13-24
13.6.6.3 Bearing Area Factor, $C_b$ ..... April 2000 ..... 13-25
13.6.7 Bearing on Inclined Surfaces ..... April 2000 ..... 13-25

13.7 COMPRESSION MEMBERS ..... April 2000 ..... 13-25
13.7.1 General ..... April 2000 ..... 13-25
13.7.2 Eccentric Loading or Combined Stresses ..... April 2000 ..... 13-25

13.7.3 Compression ..... April 2000 ..... 13-26
13.7.3.1 Net Section ..... April 2000 ..... 13-26
13.7.3.2 Allowable Stress ..... April 2000 ..... 13-26
13.7.3.3 Column Stability Factor, $C_P$ ..... April 2000 ..... 13-26
13.7.3.4 Tapered Columns ..... April 2000 ..... 13-27
13.7.3.5 Round Columns ..... April 2000 ..... 13-27
13.7.4 Bearing Parallel to Grain ..... April 2000 ..... 13-27

13.8 TENSION MEMBERS ..... April 2000 ..... 13-28
13.8.1 Tension Parallel to Grain ..... April 2000 ..... 13-28

## Section 14 - Bearings

14.1 SCOPE ..... April 2000 ..... 14-1

14.2 DEFINITIONS ..... April 2000 ..... 14-1

14.3 NOTATIONS ..... April 2000 ..... 14-2

14.4 MOVEMENTS AND LOADS ..... April 2000 ..... 14-3
14.4.1 Design Requirements ..... April 2000 ..... 14-3

14.5 GENERAL REQUIREMENTS FOR BEARINGS ..... April 2000 ..... 14-3
14.5.1 Load and Movement Capabilities ..... April 2000 ..... 14-3
14.5.2 Characteristics ..... April 2000 ..... 14-3
14.5.3 Forces in the Structure Caused by Restraint of Movement at the Bearing ..... April 2000 ..... 14-6
14.5.3.1 Horizontal Force ..... April 2000 ..... 14-6
14.5.3.2 Bending Moment ..... April 2000 ..... 14-6

14.6 SPECIAL DESIGN PROVISIONS FOR BEARINGS ..... April 2000 ..... 14-6
14.6.1 *Deleted* ..... April 2000 ..... 14-6
14.6.2 PTFE Sliding Surfaces ..... April 2000 ..... 14-7
14.6.2.1 PTFE Surface ..... April 2000 ..... 14-7
14.6.2.2 Mating Surface ..... April 2000 ..... 14-7
14.6.2.3 Minimum Thickness Requirements ..... April 2000 ..... 14-7
14.6.2.4 Contact Pressure ..... April 2000 ..... 14-7
14.6.2.5 Coefficient of Friction ..... April 2000 ..... 14-7
14.6.2.6 Attachment ..... April 2000 ..... 14-8
14.6.3 Bearings with Curved Sliding Surfaces ..... April 2000 ..... 14-9
14.6.3.1 Geometric Requirements ..... April 2000 ..... 14-9
14.6.3.2 Resistance to Lateral Load ..... April 2000 ..... 14-9
14.6.4 *Deleted* ..... April 2000 ..... 14-10
14.6.5 Steel Reinforced Elastomeric Bearings - Method B ..... April 2000 ..... 14-10
14.6.5.1 General ..... April 2000 ..... 14-10
14.6.5.2 Material Properties ..... April 2000 ..... 14-10
14.6.5.3 Design Requirements ..... April 2000 ..... 14-10
14.6.6 Elastomeric Pads and Steel Reinforced Elastomeric Bearings - Method A ..... April 2000 ..... 14-13
14.6.6.1 General ..... April 2000 ..... 14-13
14.6.6.2 Material Properties ..... April 2000 ..... 14-13
14.6.6.3 Design Requirements ..... April 2000 ..... 14-13
14.6.6.4 Resistance to Deformation ..... April 2000 ..... 14-14
14.6.7 *Deleted* ..... April 2000 ..... 14-14

14.6.8 *Deleted* ..... April 2000 ..... 14-14
14.6.9 Guides and Restraints ..... April 2000 ..... 14-15
14.6.9.1 General ..... April 2000 ..... 14-15
14.6.9.2 Design Loads ..... April 2000 ..... 14-15
14.6.9.3 Materials ..... April 2000 ..... 14-15
14.6.9.4 Geometric Requirements ..... April 2000 ..... 14-15
14.6.9.5 Design Basis ..... April 2000 ..... 14-15
14.6.9.6 Attachment of Low-Friction Material ..... April 2000 ..... 14-15
14.6.10 Other Bearing System ..... April 2000 ..... 14-15

14.7 LOAD PLATES AND ANCHORAGE FOR BEARINGS ..... April 2000 ..... 14-16
14.7.1 Plates for Load Distribution ..... April 2000 ..... 14-16
14.7.2 Tapered Plates ..... April 2000 ..... 14-16
14.7.3 Anchorage ..... April 2000 ..... 14-16

14.8 CORROSION PROTECTION ..... April 2000 ..... 14-16

## Section 15 - TFE Bearing Surface

Section 15 has been replaced by Section 14, "Bearings".

## Section 16 - Steel Tunnel Liner Plates

16.1 GENERAL AND NOTATIONS ..... April 2000 ..... 16-1
16.1.1 General ..... April 2000 ..... 16-1
16.1.2 Notations ..... April 2000 ..... 16-1

16.2 LOADS ..... April 2000 ..... 16-1

16.3 DESIGN ..... April 2000 ..... 16-2
16.3.1 Criteria ..... April 2000 ..... 16-2
16.3.2 Joint Strength ..... April 2000 ..... 16-2
16.3.3 Minimum Stiffness for Installation ..... April 2000 ..... 16-3
16.3.4 Critical Buckling of Liner Plate Wall ..... April 2000 ..... 16-3
16.3.5 Deflection or Flattening ..... April 2000 ..... 16-4

16.4 CHEMICAL AND MECHANICAL REQUIREMENTS ..... April 2000 ..... 16-4
16.4.1 Chemical Composition ..... April 2000 ..... 16-4
16.4.2 Minimum Mechanical Properties of Flat Plate before Cold Forming ..... April 2000 ..... 16-4
16.4.3 Dimensions and Tolerances ..... April 2000 ..... 16-4

16.5 SECTION PROPERTIES ..... April 2000 ..... 16-4

16.6 COATINGS ..... April 2000 ..... 16-4

16.7 BOLTS ..... April 2000 ..... 16-4

16.8 SAFETY FACTORS ..... April 2000 ..... 16-5

## Section 17 - Soil Reinforced Concrete Structure Interaction Systems

17.1 GENERAL ..... April 2000 ..... 17-1
17.1.1 Scope ..... April 2000 ..... 17-1

17.1.2 Notations ..... April 2000 ..... 17-1
17.1.3 Loads ..... April 2000 ..... 17-3
17.1.4 Design ..... April 2000 ..... 17-3
17.1.5 *Deleted* ..... April 2000 ..... 17-3
17.1.6 Soil ..... April 2000 ..... 17-3
17.1.7 Abrasive or Corrosive Conditions ..... April 2000 ..... 17-3
17.1.8 End Structures ..... April 2000 ..... 17-3
17.1.9 *Deleted* ..... April 2000 ..... 17-3

17.2 SERVICE LOAD DESIGN ..... April 2000 ..... 17-3

17.3 LOAD FACTOR DESIGN ..... April 2000 ..... 17-3

17.4 REINFORCED CONCRETE PIPE ..... April 2000 ..... 17-3
17.4.1 Application ..... April 2000 ..... 17-3
17.4.2 Materials ..... April 2000 ..... 17-3
17.4.2.1 Concrete ..... April 2000 ..... 17-3
17.4.2.2 Reinforcement ..... April 2000 ..... 17-3
17.4.2.3 Concrete Cover for Reinforcement ..... April 2000 ..... 17-3
17.4.3 Installations ..... April 2000 ..... 17-4
17.4.3.1 Standard Installations ..... April 2000 ..... 17-4
17.4.3.2 *Deleted* ..... April 2000 ..... 17-4
17.4.4 Design ..... April 2000 ..... 17-4
17.4.4.1 General Requirements ..... April 2000 ..... 17-4
17.4.4.2 Loads ..... April 2000 ..... 17-5
17.4.4.3 Minimum Fill ..... April 2000 ..... 17-5
17.4.4.4 Design Methods ..... April 2000 ..... 17-5
17.4.5 Indirect Design Method Based on Pipe Strength and Load-Carrying Capacity ..... April 2000 ..... 17-10
17.4.5.1 Loads ..... April 2000 ..... 17-10
17.4.5.2 Bedding Factor ..... April 2000 ..... 17-11
17.4.6 Direct Design Method for Precast Reinforced Concrete Circular Pipe ..... April 2000 ..... 17-12
17.4.6.1 Application ..... April 2000 ..... 17-12
17.4.6.2 General ..... April 2000 ..... 17-12
17.4.6.3 Strength-Reduction Factors ..... April 2000 ..... 17-13
17.4.6.4 Process and Material Factors ..... April 2000 ..... 17-13
17.4.6.5 Orientation Angle ..... April 2000 ..... 17-13
17.4.7 Development of Quadrant Mat Reinforcement ..... April 2000 ..... 17-19

17.5 REINFORCED CONCRETE ARCH, CAST-IN-PLACE ..... April 2000 ..... 17-19
17.5.1 Application ..... April 2000 ..... 17-19
17.5.2 Materials ..... April 2000 ..... 17-19
17.5.2.1 Concrete ..... April 2000 ..... 17-19
17.5.2.2 Reinforcement ..... April 2000 ..... 17-19
17.5.3 Design ..... April 2000 ..... 17-20
17.5.3.1 General Requirements ..... April 2000 ..... 17-20
17.5.3.2 Minimum Cover ..... April 2000 ..... 17-20
17.5.3.3 Strength-Reduction Factors ..... April 2000 ..... 17-20
17.5.3.4 Splices of Reinforcement ..... April 2000 ..... 17-20
17.5.3.5 Footing Design ..... April 2000 ..... 17-20

17.6 REINFORCED CONCRETE BOX, CAST-IN-PLACE ..... April 2000 ..... 17-20

17.6.1 Application ..... April 2000 ..... 17-20
17.6.2 Materials ..... April 2000 ..... 17-20
17.6.2.1 Concrete ..... April 2000 ..... 17-20
17.6.2.2 Reinforcement ..... April 2000 ..... 17-20
17.6.3 Concrete Cover for Reinforcement ..... April 2000 ..... 17-20
17.6.4 Design ..... April 2000 ..... 17-20
17.6.4.1 General Requirements ..... April 2000 ..... 17-20
17.6.4.2 *Deleted* ..... April 2000 ..... 17-20
17.6.4.3 Distribution of Concentrated Load Effects to Bottom Slab ..... April 2000 ..... 17-20
17.6.4.4 Distribution of Concentrated Loads in Skewed Culverts ..... April 2000 ..... 17-20
17.6.4.5 Span Length ..... April 2000 ..... 17-21
17.6.4.6 Strength Reduction Factors ..... April 2000 ..... 17-21
17.6.4.7 Crack Control ..... April 2000 ..... 17-21
17.6.4.8 Minimum Reinforcement ..... April 2000 ..... 17-21

17.7 REINFORCED CONCRETE BOX, PRECAST ..... April 2000 ..... 17-21
17.7.1 Application ..... April 2000 ..... 17-21
17.7.2 Materials ..... April 2000 ..... 17-21
17.7.2.1 Concrete ..... April 2000 ..... 17-21
17.7.2.2 Reinforcement ..... April 2000 ..... 17-21
17.7.3 Concrete Cover for Reinforcement ..... April 2000 ..... 17-21
17.7.4 Design ..... April 2000 ..... 17-22
17.7.4.1 General Requirements ..... April 2000 ..... 17-22
17.7.4.2 *Deleted* ..... April 2000 ..... 17-22
17.7.4.3 Distribution of Concentrated Load Effects in Sides and Bottoms ..... April 2000 ..... 17-22
17.7.4.4 Distribution of Concentrated Loads in Skewed Culverts ..... April 2000 ..... 17-22
17.7.4.5 Span Length ..... April 2000 ..... 17-22
17.7.4.6 Strength Reduction Factors ..... April 2000 ..... 17-22
17.7.4.7 Crack Control ..... April 2000 ..... 17-22
17.7.4.8 Minimum Reinforcement ..... April 2000 ..... 17-22
17.7.4.9 Shear Transfer in Transverse Joints Between Culvert Sections ..... April 2000 ..... 17-22

17.8 PRECAST REINFORCED CONCRETE THREE-SIDED STRUCTURES ..... April 2000 ..... 17-23
17.8.1 Application ..... April 2000 ..... 17-23
17.8.2 Materials ..... April 2000 ..... 17-23
17.8.2.1 Concrete ..... April 2000 ..... 17-23
17.8.2.2 Reinforcement ..... April 2000 ..... 17-23
17.8.3 Concrete Cover for Reinforcement ..... April 2000 ..... 17-23
17.8.4 Geometric Properties ..... April 2000 ..... 17-23
17.8.5 Design ..... April 2000 ..... 17-23
17.8.5.1 General Requirements ..... April 2000 ..... 17-23
17.8.5.2 Distribution of Concentrated Load Effects in Side ..... April 2000 ..... 17-23
17.8.5.3 Distribution of Concentrated Loads in Skewed Culverts ..... April 2000 ..... 17-23
17.8.5.4 Shear Transfer in Transverse Joints Between Culvert Section ..... April 2000 ..... 17-23

17.8.5.5 Span Length ..... April 2000 ..... 17-24
17.8.5.6 Strength Reduction Factor ..... April 2000 ..... 17-24
17.8.5.7 Crack Control ..... April 2000 ..... 17-24
17.8.5.8 Minimum Reinforcement ..... April 2000 ..... 17-24
17.8.5.9 Deflection Control ..... April 2000 ..... 17-24
17.8.5.10 Footing Design ..... April 2000 ..... 17-24
17.8.5.11 Structure Backfill ..... April 2000 ..... 17-24
17.8.5.12 Scour Protection ..... April 2000 ..... 17-24

## Section 18 - Soil-Thermoplastic Pipe Interaction Systems

18.1 GENERAL ..... April 2000 ..... 18-1
18.1.1 Scope ..... April 2000 ..... 18-1
18.1.2 Notations ..... April 2000 ..... 18-1
18.1.3 Loads ..... April 2000 ..... 18-1
18.1.4 Design ..... April 2000 ..... 18-1
18.1.5 Materials ..... April 2000 ..... 18-1
18.1.6 Soil Design ..... April 2000 ..... 18-1
18.1.6.1 Soil Parameters ..... April 2000 ..... 18-1
18.1.7 Abrasive or Corrosive Conditions ..... April 2000 ..... 18-2
18.1.8 Minimum Spacing ..... April 2000 ..... 18-2
18.1.9 End Treatment ..... April 2000 ..... 18-2
18.1.10 *Deleted* ..... April 2000 ..... 18-2

18.2 SERVICE LOAD DESIGN ..... April 2000 ..... 18-2

18.3 LOAD FACTOR DESIGN ..... April 2000 ..... 18-2
18.3.1 Wall Area ..... April 2000 ..... 18-2
18.3.2 Buckling ..... April 2000 ..... 18-2
18.3.3 Handling and Installation Strength ..... April 2000 ..... 18-3

18.4 PLASTIC PIPE ..... April 2000 ..... 18-3
18.4.1 General ..... April 2000 ..... 18-3
18.4.1.2 *Deleted* ..... April 2000 ..... 18-3
18.4.1.3 Load Factor Design - Capacity Modification Factor, $\phi$: . April 2000 ..... 18-3
18.4.1.4 Flexibility Factor ..... April 2000 ..... 18-3
18.4.1.5 Minimum Cover ..... April 2000 ..... 18-3
18.4.1.6 Maximum Strain ..... April 2000 ..... 18-3
18.4.1.7 Local Buckling ..... April 2000 ..... 18-3
18.4.2 Section Properties ..... April 2000 ..... 18-3
18.4.2.1 PE Corrugated Pipes (AASHTO M 294) ..... April 2000 ..... 18-4
18.4.2.2 PE Ribbed Pipes (ASTM F 894) ..... April 2000 ..... 18-4
18.4.2.3 Profile Wall (Ribbed) PVC Pipes (AASHTO M 304) ..... April 2000 ..... 18-4
18.4.3 Chemical and Mechanical Requirements ..... April 2000 ..... 18-4
18.4.3.1 Polyethylene ..... April 2000 ..... 18-4
18.4.3.2 Poly (Vinyl Chloride) (PVC) ..... April 2000 ..... 18-5

## Appendix A

*Deleted February 2004* (Live Load Tables)

## Appendix B

Truck Train Loadings ..... April 2000 ..... B-1

## Appendix C

Columns ..... April 2000 ..... C-1

## Appendix D

Computation of Plastic Section Modulus Z* ..... April 2000 ..... D-1